

RECENT PUBLICATIONS

M. Ng and P. Holtham (August 2000). Electrical characterisation of titanium minerals. *Proc. Mineral Processing 2000 Conference*. Cape Town, South Africa OR39.

R. Immink. Electrodynamic separation – new dry processing technology. *Ibid.* OR19.

N.R. Allen (September 2000). Small particle eddy current separation. *Proc. MINPREX 2000 Conference, Melbourne*, p. 293.

N.R. Allen. Low intensity rotating magnetic field separation. *Ibid.*, p. 303.

J. Svoboda. Separation in magnetic fluids: time to meet the technological needs. *Ibid.*, p. 297.

J. Svoboda (2000). Separation of red blood cells by magnetic means. *J. Magn. Magn. Mater.*, **220**, 103.

J. Pitel and H. Jones (1998). Computer analysis of the 10 T superconducting magnet system of the Clarendon Laboratory for the purposes of an open-gradient magnetic separation. *J. Appl. Phys.*, **83**(8), 4522–4525.

J. Pitel and F. Chovanec (1999). Superconducting open-gradient magnetic separator utilising the braking effect of an axial component of magnetic force. *IEEE Trans. Appl. Supercond.*, **9**(2), 382–385.

H.R. Manouchehri *et al.* (2000). Review of electrical separation methods. Part 2: Practical considerations. *Miner. Metall. Proc.*, **17**(3), 139–166.

S.B. Kanungo *et al.* (2000). Beneficiation of low-grade, high-phosphorus manganese ores of Andhra Pradesh, India, by wet high-intensity magnetic separation. *Miner. Metall. Proc.*, **17**(3), 181–185.

V.L. Ganzha and S.C. Saxena (2000). Hydrodynamic behaviour of magnetically stabilised fluidised beds of magnetic particles. *Powder Technol.*, **107**, 31–35.

W.D. Greason (2000). Investigation of a test methodology for tribo-electrification. *J. Electrostatics*, **49**(3–4), 245–256.

R.C. Pullar (2000). A method for the preparation of aligned fibre samples for magnetic measurement using VSM. *J. Magn. Magn. Mater.*, **218**(1), 1–4.

L. Zhou (2000). Research development and prospects of superconducting materials in China. *Physica C*, **337**(1–4), 121–129.

L.Z. Lin *et al.* (2000). Recent advances in the R&D of high T_c superconductors for large-scale applications in China. *Physica C*, **337**(1–4), 331–334.

H.M. Wen *et al.* (2000). Experimental study on a high T_c superconducting permanent magnet. *Physica C*, **337**(1–4), 335–338.

H. Conrad (2000). Enhanced synthesis, processing and properties of materials with electric and magnetic fields. *Mater. Sci. Engn.*, **287**(2), VII.

H.H. Stadelmaier (2000). Magnetic properties of materials. *Mater. Sci. Engn.*, **287**(2), 138–145.

P. Gillon (2000). Uses of intense dc magnetic fields in material processing. *Mater. Sci. Engn.*, **287**(2), 146–152.

S.C. Byeon and K.S. Kong (2000). Electric field assisted bonding of ceramics. *Mater. Sci. Engn.*, **287**(2), 159–170.

J.R. Groza and A. Zavaliangos (2000). Sintering activation by external electrical field. *Mater. Sci. Engn.*, **287**(2), 171–177.

D.C. Newman. Novel uses of electric fields and electric currents in powder metal processing. *Ibid.*, 198–204.

H. Conrad. Influence of an electric or magnetic field on the fluid-solid transformation in materials and on the microstructure of the solid. *Ibid.*, 205–212.

- C.C. Koch. Experimental evidence by magnetic or electric field effects on phase transformations. *Ibid.*, 213–218.
- Y. Dolinsky and T. Elperin. Peculiarities of coexistence of phases with different electric conductivities under the influence of electric current. *Ibid.*, 219–226.
- H. Conrad. Effects of electric current on solid state phase transformations in metals. *Ibid.*, 227–237.
- M.J. Molotskii. Theoretical basis for electro- and magnetoplasticity. *Ibid.*, 248–258.
- Y.V. Baranov. Effects of electrostatic fields on mechanical characteristics and structure of metals and alloys. *Ibid.*, 288–300.
- K.A. Gschneidner and V.K. Pecharsky. The influence of magnetic field on the thermal properties of solids. *Ibid.*, 301–310.
- J. Bernardi *et al.* (2000). Preparation, magnetic properties and microstructure of lean rare-earth permanent magnetic materials. *J. Magn. Magn. Mater.*, **219**(2), 186–198.
- T. Rheilaender *et al.* Magnetic fractionation of magnetic fluids. *Ibid.*, 219–228.
- US Patent US5961055 (1999). Method for upgrading iron ore utilising multiple magnetic separators – P6587.
- S.E. Borglin (2000). Experimental studies of the flow of ferrofluid in porous media. *Transport in Porous Media*, **41**, 61–80.
- G. Atesok (1999). Reduction of ash and sulphur content in low-rank Turkish semicoked lignite by high intensity dry magnetic separation. *Coal Preparation*, **20**(3–4).
- V.L. Ganzha (1999). Hydrodynamic behaviour of magnetically stabilised fluidised beds of magnetic particles. *Powder Technol.*, **107**(1–2).
- S. Herdem (1999). Filtration model of high gradient magnetic filters with granular matrix. *Powder Technol.*, **103**(3), 176–182.
- J. Svoboda (2000). Ferrohydrostatic separation method and apparatus. US Patent 6026966.

- N. Takahashi (2000). Optimal design of magnetic devices. *J. Magn. Magn. Mater.*, **209**(1–2), 42–44.
- H.J. Choi. Viscosity of magnetic particle suspension. *Ibid.*, 228–230.
- S. Herdem *et al.* (2001). Simulation of the magnetic filtration process of technological liquids and gases by a nonlinear electrical circuit. *J. Phys. D: Appl. Phys.*, **34**, 238–242.
- L. Dascalescu *et al.* (2001). Electrostatics of conductive particles in contact with a plate electrode affected by a non-uniform electric field. *J. Phys. D: Appl. Phys.*, **34**, 60–67.
- J. Pitel and H. Jones (1998). Computer analysis of the 10 Tesla superconducting magnet system of the Clarendon Laboratory for the purposes of an open-gradient magnetic separation. *J. Appl. Phys.*, **83**(8), 4522–4525.
- M. Franzreb *et al.* (1998). Open gradient magnetic separator for removal of heavy metals from waste water based on a cryogen free superconducting 5 T magnet. In: Lin Liangzhen, Shen Guoliao and Yuan Luguang (Eds.), *Proc. 15th Int. Conf. on Magnet Technology, Beijing, China 1997*, pp. 744–747, Science Press, Beijing, China.
- O. Vincent-Viry *et al.* (2000). Magnetic percolation phenomenon in high-field high-gradient separators. *IEEE Trans. Magn.*, **36**, 3947.
- J. Danoczi (2001). Magnetic tracers. *Miner. Eng.*, **14**, 797–801.
- S. Jakabsky *et al.* (June 2001-07-11). Some principles of magnetic filtration. *Proc. New trends in mineral processing IV Int. Conference, Ostrava, Czech Republic*.
- B. Salopek and G. Bedekovic. Eddy current separation efficacy of metal scrap. *Ibid.*
- G.P. Hatch and R.E. Stelter (2001). Magnetic design considerations for devices and particles used for biological high-gradient magnetic separation (HGMS) systems. *J. Magn. Magn. Mater.*, **225**, 262–276.
- C. Gabrielli *et al.* (2001). Magnetic water treatment for scale prevention. *Water Res.*, **35**(13), 3249–3259.

C.O. Driscoll (June 2001). Living with magnets. *Chemistry in Britain*, p. 30.

V.V. Karmazin *et al.* (2000). New ways of increasing noble metals recovery and solving environmental problems in processing of gold mining wastes. *Obogashcheniye Rud*, Special issue, 25.

A.I. Urvantsev. On the efficiency of electrostatic separation with triboelectric charging of particles. *Ibid.*, p. 31.

A.I. Mesenyashin. Electrostatic separators. *Ibid.*, p. 59.

A.I. Urvantsev *et al.* On the increase in capacity of drum-type corona-discharge electrostatic separators. *Ibid.*, p. 62.

D. Richards *et al.* (1999). Superconducting magnets: the users choice. *Proc. 3rd Processing for Profit Conf.*, Antwerp, Belgium.