Corrigendum

Corrigendum to “ α -Actinin TvACTN3 of *Trichomonas vaginalis* Is an RNA-Binding Protein That Could Participate in Its Posttranscriptional Iron Regulatory Mechanism”

**Jaeson Santos Calla-Choque, Elisa Elvira Figueroa-Angulo,
Leticia Ávila-González, and Rossana Arroyo**

Departamento de Infectómica y Patogénesis Molecular, Centro de Investigación y de Estudios Avanzados del IPN (CINVESTAV-IPN), 07360 México, DF, Mexico

Correspondence should be addressed to Rossana Arroyo; rarroyo@cinvestav.mx

Received 3 March 2016; Accepted 23 May 2016

Copyright © 2016 Jaeson Santos Calla-Choque et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In Figures 7(a)–7(d) of the published article titled “ α -Actinin TvACTN3 of *Trichomonas vaginalis* Is an RNA-Binding Protein That Could Participate in Its Posttranscriptional Iron Regulatory Mechanism” [1], we mistakenly used the same strip data in panel (a), lanes 3 and 4; panel (b), lanes 3 and 4; panel (c), lanes 2 and 4; and panel (d), lanes 2 and 3. The corrected new Figure 7 and legend are presented here.

References

- [1] J. S. Calla-Choque, E. E. Figueroa-Angulo, L. Ávila-González, and R. Arroyo, “ α -Actinin TvACTN3 of *Trichomonas vaginalis* is an RNA-binding protein that could participate in its post-transcriptional iron regulatory mechanism,” *BioMed Research International*, vol. 2014, Article ID 424767, 20 pages, 2014.

FIGURE 7: Production of polyclonal antibodies and specific recognition of TvACTN3 domains (Dlr, DIIr, and DIIIr) and *T. vaginalis* total protein extracts by the specific antibodies. WB assays using (a) TvACTN3r, (b) Dlr, (c) DIIr, (d) DIIIr purified recombinant proteins, and (e) total protein extracts from *T. vaginalis* grown in regular iron conditions used as antigens and transferred onto NC membranes and incubated with α -TvACTN3r, α -Dlr, α -DIIr, and α -DIIIr polyclonal antibodies (lanes 1–4). kDa, molecular weight markers in kilodaltons (Bio-Rad).