Pediatric endoscopy: Need for a tailored approach to guidelines on quality and safety. S Forget, CM Walsh. *Can J Gastroenterol* 2012;26(10):735.

To the Editor,

Validated and clinically relevant quality and safety indicators have great potential to markedly improve the quality and efficiency of patient-centred care, and provide a basis for evidence-based guidelines for endoscopic practice. However, defining recommendations and meaningful indicators is a difficult process. Publication of the Canadian Association of Gastroenterology consensus guidelines on safety and quality in endoscopy (1) as well as the evidence-based indicators of safety compromise (2), represents an effort to build a more efficient and effective health care system through improved quality of care and patient safety. The authors must be commended on their efforts to rigorously and systematically develop a comprehensive set of clearly defined, evidence-based measures to support continuous quality improvement in endoscopy across Canada. The consensus guidelines represent a strong first step in a coordinated strategy to define and collect data on quality and safety indicators in endoscopy. They provide a means to identify gaps and strengths in the quality and efficiency of patient-centred care and a metric on which to assess progress toward identified goals.

While the Canadian Association of Gastroenterology consensus guidelines on safety and quality indicators in endoscopy are meant to be broadly applicable to the Canadian health care environment (1), concerns have been raised within the pediatric gastroenterology community regarding the applicability of such guidelines to pediatric endoscopy. Pediatric endoscopy should not be an exception to the current trend toward quality improvement and patient-centred medicine. There is a definite need to monitor current pediatric endoscopic processes and to assess the results of such monitoring to identify areas for improvement, and define ways to achieve better quality of care in the delivery of our services. However, given the unique nature of pediatric medicine, principles that are derived from an adult perspective are not always directly applicable to the specific needs of children and adolescents. While many of the processes and indicators of quality and safety that are outlined in the consensus guidelines are directly applicable to pediatric endoscopy, there are a number of issues that differ in children (3), highlighting the need to tailor certain elements to pediatric practice.

Examples of areas requiring recommendations tailored to pediatric practice may include the following:

- The consent process (eg, decision-making capacity, patient assent, role of caregiver input)
- Operating standards for accreditation
- Guidelines for appropriate indications for endoscopic procedures and surveillance intervals
- Sedation options and needs (eg, differing sedation practices, need for general anesthesia and, hence, the need to incorporate operating room and anesthesia-related policies)
- Indicators of quality in endoscopy (eg, need to define substitute indicators for adenoma and polyp detection rate, withdrawal time and interval cancer incidence)

- Indicators of safety compromise in endoscopy (eg, need to define indicators for risks associated with inappropriate sedation dosages in pediatric patients)
- The discharge process and content of the discharge report
- The issue of confidentiality of medical information as it pertains to adolescents
- Guidelines for credentialing and provision and renewal of endoscopy privileges (eg, definition of reliable benchmarks of performance in pediatric endoscopy as a substitute for volume of procedures)

There is limited literature on the applicability of quality and safety indicators to pediatric endoscopy practice and their impact on clinically relevant outcomes. However, the fact that many of these processes and indicators have not been formally assessed in the pediatric literature should not be an argument in favour of dismissal of such guidelines for pediatric endoscopy. Nor should it serve as an excuse to ignore the need for quality improvement in pediatric endoscopy. Rather, existing knowledge gaps should provide impetus to launch initiatives aimed at filling these gaps.

To address this need, we are assembling a North American working group on quality in pediatric endoscopy – the Pediatric Endoscopy Quality Improvement Network (PEnQIN). This initiative will allow for the adaptation of current guidelines to pediatric endoscopy practice. Furthermore, it will help to identify areas requiring further research. There is not only a need to develop facility standards and quality and safety indicators tailored to pediatric endoscopic practice, but also to validate them in a longitudinal prospective fashion to measure their performance as predictors of clinically relevant outcomes and high-quality, patient-centred care. Our initiative aims to answer the concerns that pediatric gastroenterologists may have with regard to the recently published guidelines, and to provide a springboard toward the systematic assessment and improvement of pediatric endoscopy practice in Canada, with the ultimate goal of enhancing health outcomes, quality of care and patient satisfaction.

Sylviane Forget MD MSc FRCPC
Division of Pediatric Gastroenterology,
Montreal Children's Hospital, McGill University Health Centre,
Montreal, Quebec
Chair, Ethics Committee, Canadian Association of Gastroenterology

Catherine M Walsh MD MEd FRCPC
Division of Paediatric Gastroenterology, Hepatology and Nutrition,
The Hospital for Sick Children
The Wilson Centre for Research in Education, University of Toronto,
Toronto, Ontario

REFERENCES

1. Armstrong A, Barkun A, Bridges R, et al. Canadian Association of Gastroenterology consensus guidelines on safety and quality indicators in endoscopy. *Can J Gastroenterol* 2012;26:17-31.
2. Borgiaonkar M, Hookey L, Hollingworth R, et al. Indicators of safety compromise in gastrointestinal endoscopy. *Can J Gastroenterol* 2012;26:71-8.
3. ASGE Standards of Practice Committee, Lee KK, Anderson MA, et al. Modifications in endoscopic practice for pediatric patients. *Gastrointest Endosc* 2008;67:1-9.

Correspondence: Dr Sylviane Forget, Division of Gastroenterology, Montreal Children's Hospital, McGill University Health Centre, 2300 Tupper Street, Room D-562, Montreal, Quebec H3H 1P3. Telephone 514-412-4400 ext 22437, fax 514-412-4392, e-mail sylviane.forget@muhc.mcgill.ca

Received for publication March 31, 2012. Accepted April 4, 2012