Research Article

On a System of Difference Equations

Ozan Özkan¹ and Abdullah Selçuk Kurbanlı²

¹ Department of Mathematics, Faculty of Science, Selçuk University, 42075 Konya, Turkey

² Mathematics Department, Ahmet Keleşoğlu Education Faculty, N. Erbakan University, Meram Yeni Yol, 42090 Konya, Turkey

Correspondence should be addressed to Ozan Özkan; oozkan@selcuk.edu.tr

Received 25 December 2012; Accepted 3 February 2013

Academic Editor: Ibrahim Yalcinkaya

Copyright © 2013 O. Özkan and A. S. Kurbanlı. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

We have investigated the periodical solutions of the system of rational difference equations $x_{n+1} = y_{n-2}/(-1 \pm y_{n-2}x_{n-1}y_n)$, $y_{n+1} = x_{n-2}/(-1 \pm x_{n-2}y_{n-1}x_n)$, and $z_{n+1} = (x_{n-2} + y_{n-2})/(-1 \pm x_{n-2}y_{n-1}x_n)$, where $y_0, y_{-1}, y_{-2}, x_0, x_{-1}, x_{-2}, z_0, z_{-1}, z_{-2} \in \mathbb{R}$.

1. Introduction

Recently, a great interest has arisen on studying difference equation systems. One of the reasons for that is the necessity for some techniques which can be used in investigating equations which originate in mathematical models to describe real-life situations such as population biology, economics, probability theory, genetics, and psychology. There are many papers related to the difference equations system.

In [1], Kurbanlı et al. studied the periodicity of solutions of the system of rational difference equations

$$x_{n+1} = \frac{x_{n-1} + y_n}{y_n x_{n-1} - 1}, \quad y_{n+1} = \frac{y_{n-1} + x_n}{x_n y_{n-1} - 1}. \quad (1)$$

In [2], Çinar studied the solutions of the systems of difference equations

$$x_{n+1} = \frac{1}{y_n}, \quad y_{n+1} = \frac{y_n}{x_{n-1}y_{n-1}}. \quad (2)$$

In [3, 4], Özban studied the positive solutions of the system of rational difference equations

$$x_n = \frac{a}{y_{n-3}}, \quad y_n = \frac{by_{n-3}}{x_{n-q}y_{n-q}}, \quad (3)$$

$$x_{n+1} = \frac{1}{y_{n-k}}, \quad y_{n+1} = \frac{y_n}{x_{n-m}y_{n-m-k}}.$$

In [5–16], Elsayed studied a variety of systems of rational difference equations; for more, see references.

In this paper, we have investigated the periodical solutions of the system of difference equations

$$x_{n+1} = \frac{y_{n-2}}{-1 \pm y_{n-2}x_{n-1}y_n}, \quad y_{n+1} = \frac{x_{n-2}}{-1 \pm x_{n-2}y_{n-1}x_n},$$

$$z_{n+1} = \frac{x_{n-2} + y_{n-2}}{-1 \pm x_{n-2}y_{n-1}x_n}, \quad n \in \mathbb{N}_0, \quad (4)$$

where the initial conditions are arbitrary real numbers.

2. Main Results

Theorem 1. Let $y_0 = a$, $y_{-1} = b$, $y_{-2} = c$, $x_0 = d$, $x_{-1} = e$, $x_{-2} = f$, $z_0 = k$, $z_{-1} = p$, and $z_{-2} = q$ be arbitrary real numbers, and let $\{x_n, y_n, z_n\}$ be a solution of the system

$$x_{n+1} = \frac{y_{n-2}}{-1 + y_{n-2}x_{n-1}y_n}, \quad y_{n+1} = \frac{x_{n-2}}{-1 + x_{n-2}y_{n-1}x_n},$$

$$z_{n+1} = \frac{x_{n-2} + y_{n-2}}{-1 + x_{n-2}y_{n-1}x_n}, \quad n \in \mathbb{N}_0. \quad (5)$$

Also, assume that $b \neq 0$, $e \neq 0$, $fb d \neq 1$, and $cea \neq 1$. Then, all six-period solutions of (5) are as follows:

$$x_{6n+1} = \frac{c}{1 - cea}, \quad y_{6n+1} = \frac{f}{fb d - 1},$$

$$z_{6n+1} = -\frac{f + c}{fb d - 1},$$

$$x_{6n+1} = b(fbd - 1), \quad y_{6n+2} = e(cea - 1),$$

$$z_{6n+2} = -(e + b)(cea + 1),$$

$$x_{6n+1} = \frac{a}{1 - cea}, \quad y_{6n+3} = \frac{d}{fbd - 1},$$

$$z_{6n+3} = -\frac{d + a}{fbd + 1},$$

$$x_{6n+1} = f, \quad y_{6n+4} = c,$$

$$z_{6n+4} = \frac{c(fbd + 1) + f(cea + 1)}{fbd + 1},$$

$$x_{6n+1} = e, \quad y_{6n+5} = b,$$

$$z_{6n+5} = \frac{b(fbd + 1) + e(cea + 1)}{fbd + 1},$$

$$x_{6n+1} = d, \quad y_{6n+6} = a,$$

$$z_{6n+6} = \frac{a(fbd + 1) + d(cea + 1)}{fbd + 1},$$

$$n \in \mathbb{N}_0.$$

(6)

Proof. For $n = 0, 1, 2, 3, 4, 5$, we have

$$x_1 = \frac{y_{-2}}{-1 + y_{-2}x_{-1}y_0} = \frac{c}{-1 + cea},$$

$$y_1 = \frac{x_{-2}}{-1 + x_{-2}y_{-1}x_0} = \frac{f}{-1 + fbd},$$

$$z_1 = \frac{x_{-2} + y_{-2}}{-1 + y_{-2}x_{-1}y_0} = \frac{f + c}{-1 + fbd},$$

$$x_2 = \frac{y_{-1}}{-1 + y_{-1}x_0y_1} = \frac{b}{-1 + bd(f/(fbd - 1))}$$

$$= \frac{b}{1/(fbd - 1)} = b(fbd - 1),$$

$$y_2 = \frac{x_{-1}}{-1 + x_{-1}y_0x_1} = \frac{e}{-1 + ea(c/(cea - 1))}$$

$$= \frac{e}{1/(cea - 1)} = e(cea - 1),$$

$$z_2 = \frac{x_{-1} + y_{-1}}{-1 + x_{-1}y_0x_1} = \frac{e + b}{-1 + ea(c/(cea - 1))}$$

$$= \frac{e + b}{1/(cea - 1)} = (e + b)(cea - 1),$$

$$x_3 = \frac{y_0}{-1 + y_0x_1y_2} = \frac{a}{-1 + a(c/(cea - 1))e(cea - 1)}$$

$$= \frac{a}{cea - 1},$$

$$y_3 = \frac{x_0}{-1 + x_0y_1x_2} = \frac{d}{-1 + d(f/(fbd - 1))b(fbd - 1)}$$

$$= \frac{d}{fbd - 1},$$

$$z_3 = \frac{x_0 + y_0}{-1 + x_0y_1x_2}$$

$$= \frac{d + a}{-1 + d(f/(fbd - 1))b(fbd - 1)} = \frac{d + a}{fbd - 1},$$

$$x_4 = \frac{y_1}{-1 + y_1x_2y_3}$$

$$= \frac{f/(fbd - 1)}{-1 + (f/(fbd - 1))b(fbd - 1)(d/(fbd - 1))}$$

$$= \frac{f/(fbd - 1)}{-1 + (fbd/(fbd - 1))} = \frac{f/(fbd - 1)}{1/(fbd - 1)} = f,$$

$$y_4 = \frac{x_1}{-1 + x_1y_2x_3}$$

$$= \frac{c/(cea - 1)}{-1 + (c/(cea - 1))e(cea - 1)(a/(cea - 1))}$$

$$= \frac{c/(cea - 1)}{-1 + (cea/(cea - 1))} = \frac{c/(cea - 1)}{1/(cea - 1)} = c,$$

$$z_4 = \frac{x_1 + y_1}{-1 + x_1y_2x_3}$$

$$= \frac{(c/(cea - 1)) + (f/(fbd - 1))}{-1 + (c/(cea - 1))e(cea - 1)(a/(cea - 1))}$$

$$= \frac{c(fbd - 1) + f(cea - 1)}{fbd - 1},$$

$$x_5 = \frac{y_2}{-1 + y_2x_3y_4}$$

$$= \frac{e(cea - 1)}{-1 + e(cea - 1)(a/(cea - 1))c} = e,$$

$$y_5 = \frac{x_2}{-1 + x_2y_3x_4}$$

$$= \frac{b(fbd - 1)}{-1 + b(fbd - 1)(d/(fbd - 1))f} = b,$$

$$z_5 = \frac{x_2 + y_2}{-1 + x_2y_3x_4}$$

$$= \frac{b(fbd - 1) + e(cea - 1)}{-1 + b(fbd - 1)(d/(fbd - 1))f}$$

$$= \frac{b(fbd - 1) + e(cea - 1)}{fbd - 1},$$

$$x_6 = \frac{y_3}{-1 + y_3x_4y_5} = \frac{d/(fbd - 1)}{-1 + (d/(fbd - 1))fb} = d,$$

$$\begin{aligned}
y_6 &= \frac{x_3}{-1 + x_3 y_4 x_5} = \frac{a/(cea-1)}{-1 + (a/(cea-1))ce} = a, \\
z_6 &= \frac{x_3 + y_3}{-1 + x_3 y_4 x_5} \\
&= \frac{(a/(cea-1)) + (d/(fbd-1))}{-1 + (a/(cea-1))ce} \\
&= \frac{a(fbd-1) + d(cea-1)}{fbd-1}.
\end{aligned}$$

(7)

For $n = 6, 7, 8, 9, 10, 11$, assume that

$$\begin{aligned}
x_7 &= \frac{y_4}{-1 + y_4 x_5 y_6} = \frac{c}{-1 + cea} = x_1, \\
y_7 &= \frac{x_4}{-1 + x_4 y_5 x_6} = \frac{f}{-1 + fbd} = y_1, \\
z_7 &= \frac{x_4 + y_4}{-1 + x_4 y_5 x_6} = \frac{f + c}{-1 + fbd} = z_1, \\
x_8 &= \frac{y_5}{-1 + y_5 x_6 y_7} = \frac{b}{-1 + bd(f/(-1 + fbd))} \\
&= b(fbd-1) = x_2, \\
y_8 &= \frac{x_5}{-1 + x_5 y_6 x_7} = \frac{e}{-1 + ea(c/(-1 + cea))} \\
&= e(cea-1) = y_2, \\
z_8 &= \frac{x_5 + y_5}{-1 + x_5 y_6 x_7} = \frac{e + b}{-1 + ea(c/(-1 + cea))} \\
&= (e + b)(cea-1) = z_2, \\
x_9 &= \frac{y_6}{-1 + y_6 x_7 y_8} = \frac{a}{-1 + a(c/(-1 + cea))e(cea-1)} \\
&= \frac{a}{cea-1} = x_3, \\
y_9 &= \frac{x_6}{-1 + x_6 y_7 x_8} \\
&= \frac{d}{-1 + d(f/(-1 + fbd))b(fbd-1)} \\
&= \frac{d}{fbd-1} = y_3, \\
z_9 &= \frac{x_6 + y_6}{-1 + x_6 y_7 x_8} \\
&= \frac{d + a}{-1 + d(f/(-1 + fbd))b(fbd-1)} \\
&= \frac{d + a}{fbd-1} = z_3, \\
x_{10} &= \frac{y_7}{-1 + y_7 x_8 y_9}
\end{aligned}$$

$$\begin{aligned}
&= \frac{f/(-1 + fbd)}{-1 + (f/(-1 + fbd))b(fbd-1)(d/(fbd-1))} \\
&= \frac{f/(-1 + fbd)}{-1 + (fbd/(-1 + fbd))} = f = x_4, \\
y_{10} &= \frac{x_7}{-1 + x_7 y_8 x_9} \\
&= \frac{c/(-1 + cea)}{-1 + (c/(-1 + cea))e(cea-1)(a/(cea-1))} \\
&= \frac{c/(-1 + cea)}{-1 + (cea/(-1 + cea))} = c = y_4, \\
z_{10} &= \frac{x_7 + y_7}{-1 + x_7 y_8 x_9} \\
&= \frac{(c/(-1 + cea)) + (f/(-1 + fbd))}{-1 + (c/(-1 + cea))e(cea-1)(a/(cea-1))} \\
&= \frac{c(fbd-1) + f(cea-1)}{fbd-1} = z_4, \\
x_{11} &= \frac{y_8}{-1 + y_8 x_9 y_{10}} \\
&= \frac{e(cea-1)}{-1 + e(cea-1)(a/(cea-1))c} = e = x_5, \\
y_{11} &= \frac{x_8}{-1 + x_8 y_9 x_{10}} \\
&= \frac{b(fbd-1)}{-1 + b(fbd-1)(d/(fbd-1))f} = b = y_5, \\
z_{11} &= \frac{x_8 + y_8}{-1 + x_8 y_9 x_{10}} \\
&= \frac{b(fbd-1) + e(cea-1)}{-1 + b(fbd-1)(d/(fbd-1))f} \\
&= \frac{b(fbd-1) + e(cea-1)}{fbd-1} = z_5, \\
x_{12} &= \frac{y_9}{-1 + y_9 x_{10} y_{11}} = \frac{d/(fbd-1)}{-1 + (d/(fbd-1))fb} = d = x_6, \\
y_{12} &= \frac{x_9}{-1 + x_9 y_{10} x_{11}} = \frac{a/(cea-1)}{-1 + (a/(cea-1))ce} = a = y_6, \\
z_{12} &= \frac{x_9 + y_9}{-1 + x_9 y_{10} x_{11}} = \frac{(a/(cea-1)) + (d/(fbd-1))}{-1 + (a/(cea-1))ce} \\
&= \frac{a(fbd-1) + d(cea-1)}{fbd-1} = z_6
\end{aligned}$$

(8)

are true. Also, we have

$$x_1 = \frac{c}{cea-1} = x_7 = x_{13} = \dots = x_{6n+1}, \quad n \in \mathbb{N}_0,$$

$$x_2 = b(fbd-1) = x_8 = x_{14} = \dots = x_{6n+2}, \quad n \in \mathbb{N}_0,$$

$$\begin{aligned}
x_3 &= \frac{a}{cea-1} = x_9 = x_{15} = \cdots = x_{6n+3}, \quad n \in \mathbb{N}_0, \\
x_4 &= f = x_{10} = x_{16} = \cdots = x_{6n+4}, \quad n \in \mathbb{N}_0, \\
x_5 &= e = x_{11} = x_{17} = \cdots = x_{6n+5}, \quad n \in \mathbb{N}_0, \\
x_6 &= d = x_{12} = x_{18} = \cdots = x_{6n+6}, \quad n \in \mathbb{N}_0, \\
y_1 &= \frac{f}{fbd-1} = y_7 = y_{13} = \cdots = y_{6n+1}, \quad n \in \mathbb{N}_0, \\
y_2 &= e(cea-1) = y_8 = y_{14} = \cdots = y_{6n+2}, \quad n \in \mathbb{N}_0, \\
y_3 &= \frac{d}{fbd-1} = y_9 = y_{15} = \cdots = y_{6n+3}, \quad n \in \mathbb{N}_0, \\
y_4 &= c = y_{10} = y_{16} = \cdots = y_{6n+4}, \quad n \in \mathbb{N}_0, \\
y_5 &= b = y_{11} = y_{17} = \cdots = y_{6n+5}, \quad n \in \mathbb{N}_0, \\
y_6 &= a = y_{12} = y_{18} = \cdots = y_{6n+6}, \quad n \in \mathbb{N}_0, \\
z_1 &= \frac{f+c}{fbd-1} = z_7 = z_{13} = \cdots = z_{6n+1}, \quad n \in \mathbb{N}_0, \\
z_2 &= (e+b)(cea-1) = z_8 = z_{14} = \cdots = z_{6n+2}, \quad n \in \mathbb{N}_0, \\
z_3 &= \frac{d+a}{fbd-1} = z_9 = z_{15} = \cdots = z_{6n+3}, \quad n \in \mathbb{N}_0, \\
z_4 &= \frac{c(fbd-1) + f(cea-1)}{fbd-1} = z_{10} \\
&= z_{16} = \cdots = z_{6n+4}, \quad n \in \mathbb{N}_0, \\
z_5 &= \frac{b(fbd-1) + e(cea-1)}{fbd-1} = z_{11} \\
&= z_{17} = \cdots = z_{6n+5}, \quad n \in \mathbb{N}_0, \\
z_6 &= \frac{a(fbd-1) + d(cea-1)}{fbd-1} = z_{12} \\
&= z_{18} = \cdots = z_{6n+6}, \quad n \in \mathbb{N}_0.
\end{aligned} \tag{9}$$

□

Theorem 2. Let $y_0 = a$, $y_{-1} = b$, $y_{-2} = c$, $x_0 = d$, $x_{-1} = e$, $x_{-2} = f$, $z_0 = k$, $z_{-1} = p$, and $z_{-2} = q$ be arbitrary real numbers, and let $\{x_n, y_n, z_n\}$ be a solution of the system

$$\begin{aligned}
x_{n+1} &= \frac{y_{n-2}}{-1 - y_{n-2}x_{n-1}y_n}, \quad y_{n+1} = \frac{x_{n-2}}{-1 - x_{n-2}y_{n-1}x_n}, \\
z_{n+1} &= \frac{x_{n-2} + y_{n-2}}{-1 - x_{n-2}y_{n-1}x_n}, \quad n \in \mathbb{N}_0.
\end{aligned} \tag{10}$$

Also, assume that $b \neq 0$, $e \neq 0$, $fbd \neq -1$, and $cea \neq -1$. Then, all six-period solutions of (10) are as follows:

$$\begin{aligned}
x_{6n+1} &= -\frac{c}{1+cea}, \quad y_{6n+1} = -\frac{f}{fbd+1}, \\
z_{6n+1} &= -\frac{-f(1+fbd)+c}{fbd+1},
\end{aligned}$$

$$\begin{aligned}
x_{6n+1} &= -b(fbd+1), \quad y_{6n+2} = -e(cea+1), \\
z_{6n+2} &= e - b(1+cea), \\
x_{6n+1} &= -\frac{a}{1+cea}, \quad y_{6n+3} = -\frac{d}{fbd+1}, \\
z_{6n+3} &= -\frac{-d(fbd+1)+a}{fbd+1}, \\
x_{6n+1} &= f, \quad y_{6n+4} = c, \\
z_{6n+4} &= \frac{-c(fbd+1) + f(1+cea + c^2e^2a^2)}{(fbd+1)(cea+1)}, \\
x_{6n+1} &= e, \quad y_{6n+5} = b, \\
z_{6n+5} &= \frac{-b(1+2fbd + f^2b^2d^2) + e(1+cea)}{fbd+1}, \\
x_{6n+1} &= d, \quad y_{6n+6} = a, \\
z_{6n+6} &= \frac{-a(fbd+1) + d(1+cea + c^2e^2a^2)}{(1+cea)(fbd+1)}, \\
& \quad n \in \mathbb{N}_0.
\end{aligned} \tag{11}$$

Proof. For $n = 0, 1, 2, 3, 4, 5$, we have

$$\begin{aligned}
x_1 &= \frac{y_{-2}}{-1 - y_{-2}x_{-1}y_0} = \frac{c}{-1 - cea} = -\frac{c}{1+cea}, \\
y_1 &= \frac{x_{-2}}{-1 - x_{-2}y_{-1}x_0} = \frac{f}{-1 - fbd} = -\frac{f}{1+fbd}, \\
z_1 &= \frac{x_{-2} + y_{-2}}{-1 - y_{-2}x_{-1}y_0} = \frac{f+c}{-1 - fbd} = -\frac{f+c}{1+fbd}, \\
x_2 &= \frac{y_{-1}}{-1 - y_{-1}x_0y_1} = \frac{b}{-1 - bd(-(f/(fbd+1)))} \\
&= \frac{b}{-(1/(fbd+1))} = -b(1+fbd), \\
y_2 &= \frac{x_{-1}}{-1 - x_{-1}y_0x_1} = \frac{e}{-1 - ea(-(c/(1+cea)))} \\
&= \frac{e}{-(1/(1+cea))} = -e(1+cea), \\
z_2 &= \frac{x_{-1} + y_{-1}}{-1 - x_{-1}y_0x_1} = \frac{e+b}{-1 - ea(-(c/(1+cea)))} \\
&= \frac{e+b}{-(1/(1+cea))} = -(e+b)(1+cea), \\
x_3 &= \frac{y_0}{-1 - y_0x_1y_2} \\
&= \frac{a}{-1 - a(-(c/(1+cea)))(-e(1+cea))} \\
&= -\frac{a}{1+cea},
\end{aligned}$$

$$\begin{aligned}
y_3 &= \frac{x_0}{-1 - x_0 y_1 x_2} \\
&= \frac{d}{-1 - d(-f/(1 + fbd))(-b(1 + fbd))} \\
&= -\frac{d}{1 + fbd}, \\
z_3 &= \frac{x_0 + y_0}{-1 - x_0 y_1 x_2} \\
&= \frac{d + a}{-1 - d(-f/(1 + fbd))(-b(1 + fbd))} \\
&= -\frac{d + a}{1 + fbd}, \\
x_4 &= \frac{y_1}{-1 - y_1 x_2 y_3} \\
&= \frac{-f/(1 + fbd)}{-1 + (f/(1 + fbd))b(1 + fbd)(d/(1 + fbd))} \\
&= \frac{-f/(1 + fbd)}{-1 + (fbd/(1 + fbd))} = \frac{-f/(1 + fbd)}{-(1/(1 + fbd))} = f, \\
y_4 &= \frac{x_1}{-1 - x_1 y_2 x_3} \\
&= \frac{-(c/(1 + cea))}{-1 + (c/(1 + cea))e(1 + cea)(a/(1 + cea))} \\
&= \frac{-(c/(1 + cea))}{-1 + (cea/(1 + cea))} = \frac{-(c/(1 + cea))}{-(1/(1 + cea))} = c, \\
z_4 &= \frac{x_1 + y_1}{-1 - x_1 y_2 x_3} \\
&= \frac{-(c/(1 + cea)) - (f/(1 + fbd))}{-1 + (c/(1 + cea))e(1 + cea)(a/(1 + cea))} \\
&= \frac{c(1 + fbd) + f(1 + cea)}{1 + fbd}, \\
x_5 &= \frac{y_2}{-1 - y_2 x_3 y_4} \\
&= \frac{-e(1 + cea)}{-1 - e(1 + cea)(a/(1 + cea))c} = e, \\
y_5 &= \frac{x_2}{-1 - x_2 y_3 x_4} \\
&= \frac{-b(1 + fbd)}{-1 - b(1 + fbd)(d/(1 + fbd))f} = b, \\
z_5 &= \frac{x_2 + y_2}{-1 - x_2 y_3 x_4} \\
&= \frac{-b(1 + fbd) - e(1 + cea)}{-1 - b(1 + fbd)(d/(1 + fbd))f}
\end{aligned}$$

$$\begin{aligned}
&= \frac{b(1 + fbd) + e(1 + cea)}{1 + fbd}, \\
x_6 &= \frac{y_3}{-1 - y_3 x_4 y_5} \\
&= \frac{-(d/(1 + fbd))}{-1 + (d/(1 + fbd))fb} = d, \\
y_6 &= \frac{x_3}{-1 - x_3 y_4 x_5} \\
&= \frac{-(a/(1 + cea))}{-1 + (a/(1 + cea))ce} = a, \\
z_6 &= \frac{x_3 + y_3}{-1 - x_3 y_4 x_5} \\
&= \frac{-(a/(1 + cea)) - (d/(1 + fbd))}{-1 + (a/(1 + cea))ce} \\
&= \frac{a(1 + fbd) + d(1 + cea)}{1 + fbd}.
\end{aligned} \tag{12}$$

For $n = 6, 7, 8, 9, 10, 11$, assume that

$$\begin{aligned}
x_7 &= \frac{y_4}{-1 - y_4 x_5 y_6} = \frac{c}{-1 - cea} = -\frac{c}{1 + cea} = x_1, \\
y_7 &= \frac{x_4}{-1 - x_4 y_5 x_6} = \frac{f}{-1 - fbd} = -\frac{f}{1 + fbd} = y_1, \\
z_7 &= \frac{x_4 + y_4}{-1 - x_4 y_5 x_6} = \frac{f + c}{-1 - fbd} = -\frac{f + c}{1 + fbd} = z_1, \\
x_8 &= \frac{y_5}{-1 - y_5 x_6 y_7} = \frac{b}{-1 + bd(f/(1 + fbd))} \\
&= -b(1 + fbd) = x_2, \\
y_8 &= \frac{x_5}{-1 - x_5 y_6 x_7} = \frac{e}{-1 + ea(c/(1 + cea))} \\
&= -e(1 + cea) = y_2, \\
z_8 &= \frac{x_5 + y_5}{-1 - x_5 y_6 x_7} = \frac{e + b}{-1 + ea(c/(1 + cea))} \\
&= -(e + b)(1 + cea) = z_2, \\
x_9 &= \frac{y_6}{-1 - y_6 x_7 y_8} = \frac{a}{-1 - a(c/(1 + cea))e(1 + cea)} \\
&= -\frac{a}{1 + cea} = x_3, \\
y_9 &= \frac{x_6}{-1 - x_6 y_7 x_8} = \frac{d}{-1 - d(f/(1 + fbd))b(1 + fbd)} \\
&= -\frac{d}{1 + fbd} = y_3,
\end{aligned}$$

$$z_9 = \frac{x_6 + y_6}{-1 - x_6 y_7 x_8} = \frac{d + a}{-1 - d(f/(1 + fbd))b(1 + fbd)}$$

$$= -\frac{d + a}{1 + fbd} = z_3,$$

$$x_{10} = \frac{y_7}{-1 - y_7 x_8 y_9}$$

$$= \frac{-(f/(1 + fbd))}{-1 + (f/(1 + fbd))b(1 + fbd)(d/(1 + fbd))}$$

$$= \frac{-(f/(1 + fbd))}{-1/(1 + fbd)} = f = x_4,$$

$$y_{10} = \frac{x_7}{-1 - x_7 y_8 x_9}$$

$$= \frac{-(c/(1 + cea))}{-1 + (c/(1 + cea))e(1 + cea)(a/(1 + cea))}$$

$$= \frac{-(c/(1 + cea))}{-1/(1 + cea)} = c = y_4,$$

$$z_{10} = \frac{x_7 + y_7}{-1 - x_7 y_8 x_9}$$

$$= \frac{-(c/(1 + cea)) - (f/(1 + fbd))}{-1 + (c/(1 + cea))e(1 + cea)(a/(1 + cea))}$$

$$= \frac{c(1 + fbd) + f(1 + cea)}{1 + fbd} = z_4,$$

$$x_{11} = \frac{y_8}{-1 - y_8 x_9 y_{10}}$$

$$= \frac{-e(1 + cea)}{-1 - e(1 + cea)(a/(1 + cea))c} = e = x_5,$$

$$y_{11} = \frac{x_8}{-1 - x_8 y_9 x_{10}}$$

$$= \frac{-b(1 + fbd)}{-1 - b(1 + fbd)(d/(1 + fbd))f} = b = y_5,$$

$$z_{11} = \frac{x_8 + y_8}{-1 - x_8 y_9 x_{10}}$$

$$= \frac{-b(1 + fbd) - e(1 + cea)}{-1 - b(1 + fbd)(d/(1 + fbd))f}$$

$$= \frac{b(1 + fbd) + e(1 + cea)}{1 + fbd} = z_5,$$

$$x_{12} = \frac{y_9}{-1 - y_9 x_{10} y_{11}}$$

$$= \frac{-(d/(1 + fbd))}{-1 + (d/(1 + fbd))fb} = d = x_6,$$

$$y_{12} = \frac{x_9}{-1 - x_9 y_{10} x_{11}}$$

$$= \frac{-(a/(1 + cea))}{-1 + (a/(1 + cea))ce} = a = y_6,$$

$$z_{12} = \frac{x_9 + y_9}{-1 - x_9 y_{10} x_{11}}$$

$$= \frac{-(a/(1 + cea)) - (d/(1 + fbd))}{-1 + (a/(1 + cea))ce}$$

$$= \frac{a(1 + fbd) + d(1 + cea)}{1 + fbd} = z_6$$
(13)

are true. Also, we have

$$x_1 = -\frac{c}{1 + cea} = x_7 = x_{13} = \dots = x_{6n+1},$$

$$n = 0, 1, 2, 3, \dots,$$

$$x_2 = -b(1 + fbd) = x_8 = x_{14} = \dots = x_{6n+2},$$

$$n = 0, 1, 2, 3, \dots,$$

$$x_3 = -\frac{a}{1 + cea} = x_9 = x_{15} = \dots = x_{6n+3},$$

$$n = 0, 1, 2, 3, \dots,$$

$$x_4 = f = x_{10} = x_{16} = \dots = x_{6n+4}, \quad n = 0, 1, 2, 3, \dots,$$

$$x_5 = e = x_{11} = x_{17} = \dots = x_{6n+5}, \quad n = 0, 1, 2, 3, \dots,$$

$$x_6 = d = x_{12} = x_{18} = \dots = x_{6n+6}, \quad n = 0, 1, 2, 3, \dots,$$

$$y_1 = -\frac{f}{1 + fbd} = y_7 = y_{13} = \dots = y_{6n+1}, \quad n \in \mathbb{N}_0,$$

$$y_2 = -e(1 + cea) = y_8 = y_{14} = \dots = y_{6n+2}, \quad n \in \mathbb{N}_0,$$

$$y_3 = -\frac{d}{1 + fbd} = y_9 = y_{15} = \dots = y_{6n+3}, \quad n \in \mathbb{N}_0,$$

$$y_4 = c = y_{10} = y_{16} = \dots = y_{6n+4}, \quad n \in \mathbb{N}_0,$$

$$y_5 = b = y_{11} = y_{17} = \dots = y_{6n+5}, \quad n \in \mathbb{N}_0,$$

$$y_6 = a = y_{12} = y_{18} = \dots = y_{6n+6}, \quad n \in \mathbb{N}_0,$$

$$z_1 = -\frac{f + c}{1 + fbd} = z_7 = z_{13} = \dots = z_{6n+1}, \quad n \in \mathbb{N}_0,$$

$$z_3 = -\frac{d + a}{1 + fbd} = z_9 = z_{15} = \dots = z_{6n+3}, \quad n \in \mathbb{N}_0,$$

$$z_4 = \frac{c(1 + fbd) + f(1 + cea)}{1 + fbd} = z_{10}$$

$$= z_{16} = \dots = z_{6n+4}, \quad n \in \mathbb{N}_0,$$

$$z_5 = \frac{b(1 + fbd) + e(1 + cea)}{1 + fbd} = z_{11}$$

$$= z_{17} = \dots = z_{6n+5}, \quad n \in \mathbb{N}_0,$$

$$z_6 = \frac{a(1 + fbd) + d(1 + cea)}{1 + fbd} = z_{12}$$

$$= z_{18} = \dots = z_{6n+6}, \quad n \in \mathbb{N}_0.$$

(14)

□

The following corollary follows from Theorem 1.

Corollary 3. *The following conclusions are valid for $n \in \mathbb{N}$:*

- (i) $x_{6n+2}y_{6n+3} = x_{6n+6}y_{6n+5}$,
- (ii) $x_{6n+1}y_{6n+2} = x_{6n+5}y_{6n+6}$,
- (iii) $x_{6n+1}y_{6n+6} = x_{6n+3}y_{6n+4}$,
- (iv) $x_{6n+4}y_{6n+3} = x_{6n+6}y_{6n+1}$.

The following corollary follows from Theorem 2.

Corollary 4. *The following conclusions are valid for $n \in \mathbb{N}$:*

- (i) $x_{6n+1}y_{6n+6} = x_{6n+3}y_{6n+4}$,
- (ii) $x_{6n+6}y_{6n+1} = x_{6n+4}y_{6n+3}$,
- (iii) $x_{6n+3}y_{6n+2} = x_{6n+5}y_{6n+6}$,
- (iv) $x_{6n+1}y_{6n+2} = x_{6n+5}y_{6n+4}$.

References

- [1] A. S. Kurbanli, C. Çinar, and D. Şimşek, "On the periodicity of solutions of the system of rational difference equations $x_{n+1} = x_{n-1} + y_n/y_n x_{n-1} - 1$, $y_{n+1} = y_{n-1} + x_n/x_n y_{n-1} - 1$," *Applied Mathematics*, vol. 2, no. 4, pp. 410–413, 2011.
- [2] C. Çinar, "On the positive solutions of the difference equation system $x_{n+1} = 1/y_n$, $y_{n+1} = y_n/x_{n-1}y_{n-1}$," *Applied Mathematics and Computation*, vol. 158, no. 2, pp. 303–305, 2004.
- [3] A. Y. Özban, "On the system of rational difference equations $x_n = a/y_{n-3}$, $y_n = by_{n-3}/x_{n-q}y_{n-q}$," *Applied Mathematics and Computation*, vol. 188, no. 1, pp. 833–837, 2007.
- [4] A. Y. Özban, "On the positive solutions of the system of rational difference equations $x_{n+1} = 1/y_{n-k}$, $y_{n+1} = x_n/x_{n-m}y_{n-m-k}$," *Journal of Mathematical Analysis and Applications*, vol. 323, no. 1, pp. 26–32, 2006.
- [5] E. M. Elsayed, "Solutions of rational difference systems of order two $x_{n+1} = \alpha + x_{n-m}/x^{k_n}$," *Mathematical and Computer Modeling*, vol. 55, no. 3-4, pp. 378–384, 2012.
- [6] E. M. Elsayed, "On the solutions of higher order rational system of recursive sequences," *Mathematica Balkanica. New Series*, vol. 22, no. 3-4, pp. 287–296, 2008.
- [7] E. M. Elsayed, "Dynamics of a recursive sequence of higher order," *Communications on Applied Nonlinear Analysis*, vol. 16, no. 2, pp. 37–50, 2009.
- [8] E. M. Elsayed, "On the solutions of a rational system of difference equations," *Polytechnica Posnaniensis*, no. 45, pp. 25–36, 2010.
- [9] E. M. Elsayed, "On the solutions of a rational system of difference equations," *Polytechnica Posnaniensis*, no. 45, pp. 25–36, 2010.
- [10] E. M. Elsayed, "Dynamics of recursive sequence of order two," *Kyungpook Mathematical Journal*, vol. 50, no. 4, pp. 483–497, 2010.
- [11] E. M. M. Elsayed, "Behavior of a rational recursive sequences," *Mathematica*, vol. 56, no. 1, pp. 27–42, 2011.
- [12] E. M. Elsayed, "Solution of a recursive sequence of order ten," *General Mathematics*, vol. 19, no. 1, pp. 145–162, 2011.
- [13] E. M. Elsayed, "Solution and attractivity for a rational recursive sequence," *Discrete Dynamics in Nature and Society*, vol. 2011, Article ID 982309, 17 pages, 2011.
- [14] E. M. Elsayed, "On the solution of some difference equations," *European Journal of Pure and Applied Mathematics*, vol. 4, no. 3, pp. 287–303, 2011.
- [15] E. M. Elsayed, M. M. El-Dessoky, and A. Alotaibi, "On the solutions of a general system of difference equations," *Discrete Dynamics in Nature and Society*, vol. 2012, Article ID 892571, 12 pages, 2012.
- [16] E. M. Elsayed, "On the dynamics of a higher-order rational recursive sequence," *Communications in Mathematical Analysis*, vol. 12, no. 1, pp. 117–133, 2012.