Erratum

Investigating population risk factors of pancreatic cancer by evaluation of optical markers in the duodenal mucosa

Vladimir Turzhitsky^a, Yang Liu^a, Nahla Hasabou^b, Michael Goldberg^b, Hemant K. Roy^b, Vadim Backman^a and Randall Brand^b

[*Disease Markers* **25**(6) (2008), 313–321]

The online version of the original article can be found at: <http://iospress.metapress.com/content/2266v526t7245187/>

Due to a formatting error, Table 2 on page 317 was not represented correctly in the issue.
The correct Table 2 is printed below:

Table 2 Performance characteristics			
	Sensitivity	Specificity	AUROC
Training Set (odd # patients)	86%	62%	81%
Testing Set (even # patients)	95%	71%	85%
Healthy Control Vs. pancreatic adenocarcinoma	73%	89%	85%
Healthy Control Vs. Resectable adenocarcinoma	73%	89%	88%
Healthy Control Vs. Mucinous Cyst	71%	77%	79%

Additionally, there is an error in the text in the second sentence of the last paragraph on page 320. The correct sentence should state: “The evaluation of a testing set resulted in a 95% sensitivity, 71% specificity, and 85% AUROC for discriminating between healthy control patients and patients with pancreatic adenocarcinoma by evaluating tissue from the periampullary duodenum.”