

Supplemental Table-1. TCM prescriptions for CML

source	Formula name	Formula composition
Heat clearing and blood cooling	戎盐丸	<i>Scutellaria baicalensis</i> Georgi. Dried Root、 <i>Phellodendron amurense</i> Rupr. Dried Root、 <i>Rheum palmatum</i> L. Dried,Root C.A.Mey. Dried Root、 <i>Glycyrrhiza uralensis</i> Fisch. Dried Root.
		<i>Glycyrrhiza uralensis</i> Fisch. Dried Root、 <i>Nairii</i> Sulfas、 <i>Citrus aurantium</i> L. Dry yung fruit、 <i>Magnolia officinalis</i> Rehder & E.H.Wilson, Dry branches, root bark、 <i>Panax ginseng</i> C.A.Mey. Dried Root、 <i>Angelica sinensis</i> (Oliv.) Diels. Dried Root、 <i>Glycyrrhiza uralensis</i> Fisch. Dried Root.
		<i>Lycopus lucidus</i> var. <i>hirtus</i> Regel、 <i>Rhinoceros unicornis</i> L, Dried Root (Brewed with wine)、 <i>Taraxacum mongolicum</i> Hand.-Mazz. Dried Root、 <i>Smilax glabra</i> Roxb. Dried Root、 <i>Lycopus lucidus</i> Turcz. ex Benth. Dried Root、 <i>Isatis indigotica</i> Fortune ex Lindl. Dried Root、 <i>Artemisia scoparia</i> Waldst. & Kitam. Dried aboveground.
	虎杖煎剂	<i>Lycopus lucidus</i> Turcz. ex Benth. Dried Root、 <i>Isatis indigotica</i> Fortune ex Lindl. Dried Root、 <i>Taraxacum mongolicum</i> Hand.-Mazz. Dried Root、 <i>Artemisia scoparia</i> Waldst. & Kitam. Dried aboveground、 <i>Citrus reticulata</i> Blanco, Dried fruit peel.
		<i>Lycopus lucidus</i> Turcz. ex Benth. Dried Root、 <i>Isatis indigotica</i> Fortune ex Lindl. Dried Root、 <i>Paeonia lactiflora</i> Pall, Dry root、 <i>Cryptotympanapustulata</i> Fabricius、 <i>Moutan officinalis</i> (L.) Lindl. & Paxton, cortex.

		<i>Asparagus cochinchinensis</i> (Lour.) Merr., <i>Ophiopogon japonicus</i> (L.f) Ker-Gawl., <i>Rehmannia glutinosa</i> (Gaertn.) DC. Dry root,
《万病回春》卷四	清火滋阴汤	<i>Moutan officinalis</i> (L.) Lindl. & Paxton, cortex, <i>Paeonia lactiflora</i> Pall., Dry root, <i>Gardenia jasminoides</i> J.Ellis, Dried nutlet, <i>Dioscorea opposita</i> Thunb., <i>Cornus officinalis</i> Sieb.et Zucc.Dry yung fruit
		<i>Bupleurum chinense</i> DC. Dried Root, <i>Paeonia lactiflora</i> Pall., Dry root, <i>Moutan officinalis</i> (L.) Lindl. & Paxton, cortex, <i>Citrus reticulata</i> Blanco,Dried young fruit peel, <i>Forsythia suspensa</i> (Thunb.) Vahl,
《医学入门》卷八	柴胡抑肝汤	Dried fruit, <i>Lycium chinense</i> Mil, Dried root bark, <i>Cyperus rotundus</i> L., Dry rhizome, <i>Atractylodes lancea</i> (Thunb.) DC, Dry rhizome, <i>Gardenia jasminoides</i> J.Ellis, Dried fruit, <i>Ligusticum acuminatum</i> Franch. Dry rhizome, <i>Glycyrrhiza uralensis</i> Fisch. Dried Root
		<i>Rehmannia glutinosa</i> (Gaertn.) DC. Dry root, <i>Paeonia lactiflora</i> Pall. Dried root, <i>Dioscorea opposita</i> Thunb., <i>Sophorajaponica</i> L. Dry flower bud, <i>Coptis chinensis</i> Franch, Dry rhizome, <i>Schizonepeta tenuifolia</i> (Benth.) Briq. Dried aboveground, <i>Rubia cordifolia</i> L. Dry rhizome and root, <i>Sanguisorba officinalis</i> L. Dried root, <i>Prunus alabamensis</i> C.Mohr, Dried pulp, <i>Cimicifuga heracleifolia</i> Kom. Dried rhizome, <i>Platycladus orientalis</i> (L.) Franco, Dry branches slightly and leaves
《活人方》卷二	结阴丸	<i>Ligusticum acuminatum</i> Franch. Dry rhizome, <i>Angelica sinensis</i> (Oliv.) Diels. Dried Root, <i>Paeonia lactiflora</i> Pall. Dried root, <i>Cyperus rotundus</i> L., Dry rhizome, <i>Ophiopogon japonicus</i> (L.f) Ker-Gawl., <i>Moutan officinalis</i> (L.) Lindl. & Paxton, cortex, <i>Cyathula achyranthoides</i> (Kunth) Moq. Dry rhizome, <i>Lycium chinense</i> Mil,
钟磊方	清金养血汤	

		Dried root bark、 <i>Rehmannia glutinosa</i> (Gaertn.) DC. Dry root、 <i>Schisandra arisanensis</i> Hayata, Dry ripe fruit、 <i>Glycyrrhiza uralensis</i> Fisch. Dried Root, Honeyed
		<i>Angelica sinensis</i> (Oliv.) Diels. Dried Root、 <i>Paeonia lactiflora</i> Pall. Dried root、 <i>Cyathula achyranthoides</i> (Kunth) Moq. Dry rhizome、 <i>Bupleurum chinense</i> DC. Dried Root、 <i>Poria cocos</i> (Schw.) Wolf, Dried Root、 <i>Lycopus lucidus</i> Turcz. ex Benth. Dried Root、 <i>Artemisia scoparia</i> Waldst. & Kitam. Dried aboveground、 <i>Hedyotis diffusa</i> var. <i>extensa</i> (Hook.f.) R.Dutta, Dried aboveground、 <i>Glycyrrhiza uralensis</i> Fisch. Dried Root
《言庚孚医疗经验集》	抗原汤	<i>Paeonia lactiflora</i> Pall. Dried root、 <i>Arecacatechu</i> L. Dry mature seeds、 <i>Notopterygium incisum</i> K.C.Ting ex H.T.Chang, Dry rhizome and root、 <i>Angelica pubescens</i> Maxim. Dried root、 <i>Bupleurum chinense</i> DC. Dried Root、 <i>Stellaria dichotoma</i> L. Dried Root、 <i>Platycodon</i> <i>grandiflorum</i> (Jacq.) A.DC. Dried Root、 <i>Magnolia officinalis</i> Rehder & E.H.Wilson, Dry branches, root bark、 <i>Citrus aurantium</i> L. Dry young fruit、 <i>Poria cocos</i> (Schw.) Wolf, Dried Root、 <i>Moutan officinalis</i> (L.) Lindl. & Paxton, cortex、 <i>Mentha haplocalyx</i> Briq. Dry leaf、 <i>Amomum tsao-ko</i> Crevost et Lemaire, Dried nutlet、 <i>Achyranthes</i> <i>bidentata</i> Blume, Dried root.
《万病回春》卷六	达原败毒散	<i>Glycyrrhiza uralensis</i> Fisch. Dried Root、 <i>Nairii Sulfas</i> 、 <i>Eupolyphaga</i> <i>sinensis</i> Walker、 <i>Whitmania pigra</i> Whitman、 <i>Tabanus bivittatus</i> Matsumura、Grub.
《金匱要略》	大黃蟄虫丸	

			<i>Glycyrrhiza uralensis</i> Fisch. Dried Root、 <i>Platycodon</i> 、 <i>grandiflorum</i>
	《肘后方》	屠苏酒	(Jacq.) A.DC. Dried Root、 <i>Cyathula achyranthoides</i> (Kunth) Moq.
	卷八		Dry rhizome、 <i>Aconitum abietetorum</i> W.T.Wang & L.Q.Li, Dried root、 <i>Smilax china</i> L. Dry rhizome.
			<i>Cimicifuga heracleifolia</i> Kom. Dried rhizome、 <i>Scrophularia</i>
			<i>aequilabris</i> Tsoong, Dried root、 <i>Glycyrrhiza uralensis</i> Fisch. Dried
	《外台》卷十一引《近	调中方	Root、 <i>Dioscorea opposita</i> Thunb.、 <i>Poria cocos</i> (Schw.) Wolf, Dried
	效方》		Root、 <i>Ostrea gigas</i> Thunberg、 <i>Rhaponticum uniflorum</i> (L.) DC. Dried
			root、 <i>Citrus aurantium</i> L. Dried yung fruit、 <i>Smilax china</i> L. Dry
			rhizome、 <i>Coptis chinensis</i> Franch.,Dried Root.
			<i>Glycyrrhiza uralensis</i> Fisch. Dried Root、 <i>Cyathula achyranthoides</i>
			(Kunth) Moq. Dry rhizome、 <i>Platycodon</i> 、 <i>grandiflorum</i> (Jacq.) A.DC.
	《华佗神医秘传》卷四	辟疫酒	Dried Root、 <i>Aconitum abietetorum</i> W.T.Wang & L.Q.Li, Dried root、 <i>Smilax china</i> L. Dry rhizome
Relieving poisoning and detoxifying			<i>Smilax glabra</i> Roxb. Dried Root、 <i>Lonicera acuminata</i> Wall. Dry stem、 <i>Clematis chinensis</i> Osbeck, Dry rhizome and root、 <i>Glycyrrhiza</i>
	《朱仁康临床经验集》	白疔二号方	<i>uralensis</i> Fisch. Dried Root、 <i>Isatis indigotica</i> Fortune ex Lindl. Dried
			Root、 <i>Sophora tonkinensis</i> Gagnep. Dry rhizome and root、 <i>Dictamnus</i>
			<i>dasycarpus</i> Turcz. Dry bark
			<i>Dictamnus dasycarpus</i> Turcz. Dry bark、 <i>Glycine arenaria</i> Tindale, Dry
			processed products after seed germination、 <i>Coix lacryma-jobi</i> L. Dry
			mature seeds、 <i>Gardenia jasminoides</i> J.Ellis, Dried nutlet、 <i>Moutan</i>
	《赵炳南临床经验集》	除湿解毒汤	<i>officinalis</i> (L.) Lindl. & Paxton, cortex、 <i>Lonicera japonica</i> Thunb. Dry
			flower buds or open flowers、 <i>Corydalis bungeana</i> Turcz. Dry whole
			grass、 <i>Forsythia suspensa</i> (Thunb.) Vahl, Dried fruit、 <i>Akebia quinata</i>
			(Thunb.) Decne, Dry cane、 <i>Glycyrrhiza uralensis</i> Fisch. Dried Root.

《全国中药成药处方集》（沈阳方）	花柳解毒丸	<p><i>Lonicera japonica</i> Thunb. Dry flower buds or open flowers、<i>Dictamnus dasycarpus</i> Turcz. Dry bark、<i>Coix lacryma-jobi</i> L. Dry mature seeds、<i>Akebia quinata</i> (Thunb.)Decne, Dry cane、<i>Smilax glabra</i> Roxb. Dried Root、<i>Saposhnikovia divaricata</i> (Turcz.) Schischk, Dried Root、<i>Chaenomeles speciosa</i> (Sweet) Nakai, Dry close to ripe fruit、<i>Gleditsia sinensis</i> Lam. Dry young fruit、<i>Angelica acutiloba</i> (Siebold & Zucc.) Kitag. Dry tail of the root、<i>Carthamus tinctorius</i> L. Dry flower、<i>Glycyrrhiza uralensis</i> Fisch. Dried Root.</p>
僧焰如方	活络通脉清解汤	<p><i>Panax ginseng</i> C.A.Mey. Dried Root、<i>Angelica sinensis</i> (Oliv.) Diels. Dried Root、<i>Lonicera macranthoides</i> Hand.-Mazz. Dry stem、<i>Salvia miltiorrhiza</i> Bunge, Dry rhizome and root、<i>Ligusticum acuminatum</i> Franch. Dry rhizome、<i>Clematis chinensis</i> Osbeck, Dry rhizome and root、<i>Gleditsia sinensis</i> Lam. Dry spines、<i>Taraxacum mongolicum</i> Hand.-Mazz. Dried Root、<i>Smilax glabra</i> Roxb. Dried Root、<i>Glycyrrhiza uralensis</i> Fisch. Dried Root.</p>
《实用中医外科学》	土茯苓合剂	<p><i>Smilax glabra</i> Roxb. Dried Root、<i>Lonicera japonica</i> Thunb. Dry flower buds or open flowers、<i>Clematis chinensis</i> Osbeck, Dry rhizome and root、<i>Dictamnus dasycarpus</i> Turcz. Dry bark、<i>Glycyrrhiza uralensis</i> Fisch. Dried Root、<i>Xanthium sibiricum</i> Patr. Dry fruit.</p>
来春茂方	乙肝解毒汤	<p><i>Astragalus aaronii</i> (Eig) Zohary, Dried Root、<i>Lycopus lucidus</i> Turcz. ex Benth. Dried Root、<i>Hedyotis diffusa</i> var. <i>extensa</i> (Hook.f.) R.Dutta, Dried aboveground、<i>Scutellaria adenostegia</i> Briq. Dry whole grass、<i>Agrimonia pilosa</i> Ledeb. Dry aerial part、<i>Pyrola calliantha</i> Andres, Dry whole grass、<i>Smilax glabra</i> Roxb. Dried Root、<i>Bupleurum chinense</i> DC. Dried Root、<i>Curcuma longa</i> L, Dry root、<i>Angelica sinensis</i> (Oliv.) Diels. Dried Root、<i>Cinnamomum cassia</i> (L.) J.Presl,</p>

			Dry twig、 <i>Glycyrrhiza uralensis</i> Fisch. Dried Root.
			<i>Rehmannia glutinosa</i> (Gaertn.) DC. Dry root、 <i>Angelica pubescens</i>
			Maxim. Dried root、 <i>Phellodendron amurense</i> Rupr. Dried Root、
			<i>Saposhnikovia divaricata</i> (Turcz.) Schischk, Dried Root、
			<i>Anemarrhena asphodeloides</i> Bge.、 <i>Viburnum acerifolium</i> L. Dry
			mature fruit、 <i>Peucedanum praeruptorum</i> Dunn, Dry root、 <i>Angelica</i>
《原机启微》卷下	抑阳酒连散		<i>acutiloba</i> (Siebold & Zucc.) Kitag. Dry root、 <i>Notopterygium incisum</i>
			K.C.Ting ex H.T.Chang, Dry rhizome and root、 <i>Glycyrrhiza uralensis</i>
			Fisch. Dried Root、 <i>Scutellaria baicalensis</i> Georgi. Dried Root、
			<i>Gardenia jasminoides</i> J.Ellis, Dried nutlet、 <i>Coptis chinensis</i>
			Franch.,Dried Root、 <i>Stephania tetrandra</i> S.Moore, Dried Root、
Eliminating wind and dispersing wet			<i>Ziziphusjuzuba</i> Mill.var.spinosa (Bunge) HuexH.F.Chou, Dried nutlet、
			<i>Saiga tatarica</i> Linnaeus、 <i>Dendrobium nobile</i> Lind, Dry stem、
			<i>Astragalus aaronii</i> (Eig) Zohary, Dried Root、 <i>Notopterygium incisum</i>
《柳森可用方》	十七味药酒		K.C.Ting ex H.T.Chang, Dry rhizome and root、 <i>Rehmannia glutinosa</i>
			(Gaertn.) DC. Dry root、 <i>Achyranthes bidentata</i> Blume, Dried root、
			<i>Cinnamomum cassia</i> (L.) J.Presl, Dry bark、 <i>Poria cocos</i> (Schw.) Wolf,
			Dried Root、 <i>Eucommia ulmoides</i> Oliv. Dry bark.
			<i>Bupleurum chinense</i> DC. Dried Root、 <i>Pueraria alopecuroides</i> Craib,
			Dry root、 <i>Salvia miltiorrhiza</i> Bunge, Dry rhizome and root、
			<i>Chrysanthemum morifolium</i> Ramat.Dry headed inflorescence、 <i>Morus</i>
李润民方	化痰清散汤		<i>alba</i> L. Dry twig、 <i>Moutan officinalis</i> (L.) Lindl. & Paxton, cortex、
			<i>Paeonia lactiflora</i> PalL, Dry root、 <i>Carthamus tinctorius</i> L. Dry flower、
			<i>Pheretima aspergillum</i> E.Perrier、 <i>Mentha haplocalyx</i> Briq. Dry leaf.

张海水方	疏风养血汤加減	<i>Gastro diaelata</i> Bl. Dry roots、 <i>Hyriopsis cumingii</i> Lea, shell、 <i>Paeonia</i>
		<i>lactiflora</i> Pall, Dry root、 <i>Glycyrrhiza uralensis</i> Fisch. Dried Root、
		<i>Pueraria alopecuroides</i> Craib, Dry root、 <i>Salvia miltiorrhiza</i> Bunge,
《马培之医案》	通络利温汤	Dry rhizome and root、 <i>Unacaria rhynchophylla</i> (Miq.) Miq.ex Havil,
		Dry hooked stem、 <i>Lonicera macranthoides</i> Hand.-Mazz. Dry stem、
		<i>Morus alba</i> L. Dry twig、 <i>Gentiana macrophylla</i> Pall. Dry root、
《景岳全书》卷五十四	愈风燥湿化痰丸	<i>BombyxmoriLinnaeus</i> , Dry body caused by <i>Beauveria bassiana</i> 、
		<i>Curcuma aeruginosa</i> Roxb. Dry rhizome.
		<i>Glycine arenaria</i> Tindale, Dry processed products after seed
		germination、 <i>Stephania tetrandra</i> S.Moore. Dry root、 <i>Paeonia</i>
		<i>lactiflora</i> Pall, Dry root、 <i>Gentiana macrophylla</i> Pall. Dry root、
		<i>Cyathula achyranthoides</i> (Kunth) Moq. Dry root、 <i>Pheretima</i>
		<i>aspergillum</i> E.Perrier、 <i>Angelica acutiloba</i> (Siebold & Zucc.) Kitag. Dry
		tail of the root、 <i>Morus alba</i> L. Dry twig、 <i>Phellodendron amurense</i>
		Rupr. Dried Root.
		<i>Cyathula achyranthoides</i> (Kunth) Moq. Dry rhizome,fried、
		<i>Atractylodes lancea</i> (Thunb.) DC, Dry rhizome,Soaking rice water、
		<i>Eucommia ulmoides</i> Oliv, Fried ginger、 <i>Achyranthes bidentata</i> Blume,
		Dried root、 <i>Ligusticum acuminatum</i> Franch. Dry rhizome、 <i>Coix</i>
		<i>lacryma-jobi</i> L. Dry mature seeds、 <i>Psoralea corylifolia</i> L. Dry mature
		fruit、 <i>Angelica sinensis</i> (Oliv.) Diels. Dried Root、 <i>Gleditsia sinensis</i>
		Lam. Dry sterile fruit、 <i>Saposhnikovia divaricata</i> (Turcz.) Schischk,
		Dried Root、 <i>Notopterygium incisum</i> K.C.Ting ex H.T.Chang, Dry
		rhizome and root、 <i>Angelica pubescens</i> Maxim. Dried root、
		<i>Rehmannia glutinosa</i> (Gaertn.) DC. Dry root、 <i>Stephania tetrandra</i>
		S.Moore. Dry root、 <i>Pinellia tripartita</i> (Blume) Schott, Dry blocky
		stem、 <i>Arisaema agasthyanum</i> Sivad. & Sath.Kumar, Dry blocky stem、
		<i>Gastrodia elata</i> Bl. Dry blocky stem、 <i>Aquilaria sinensis</i> (Lour.)

		<p>Gilg, Resin-containing wood、<i>Aucklandia lappa</i> DC. Dry root、<i>Citrus reticulata</i> Blanco, Dried fruit peel、<i>Aconitum abietetorum</i> W.T.Wang & L.Q.Li, Dried root、<i>BombyxmoriLinnaeus</i>, Dry body caused by <i>Beauveria bassiana</i>、<i>Buthus martensii</i> Karsch, Dry body.</p>
		<p><i>Saposhnikovia divaricata</i> (Turcz.) Schischk, Dried Root、<i>Cyathula achyranthoides</i> (Kunth) Moq. Dry rhizome、<i>Eucommia ulmoides</i> Oliv. Dry bark、<i>Angelica sinensis</i> (Oliv.) Diels. Dried Root、<i>Rehmannia glutinosa</i> (Gaertn.) DC. Dry root、<i>Steamed</i>、<i>Paeonia lactiflora</i> Pall.</p>
《百一》卷三	大防风汤	<p>Dried root、<i>Astragalus aaronii</i> (Eig) Zohary, Dried Root、<i>Notopterygium incisum</i> K.C.Ting ex H.T.Chang, Dry rhizome and root、<i>Achyranthes bidentata</i> Blume, Dried root、<i>Glycyrrhiza uralensis</i> Fisch. Dried Root、<i>Panax ginseng</i> C.A.Mey. Dried Root、<i>Ligusticum acuminatum</i> Franch. Dry rhizome.</p>
		<p><i>Saposhnikovia divaricata</i> (Turcz.) Schischk, Dried Root、<i>Cyathula achyranthoides</i> (Kunth) Moq. Dry rhizome、<i>Eucommia ulmoides</i> Oliv. Dry bark、<i>Angelica sinensis</i> (Oliv.) Diels. Dried Root、<i>Rehmannia glutinosa</i> (Gaertn.) DC. Dry root、<i>Steamed</i>、<i>Paeonia lactiflora</i> Pall.</p>
《宋•太平惠民和剂局方》	大防风汤	<p>Dried root、<i>Astragalus aaronii</i> (Eig) Zohary, Dried Root、<i>Notopterygium incisum</i> K.C.Ting ex H.T.Chang, Dry rhizome and root、<i>Achyranthes bidentata</i> Blume, Dried root、<i>Glycyrrhiza uralensis</i> Fisch. Dried Root、<i>Panax ginseng</i> C.A.Mey. Dried Root、<i>Ligusticum acuminatum</i> Franch. Dry rhizome.</p>

陈国藩方	咳嗽止血汤	<i>Rehmannia glutinosa</i> (Gaertn.) DC. Dry root、 <i>Agrimonia pilosa</i> Ledeb.
		Dry aerial part、 <i>Stemona sessilifolia</i> (Miq.) Miq. Dry root、 <i>Bletilla striata</i> (Thunb.) Rchb.f., Dry root、 <i>Lilium brownii</i> F.E.Brown
		var.viridulum Baker, Dry fleshy linden、 <i>Asparagus cochinchinensis</i> (Lour.) Merr.、 <i>Glehnia littoralis</i> F.Schmidt ex Miq. Dry root、 <i>Panax notoginseng</i> (Burkill) F.H.Chen, Dry rhizome and root, powder.
		<i>Rehmannia glutinosa</i> (Gaertn.) DC. Dry root、 <i>Stemona japonica</i> (Blume) Miq. Dry root、 <i>Asparagus cochinchinensis</i> (Lour.) Merr.、
《中医妇科治疗学》	冬地百部饮	<i>Eriobotrya japonica</i> (Thunb.) Lindl. Dry leaf、 <i>Fritillaria thunbergii</i> Miq. Dry bulb、 <i>Ligustrum lucidum</i> W.T.Aiton, Dry mature fruit、 <i>Imperata cylindrica</i> (L.) Raeusch. Dry rhizome.
		<i>Polygonum multiflorum</i> Thunb. Dry root、 <i>Lycium barbarum</i> L. Dry mature fruit、 <i>Euryale ferox</i> Salisb. Dry mature kernels、 <i>Nelumbo nucifera</i> Gaertn. Dried stamen、 <i>Dioscorea opposita</i> Thunb.、 <i>Astragalus complanatus</i> Bunge, Dry mature seed、 <i>Tribulus terrestris</i> L. Dry mature fruit、 <i>Cuscuta chinensis</i> Lam. Dry mature seed、 <i>Psoralea corylifolia</i> L. Dry mature fruit、 <i>Allium aaseae</i> Ownbey, Dry mature seed、 <i>Rubus chingii</i> Hu, Dry fruit、 <i>Ginkgo biloba</i> L. Dry flesh、 <i>Dipsacus asper</i> Wall. ex C.B. Clarke, Dry root、 <i>Panax ginseng</i> C.A.Mey. Dried Root.
		<i>Ginkgo biloba</i> L. Dry leave、 <i>Pueraria alopecuroides</i> Craib, Dry root、 <i>Siegesbeckiaorientalis</i> L.Dry aerial part、 <i>Diospyros kaki</i> L.f., Dry leaf.
		<i>Panax ginseng</i> C.A.Mey. Dried Root、 <i>Salvia miltiorrhiza</i> Bunge, Dry rhizome and root、 <i>Angelica sinensis</i> (Oliv.) Diels. Dried Root、 <i>Ligusticum acuminatum</i> Franch. Dry rhizome、 <i>Rehmannia glutinosa</i> (Gaertn.) DC. Dry root、 <i>Paeonia lactiflora</i> Pall, Dry root、 <i>Paeonia lactiflora</i> Pall. Dried root、 <i>Prunus persica</i> (L.) Batsch, Dry kernels、 <i>Carthamus tinctorius</i> L. Dry flower、 <i>Poria cocos</i> (Schw.) Wolf, Dried

		Root、 <i>Aucklandia lappa</i> DC. Dry root、 <i>Citrus reticulata</i> Blanco, Dried fruit peel、 <i>Glycyrrhiza uralensis</i> Fisch. Dried Root, Honeyed.
杨百方	凝冰散	<i>Glycyrrhiza uralensis</i> Fisch. Dried Root, Honeyed、 <i>Astragalus aaronii</i> (Eig) Zohary, Dried Root、 <i>Codonopsis pilosula</i> (Franch.) Nannf, Dry root、 <i>Rehmannia glutinosa</i> (Gaertn.) DC. Dry root、 <i>Ophiopogon japonicus</i> (L.f) Ker-Gawl、 <i>Poria cocos</i> (Schw.) Wolf, Dried Root、 <i>Cinnamomum cassia</i> (L.) J.Presl, Dry twig、 <i>Paeonia lactiflora</i> Pall. Dried root、 <i>Curcuma longa</i> L, Dry root、 <i>Citrus medica</i> L. Dried fruit、 <i>Zingiber officinale</i> Roscoe, Fresh rhizome、 <i>Ziziphus jujuba</i> Mill. Dry mature fruit.
《医醇剩义》卷二	苍玉潜龙汤	<i>Rehmannia glutinosa</i> (Gaertn.) DC. Dry root、 <i>Chinemys reevesii</i> (Gray), Belly armor、 <i>Chinemys reevesii</i> (Gray), Belly armor、 <i>Moutan officinalis</i> (L.) Lindl. & Paxton, cortex、 <i>Saiga tatarica</i> Linnaeus、 <i>Glehnia littoralis</i> F.Schmidt ex Miq. Dry root、 <i>Paeonia lactiflora</i> Pall. Dried root
《医学入门》卷七	杜仲丸	<i>Eucommia ulmoides</i> Oliv. Dry bark、 <i>Chinemys reevesii</i> (Gray), Belly armor、 <i>Phellodendron amurense</i> Rupr. Dried Root、 <i>Dioscorea opposita</i> Thunb.、 <i>Lycium barbarum</i> L. Dry mature fruit、 <i>Schisandra arisanensis</i> Hayata, Dry ripe fruit、 <i>Angelica sinensis</i> (Oliv.) Diels. Dried Root、 <i>Paeonia lactiflora</i> Pall, Dry root、 <i>Astragalus aaronii</i> (Eig) Zohary, Dried Root、 <i>Psoralea corylifolia</i> L. Dry mature fruit.