Research Article

Sufficient and Necessary Center Conditions for the Poincaré Systems $P(2, 2n)$ ($n \leq 5$)

Jinya Xu¹ and Zhengyi Lu^{1,2}

¹ Institute of Computer Applications, Academia Sinica, Chengdu 610041, China

² Department of Mathematics, Sichuan Normal University, Chengdu 610068, China

Correspondence should be addressed to Zhengyi Lu, zhengyilu@hotmail.com

Received 22 August 2011; Revised 27 October 2011; Accepted 28 October 2011

Academic Editor: Mohamad Alwash

Copyright © 2011 J. Xu and Z. Lu. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

We obtain sufficient and necessary center conditions for the Poincaré system $P(2, 2n)$ ($n \leq 5$). The necessity of the condition is derived from the first $2n$ focal values by symbolic computation with Maple, and the sufficiency is proved by Volokitin's method.

1. Introduction

Research on Hilbert's sixteenth problem [1, 2] in general usually proceeds by the investigation on specific classes of polynomial systems. Much effort has been devoted in recent years to the investigation of various systems with cubic or quintic polynomials for the center problem [3–9]. We are interested in a certain family of polynomial systems of the form

$$\dot{x} = -y + xR(x, y), \quad \dot{y} = x + yR(x, y), \quad (1.1)$$

with $\dot{x} = dx/dt$, $\dot{y} = dy/dt$, and $R(x, y) = \sum_{i=1}^n R_i(x, y)$, where R_i is a homogeneous polynomial of degree i . The centers of these systems are called uniformly isochronous centers [10]. The case in which $R(x, y)$ is of degree i has been investigated in [10, 11].

In the nonhomogeneous case [12], the pioneering studies mainly focus on the systems with $R(x, y) = R_1 + R_2$ [13], $R(x, y) = R_1 + R_3$ [14], $R(x, y) = R_1 + R_2 + R_3(R_1^2 + R_2^2 + R_3^2 \neq 0)$ [15], $R(x, y) = R_1 + R_2 + R_3 + R_4$ ($R_4 \neq 0$ and only one R_i not equal to zero, for $i = 1, 2, 3$) [16].

In this paper, we consider the system (1.1) with $R(x, y) = R_2 + R_{2n} (n > 1)$, where

$$R_2 = a_{2,0}x^2 + a_{1,1}xy + a_{0,2}y^2, \quad R_{2n} = \sum_{i=0}^{2n} b_{2n-i,i} x^{2n-i} y^i, \quad (1.2)$$

and $b_{2,0}, b_{1,1}, b_{0,2}, b_{2n-i,i}$ ($i = 0, \dots, 2n$) are real constants. We call the systems above as $P(2, 2n)$. In [17, 18], the authors prove that in the system $P(2, 2n)$ the uniformly isochronous centers are time reversible, which was done by imposing the existence of a transversal commutator. However, for any concrete n , it is difficult to obtain explicit form of the conditions for the origin to be a center for the system $P(2, 2n)$ due to increasing expansion of computation during the management of large expressions. Sufficient and necessary conditions for the origin to be a center are obtained in Volokitin [19, 20] for $n = 2$ and 3 and in Xu and Lu [21] for $n = 4$.

In this paper, we shall consider the system $P(2, 10)$ and obtain sufficient and necessary conditions for the origin to be a center. In Section 2, the main result and the basic method are stated, and the necessary and sufficient center conditions are proved in Sections 3 and 4, respectively. In Section 5, sufficient and necessary center conditions for systems $P(2, 2n)$ ($n = 2, 3$ and 4) are given in tight form of polynomial systems.

2. Center Condition

In this section, the technique in [22] is adopted, and a recursive formula for focal values is obtained.

For $n = 5$, system $P(2, 2n)$ takes the form

$$\dot{x} = -y + x(R_2(x, y) + R_{10}(x, y)), \quad \dot{y} = x + y(R_2(x, y) + R_{10}(x, y)). \quad (2.1)$$

In polar coordinate system, system (2.1) can be written as

$$\dot{r} = pr^3 + qr^{11}, \quad \dot{\theta} = 1, \quad (2.2)$$

where $\dot{r} = dr/d\theta$, p and q are the functions of θ :

$$p = a_{2,0}\cos^2(\theta) + a_{1,1}\cos(\theta)\sin(\theta) + a_{0,2}\sin^2(\theta), \quad q = \sum_{i=0}^{10} b_{10-i,i}\cos^{10-i}(\theta)\sin^i(\theta). \quad (2.3)$$

Let $r(\theta, c)$ be the solution of (2.2) with $r(0, c) = c$. For $c > 0$ small enough, we write

$$r(\theta, c) = \sum_{m=1}^{\infty} a_m(\theta)c^m, \quad (2.4)$$

where $a_1(0) = 1, a_m(0) = 0$ ($m > 1$). Substituting (2.4) into (2.2) and equating the coefficients of c , we obtain

$$\dot{a}_m = p \sum_{\substack{h+j+l=m \\ h,j,l \geq 1}} a_h a_j a_l + q \sum_{\substack{s_1+s_2+\dots+s_{11}=m \\ s_1, s_2, \dots, s_{11} \geq 1}} a_{s_1} a_{s_2} \cdots a_{s_{11}}. \quad (2.5)$$

For (2.5), we can easily obtain $\dot{a}_1 = 0, \dot{a}_{2k} = 0$ ($k = 1, 2, \dots$). Thus we can deduce

$$a_m = \begin{cases} 1, & m = 1, \\ 0, & m = 2k \ (k = 1, 2, \dots), \\ \int_0^\theta \Phi_m d\theta, & m = 2k + 1 \ (k = 1, 2, \dots), \end{cases} \quad (2.6)$$

where

$$\Phi_m = p \sum_{\substack{h+j+l=m \\ h,j,l \geq 1 \\ h,j,l \text{ is odd}}} a_h a_j a_l + q \sum_{\substack{s_1+s_2+\dots+s_{11}=m \\ s_1, s_2, \dots, s_{11} \geq 1 \\ s_1, s_2, \dots, s_{11} \text{ is odd}}} a_{s_1} a_{s_2} \cdots a_{s_{11}}. \quad (2.7)$$

The value of $a_{2k+1}(2\pi)$ ($k = 1, 2, \dots$) is called the k th focal value. Let $L_k = a_{2k+1}$ ($k = 1, 2, \dots$); then the origin is a center for system (2.1) if and only if

$$D_k \triangleq L_k(2\pi) = a_{2k+1}(2\pi) = 0, \quad (k = 1, 2, \dots). \quad (2.8)$$

In fact, we have

$$L_k = \int_0^\theta \Psi_k d\theta \quad (k = 1, 2, \dots), \quad (2.9)$$

where

$$\Psi_k = p \sum_{\substack{h+j+l=k-1 \\ h,j,l \geq 0}} L_h L_j L_l + q \sum_{\substack{s_1+s_2+\dots+s_{11}=k-5 \\ s_1, s_2, \dots, s_{11} \geq 0}} L_{s_1} L_{s_2} \cdots L_{s_{11}}, \quad (2.10)$$

and $L_0 = a_1 = 1$.

The main result of the present paper is presented in the following theorem.

Theorem 2.1. *The origin is a center for system (2.1) if and only if the following conditions are satisfied:*

$$0 = a_{2,0} + a_{0,2},$$

$$0 = 63b_{0,10} + 3b_{6,4} + 3b_{4,6} + 7b_{8,2} + 7b_{2,8} + 63b_{10,0},$$

$$0 = 126a_{1,1}b_{0,10} + 21a_{2,0}b_{3,7} + 15a_{2,0}b_{5,5} + 63a_{2,0}b_{1,9} - 189b_{10,0}a_{1,1} + 7a_{1,1}b_{2,8}$$

$$- 3a_{1,1}b_{6,4} - 14a_{1,1}b_{8,2} + 21a_{2,0}b_{7,3} + 63a_{2,0}b_{9,1},$$

$$\begin{aligned}
0 &= -4a_{2,0}^2b_{8,2} + a_{1,1}^2b_{2,8} - 108a_{2,0}^2b_{10,0} - 4a_{2,0}^2b_{2,8} + 27a_{1,1}^2b_{10,0} + 27a_{1,1}^2b_{0,10} \\
&\quad + a_{1,1}^2b_{8,2}^2 - 108a_{2,0}b_{0,10} + 3a_{1,1}a_{2,0}b_{3,7} - 3a_{1,1}a_{2,0}b_{7,3} - 18a_{2,0}a_{1,1}b_{9,1} \\
&\quad + 18a_{2,0}a_{1,1}b_{1,9}, \\
0 &= 72a_{2,0}^2a_{1,1}^3b_{10,0} + 2a_{1,1}^2a_{2,0}^3b_{7,3} + 16a_{2,0}^4a_{1,1}b_{6,4} - 18a_{2,0}^3a_{1,1}^2b_{3,7} + 3a_{1,1}^4a_{2,0}b_{7,3} \\
&\quad + 8a_{2,0}^5b_{7,3} + 96a_{2,0}^5b_{1,9} + 9a_{1,1}^5b_{0,10} - a_{1,1}^5b_{8,2} - 36a_{1,1}^5b_{10,0} + 96a_{2,0}^5b_{9,1} \\
&\quad + 8a_{2,0}^5b_{3,7} - 156a_{2,0}^3a_{1,1}^2b_{1,9} - 36a_{2,0}^3a_{1,1}^2b_{9,1} - 228a_{2,0}^2a_{1,1}^3b_{0,10} \\
&\quad - 12a_{2,0}^2a_{1,1}^3b_{8,2} - 4a_{1,1}^3a_{2,0}^2b_{6,4} + 9a_{2,0}a_{1,1}^4b_{1,9} + 64a_{2,0}^4a_{1,1}b_{8,2} \\
&\quad + 768a_{2,0}^4a_{1,1}b_{0,10} + 288a_{2,0}^4a_{1,1}b_{10,0} + 27a_{1,1}^4a_{2,0}b_{9,1}, \\
0 &= a_{1,1}^6b_{8,2} + 45a_{1,1}^6b_{10,0} - 3a_{1,1}^5a_{2,0}b_{7,3} - 36a_{1,1}^5a_{2,0}b_{9,1} - 28a_{2,0}^2a_{1,1}^4b_{0,10} \\
&\quad + 16a_{2,0}^2a_{1,1}^4b_{8,2} + 4a_{1,1}^4a_{2,0}^2b_{6,4} - 148a_{2,0}^2a_{1,1}^4b_{10,0} + 4a_{2,0}^3a_{1,1}^3b_{7,3} \\
&\quad + 76a_{2,0}^3a_{1,1}^3b_{9,1} - 28a_{2,0}^3a_{1,1}^3b_{1,9} + 240a_{2,0}^4a_{1,1}^2b_{10,0} + 240a_{2,0}^4a_{1,1}^2b_{0,10} \\
&\quad - 16a_{2,0}^5a_{1,1}b_{9,1} + 16a_{2,0}^5a_{1,1}b_{1,9} - 64a_{2,0}^6b_{0,10} - 64a_{2,0}^6b_{10,0}, \\
0 &= -35b_{10,0}a_{1,1}^9 + 35a_{2,0}b_{9,1}a_{1,1}^8 - 30a_{1,1}^7a_{2,0}^2b_{8,2} + 350a_{1,1}^7a_{2,0}^2b_{10,0} \\
&\quad - 340a_{1,1}^6a_{2,0}^3b_{9,1} + 20a_{1,1}^6a_{2,0}^3b_{7,3} + 280a_{1,1}^5a_{2,0}^4b_{8,2} - 8a_{1,1}^5a_{2,0}^4b_{6,4} \\
&\quad - 600a_{1,1}^5a_{2,0}^4b_{10,0} + 480a_{1,1}^4a_{2,0}^5b_{9,1} - 176a_{1,1}^4a_{2,0}^5b_{7,3} + 64a_{1,1}^3a_{2,0}^6b_{6,4} \\
&\quad - 288a_{1,1}^3a_{2,0}^6b_{8,2} + 800a_{1,1}^3a_{2,0}^6b_{10,0} + 96a_{1,1}^2a_{2,0}^7b_{7,3} - 448a_{1,1}^2a_{2,0}^7b_{9,1} \\
&\quad + 128a_{1,1}a_{2,0}^8b_{8,2} - 640a_{1,1}a_{2,0}^8b_{10,0} + 128a_{2,0}^9b_{9,1} + 128a_{2,0}^9b_{1,9}.
\end{aligned} \tag{2.11}$$

3. The Proof of the Necessity

By simple computation in terms of (2.10) with Maple, we obtain

$$\begin{aligned}
\Psi_1 &= pL_0^3, \\
\Psi_2 &= 3pL_0^2L_1, \\
\Psi_3 &= p(3L_0^2L_2 + 3L_0L_1^2), \\
\Psi_4 &= p(3L_0^2L_3 + 6L_0L_1L_2 + L_1^3), \\
\Psi_5 &= p(3L_0^2L_4 + 6L_0L_1L_3 + 3L_0L_2^2 + 3L_1^2L_2) + qL_0^{11}, \\
\Psi_6 &= p(3L_0^2L_5 + 6L_0L_1L_4 + 6L_0L_2L_3 + 3L_1^2L_3 + 3L_1L_2^2) + 11qL_0^{10}L_1,
\end{aligned}$$

$$\begin{aligned}
\Psi_7 &= p \left(3L_1^2 L_4 + 6L_1 L_2 L_3 + 3L_0 L_3^2 + L_2^3 + 3L_0^2 L_6 + 6L_0 L_1 L_5 + 6L_0 L_2 L_4 \right) \\
&\quad + q \left(11L_0^{10} L_2 + 55L_0^9 L_1^2 \right), \\
\Psi_8 &= p \left(3L_2^2 L_3 + 3L_1^2 L_5 + 6L_1 L_2 L_4 + 6L_0 L_3 L_4 + 6L_0 L_1 L_6 + 6L_0 L_2 L_5 \right. \\
&\quad \left. + 3L_1 L_3^2 + 3L_0^2 L_7 \right) + q \left(11L_0^{10} L_3 + 110L_0^9 L_1 L_2 + 165L_0^8 L_1^3 \right), \\
\Psi_9 &= p \left(6L_0 L_2 L_6 + 6L_0 L_1 L_7 + 3L_0^2 L_8 + 6L_1 L_3 L_4 + 6L_1 L_2 L_5 + 3L_2^2 L_4 \right. \\
&\quad \left. + 3L_2 L_3^2 + 3L_1^2 L_6 + 3L_0 L_4^2 + 6L_0 L_3 L_5 \right) \\
&\quad + q \left(110L_0^9 L_1 L_3 + 55L_0^9 L_2^2 + 495L_0^8 L_1^2 L_2 + 330L_0^7 L_1^4 + 11L_0^{10} L_4 \right), \\
\Psi_{10} &= p \left(L_0^2 L_9 + L_2^2 L_5 + 2L_1 L_2 L_6 + L_1^2 L_7 + 2L_0 L_2 L_7 + 4L_0 L_3 L_6 + 4L_2 L_3 L_4 \right. \\
&\quad \left. + 2L_1 L_4^2 + 4L_1 L_3 L_5 + 2L_0 L_1 L_8 + 4L_0 L_4 L_5 + L_3^3 \right) \\
&\quad + q \left(110L_0^9 L_2 L_3 + 110L_0^9 L_1 L_4 + 11L_0^{10} L_5 + 495L_0^8 L_1 L_2^2 + 495L_0^8 L_1^2 L_3 \right. \\
&\quad \left. + 1320L_0^7 L_1^3 L_2 + 462L_0^6 L_1^5 \right), \\
\Psi_{11} &= p \left(6L_0 L_3 L_7 + 6L_0 L_2 L_8 + 3L_0^2 L_{10} + 3L_0 L_5^2 + 6L_0 L_4 L_6 + 3L_3^2 L_4 \right. \\
&\quad \left. + 3L_2 L_4^2 + 6L_2 L_3 L_5 + 3L_2^2 L_6 + 3L_1^2 L_8 + 6L_1 L_4 L_5 + 6L_1 L_2 L_7 \right. \\
&\quad \left. + 6L_1 L_3 L_6 + 6L_0 L_1 L_9 \right) \\
&\quad + q \left(11L_0^{10} L_6 + 110L_0^9 L_1 L_5 + 55L_0^9 L_3^2 + 110L_0^9 L_2 L_4 + 495L_0^8 L_1^2 L_4 + 990L_0^8 L_1 L_2 L_3 \right. \\
&\quad \left. + 165L_0^8 L_2^3 + 1320L_0^7 L_1^3 L_3 + 1980L_0^7 L_1^2 L_2^2 + 2310L_0^6 L_1^4 L_2 + 462L_0^5 L_1^6 \right).
\end{aligned} \tag{3.1}$$

Substituting (3.1) into (2.9), after a simple calculation, we obtain

$$L_1 = \frac{1}{2} a_{2,0} \cos(\theta) \sin(\theta) - \frac{1}{2} a_{0,2} \cos(\theta) \sin(\theta) + \frac{1}{2} a_{1,1} + \frac{1}{2} a_{2,0} \theta - \frac{1}{2} a_{1,1} \cos^2(\theta) + \frac{1}{2} a_{0,2} \theta, \tag{3.2}$$

and the first focal value $D_1 = L_1(2\pi) = a_{2,0}\pi + a_{0,2}\pi$. From (2.8), we can see that

$$0 = a_{2,0} + a_{0,2} \tag{3.3}$$

must be satisfied if the origin is a center for system (2.1).

Following the discussion above, we can compute the first k th focal values recursively by the following algorithm, which consists of three steps.

Step 1 (Initialization). Let

$$\begin{aligned} L_0 &= 1, \quad k = 1, \\ p(\theta) &= a_{2,0}\cos^2(\theta) + a_{1,1}\cos(\theta)\sin(\theta) - a_{2,0}\sin^2(\theta), \\ q(\theta) &= \sum_{i=0}^{10} b_{10-i,i}\cos^{10-i}(\theta)\sin^i(\theta). \end{aligned} \quad (3.4)$$

Step 2 (Computation of k th focal value). L_k can be obtained in terms of (2.10) and (3.1) with Maple. Then the k th focal value D_k can be obtained by simple calculation.

Step 3 (Let $k = k + 1$, and go to Step 2). Using computer algebra and writing a Maple code applying the algorithm above, we obtain

$$\begin{aligned} D_k &= 0 \quad (k = 1, 2, \dots, 4), \\ D_5 &= \frac{1}{128}\pi(63b_{0,10} + 3b_{6,4} + 63b_{10,0} + 3b_{4,6} + 7b_{8,2} + 7b_{2,8}), \\ D_6 &= \frac{1}{128}\pi(7a_{1,1}b_{4,6} + 14a_{2,0}b_{7,3} + 10a_{2,0}b_{5,5} + 21b_{10,0}a_{1,1} + 21a_{1,1}b_{2,8} \\ &\quad + 7a_{1,1}b_{8,2} + 42a_{2,0}b_{9,1} + 5a_{1,1}b_{6,4} + 231a_{1,1}b_{0,10} + 14a_{2,0}b_{3,7} + 42a_{2,0}b_{1,9}), \\ D_7 &= \frac{5}{512}\pi\left(132a_{2,0}^2b_{10,0} + 5a_{1,1}^2b_{6,4} + 5a_{1,1}^2b_{8,2} + 20a_{2,0}^2b_{6,4} + 33a_{1,1}^2b_{2,8} + 36a_{2,0}^2b_{8,2} \right. \\ &\quad + 20a_{2,0}^2b_{4,6} + 132a_{1,1}a_{2,0}b_{1,9} + 9a_{1,1}^2b_{4,6} + 36a_{2,0}b_{9,1}a_{1,1} + 20a_{2,0}a_{1,1}b_{7,3} \\ &\quad \left. + 20a_{2,0}a_{1,1}b_{5,5} + 132a_{2,0}^2b_{0,10} + 36a_{2,0}^2b_{2,8} + 429a_{1,1}^2b_{0,10} + 9a_{1,1}^2b_{10,0} + 36a_{1,1}a_{2,0}b_{3,7}\right), \\ D_8 &= \frac{5}{4096}\pi\left(792a_{2,0}^3b_{9,1} + 360a_{2,0}^3b_{7,3} + 6435a_{1,1}^3b_{0,10} + 280a_{2,0}^3b_{5,5} + 45a_{1,1}^3b_{10,0} \right. \\ &\quad + 99a_{1,1}^3b_{4,6} + 35a_{1,1}^3b_{8,2} + 429a_{1,1}^3b_{2,8} + 360a_{2,0}^3b_{3,7} + 792a_{2,0}^3b_{1,9} \\ &\quad + 540a_{1,1}a_{2,0}^2b_{8,2} + 210a_{2,0}a_{1,1}^2b_{7,3} + 270a_{1,1}^2a_{2,0}b_{9,1} + 540a_{2,0}^2a_{1,1}b_{4,6} \\ &\quad + 5148a_{2,0}^2a_{1,1}b_{0,10} + 2574a_{2,0}a_{1,1}^2b_{1,9} + 420a_{2,0}^2a_{1,1}b_{6,4} + 1188^2a_{2,0}b_{10,0}a_{1,1} \\ &\quad \left. + 1188a_{2,0}^2a_{1,1}b_{2,8} + 270a_{2,0}a_{1,1}^2b_{5,5} + 594a_{1,1}^2a_{2,0}b_{3,7} + 45a_{1,1}^3b_{6,4}\right), \\ D_9 &= \frac{35}{32768}\pi\left(1120a_{2,0}^3a_{1,1}b_{7,3} + 1120a_{2,0}^3a_{1,1}b_{5,5} + 17160a_{2,0}^2a_{1,1}^2b_{0,10} \right. \\ &\quad + 1760a_{2,0}^3a_{1,1}b_{3,7} + 1144a_{2,0}a_{1,1}^3b_{3,7} + 5720a_{2,0}a_{1,1}^3b_{1,9} + 1760a_{2,0}^3a_{1,1}b_{9,1} \\ &\quad + 440a_{2,0}a_{1,1}^3b_{5,5} + 3432a_{2,0}^2a_{1,1}^2b_{2,8} + 840a_{2,0}^2a_{1,1}^2b_{8,2} + 280a_{1,1}^3a_{2,0}b_{9,1} \\ &\quad + 880a_{2,0}^4b_{2,8} + 143a_{1,1}^4b_{4,6} + 2288a_{2,0}^4b_{0,10} + 2288a_{2,0}^4b_{10,0} + 35a_{1,1}^4b_{10,0} \\ &\quad + 55a_{1,1}^4b_{6,4} + 1320a_{1,1}^2a_{2,0}^2b_{10,0} + 4576a_{1,1}a_{2,0}^3b_{1,9} + 1320a_{2,0}^2a_{1,1}^2b_{4,6} \\ &\quad + 280a_{1,1}^3a_{2,0}b_{7,3} + 12155a_{1,1}^4b_{0,10} + 840a_{2,0}^2a_{1,1}^2b_{6,4} + 560a_{2,0}^4b_{6,4} + 35a_{1,1}^4b_{8,2} \\ &\quad \left. + 560a_{2,0}^4b_{4,6} + 880a_{2,0}^4b_{8,2} + 715a_{1,1}^4b_{2,8}\right), \end{aligned}$$

$$\begin{aligned}
D_{10} = & \frac{11}{32768} \pi^2 (7b_{2,8} + 63b_{0,10} + 63b_{10,0} + 3b_{6,4} + 7b_{8,2} + 3b_{4,6}) \\
& + \frac{7}{16384} \pi \left(3080a_{1,1}^3 a_{2,0}^2 b_{10,0} + 34320a_{1,1} a_{2,0}^4 b_{0,10} + 17160b_{2,8} a_{1,1}^3 a_{2,0}^2 + 11440a_{1,1} a_{2,0}^4 b_{2,8} \right. \\
& + 2520a_{1,1}^3 a_{2,0}^2 b_{8,2} + 5040a_{1,1}^2 a_{2,0}^3 b_{7,3} + 24310a_{1,1}^4 a_{2,0} b_{1,9} + 6160a_{1,1} a_{2,0}^4 b_{8,2} \\
& + 2016a_{2,0}^5 b_{5,5} + 2464a_{2,0}^5 b_{3,7} + 6160a_{2,0}^4 a_{1,1} b_{4,6} + 4290a_{2,0} a_{1,1}^4 b_{3,7} \\
& + 6160a_{1,1}^2 a_{2,0}^3 b_{9,1} + 2431b_{2,8} a_{1,1}^5 + 6160a_{2,0}^3 a_{1,1}^2 b_{5,5} + 11440a_{1,1} a_{2,0}^4 b_{10,0} \\
& + 143a_{1,1}^5 b_{6,4} + 429a_{1,1}^5 b_{4,6} + 630a_{1,1}^4 a_{2,0} b_{9,1} + 770a_{1,1}^4 a_{2,0} b_{7,3} \\
& + 5040a_{1,1} a_{2,0}^4 b_{6,4} + 97240a_{1,1}^2 a_{2,0}^2 b_{0,10} + 46189a_{1,1}^5 b_{0,10} + 77a_{1,1}^5 b_{8,2} \\
& + 4576a_{2,0}^5 b_{9,1} + 1430a_{1,1}^4 a_{2,0} b_{5,5} + 2464a_{2,0}^5 b_{7,3} + 11440a_{2,0}^3 a_{1,1}^2 b_{3,7} \\
& + 63a_{1,1}^5 b_{10,0} + 34320a_{1,1}^2 a_{2,0}^2 b_{1,9} + 3080a_{1,1}^3 a_{2,0}^2 b_{6,4} \\
& \left. + 5720a_{1,1}^3 a_{2,0}^2 b_{4,6} + 4576a_{2,0}^5 b_{1,9} \right), \\
D_{11} = & \frac{3}{4096} \pi^2 (7b_{2,8} + 63b_{10,0} + 3b_{6,4} + 7b_{8,2} + 63b_{0,10} + 3b_{4,6}) \\
& \times (7a_{1,1} b_{8,2} + 10b_{5,5} a_{2,0} + 5a_{1,1} b_{6,4} + 14b_{7,3} a_{2,0} + 7a_{1,1} b_{4,6} + 42b_{9,1} a_{2,0} \\
& + 14b_{3,7} a_{2,0} + 231a_{1,1} b_{0,10} + 21b_{2,8} a_{1,1} + 21a_{1,1} b_{10,0} + 42a_{2,0} b_{1,9}) + \frac{1}{1966080} \pi \\
& \times \left(10752a_{2,0} b_{7,3} b_{3,7} + 126a_{1,1} b_{10,0} b_{3,7} + 580671a_{1,1} b_{0,10} b_{9,1} + 113022a_{1,1} b_{7,3} b_{0,10} \right. \\
& + 23667a_{1,1} b_{9,1} b_{10,0} - 61296a_{2,0} b_{10,0} b_{4,6} + 663a_{1,1} b_{1,9} b_{4,6} + 23587200a_{2,0}^5 a_{1,1} b_{1,9} \\
& + 19656000a_{2,0}^3 a_{1,1}^3 b_{3,7} + 158722200a_{2,0}^2 a_{1,1}^4 b_{0,10} + 7046a_{2,0} b_{5,5} b_{3,7} \\
& + 7620480a_{1,1}^5 b_{7,3} + 9525600a_{2,0}^4 a_{1,1}^2 b_{8,2} - 143332a_{2,0} b_{2,8} b_{10,0} - 129948a_{2,0} b_{4,6} b_{0,10} \\
& + 9100a_{1,1} b_{2,8} b_{7,3} + 9879a_{1,1} b_{9,1} b_{6,4} + 50388b_{0,10} a_{1,1} b_{3,7} - 268736a_{2,0} b_{2,8} b_{0,10} \\
& + 140a_{1,1} b_{8,2} b_{3,7} + 234a_{1,1} b_{6,4} b_{3,7} + 9525600a_{2,0}^4 a_{1,1}^2 b_{6,4} + 5012280a_{2,0} a_{1,1}^5 b_{3,7} \\
& + 437a_{1,1} b_{6,4} b_{5,5} + 54145a_{1,1} b_{5,5} b_{0,10} + 11007360a_{2,0}^5 a_{1,1} b_{3,7} + 100245600a_{1,1}^2 a_{2,0}^4 b_{0,10} \\
& - 129168a_{2,0} b_{6,4} b_{0,10} + 13759200a_{2,0}^4 a_{1,1}^2 b_{4,6} + 57330a_{1,1}^6 b_{8,2} + 122850a_{1,1}^6 b_{6,4} \\
& - 12318a_{2,0} b_{8,2}^2 + 7862400a_{2,0}^6 b_{0,10} + 4914a_{2,0} b_{3,7}^2 - 3198a_{2,0} b_{4,6}^2 + 2645370a_{1,1}^6 b_{2,8} \\
& - 16354a_{2,0} b_{2,8}^2 - 11856a_{2,0} b_{6,4} b_{8,2} + 15555a_{1,1} b_{9,1} b_{4,6} + 7802a_{2,0} b_{7,3} b_{5,5} \\
& + 3439800a_{2,0}^2 a_{1,1}^4 b_{6,4} + 29484000a_{1,1}^2 a_{2,0}^4 b_{2,8} + 78636b_{9,1}^2 a_{2,0} + 39690a_{1,1}^6 b_{10,0} \\
& + 2540160a_{2,0}^6 b_{6,4} - 881790a_{2,0} b_{0,10}^2 + 417690a_{1,1}^6 b_{4,6} + 4199a_{1,1} b_{1,9} b_{2,8} \\
& + 329b_{8,2} a_{1,1} b_{5,5} + 55552770a_{1,1}^6 b_{0,10} - 12220a_{2,0} b_{4,6} b_{8,2} + 3669120a_{2,0}^6 b_{2,8} \\
& + 63a_{1,1} b_{1,9} b_{10,0} + 6350400a_{2,0}^3 a_{1,1}^3 b_{9,1} + 91a_{1,1} b_{8,2} b_{1,9} + 476280a_{2,0} a_{1,1}^5 b_{9,1} \\
& - 2946a_{2,0} b_{6,4}^2 + 195b_{6,4} a_{1,1} b_{1,9} + 25061400a_{2,0}^2 a_{1,1}^4 b_{2,8} - 132672a_{2,0} b_{10,0} b_{8,2} \\
& + 11367a_{1,1} b_{9,1} b_{8,2} + 385a_{1,1} b_{10,0} b_{5,5} + 43050a_{2,0} b_{9,1} b_{3,7} + 1474200a_{2,0} a_{1,1}^5 b_{5,5} \\
& - 14768a_{2,0} b_{4,6} b_{2,8} + 2381400a_{2,0}^2 a_{1,1}^4 b_{8,2} + 21268b_{1,9} a_{2,0} b_{5,5} + 7620480a_{2,0}^5 a_{1,1} b_{5,5} \\
& - 258076a_{2,0} b_{0,10} b_{8,2} + 30498b_{1,9} a_{2,0} b_{3,7} + 129024a_{2,0} b_{1,9} b_{9,1} + 1302b_{7,3} a_{1,1} b_{8,2} \\
& + 687960a_{2,0} a_{1,1}^5 b_{7,3} + 44766a_{2,0} b_{9,1} b_{7,3} + 30956b_{9,1} a_{2,0} b_{5,5} + 949a_{1,1} b_{4,6} b_{5,5} \\
& \left. + 3094a_{1,1} b_{3,7} b_{2,8} + 66830400a_{2,0}^3 a_{1,1}^3 b_{1,9} + 7371000a_{2,0}^2 a_{1,1}^4 b_{4,6} \right)
\end{aligned}$$

$$\begin{aligned}
& + 3913a_{1,1}b_{5,5}b_{2,8} + 32214b_{1,9}a_{2,0}b_{7,3} - 28672a_{2,0}b_{8,2}b_{2,8} - 60516a_{2,0}b_{10,0}b_{6,4} \\
& + 5838a_{2,0}b_{7,3}^2 + 2381400a_{2,0}^2a_{1,1}^4b_{10,0} - 1290240a_{2,0}b_{0,10}b_{10,0} + 2004a_{1,1}b_{7,3}b_{10,0} \\
& + 624a_{1,1}b_{3,7}b_{4,6} + 88179a_{1,1}b_{1,9}b_{0,10} + 3669120a_{2,0}^6b_{8,2} + 2538a_{1,1}b_{7,3}b_{4,6} \\
& - 408450a_{2,0}b_{10,0}^2 + 7862400a_{2,0}^6b_{10,0} + 13759200a_{2,0}^4a_{1,1}^2b_{10,0} \\
& + 9172800a_{2,0}^3a_{1,1}^3b_{5,5} - 14404a_{2,0}b_{2,8}b_{6,4} + 2560a_{2,0}b_{5,5}^2 + 50267b_{2,8}b_{9,1}a_{1,1} \Big).
\end{aligned} \tag{3.5}$$

Usually Wu's method [23] is used to do the triangular sets reduction for the focal values, that is, $D_5, \dots, D_{11}$. The method provides a standard algorithm [24] to handle the reduction of polynomials; however, we here just take use the idea of Wu's method and do the reduction by substitution method due to the speciality of our case. Thus we can obtain the relations (2.11). Therefore, the necessary part of Theorem 2.1 is proved.

4. The Proof of the Sufficiency

Case 1 ($a_{1,1} = 0$). From (2.11), we have that either

- (i) $a_{0,2} = a_{2,0} = 0$, $63b_{0,10} + 3b_{6,4} + 3b_{4,6} + 7b_{8,2} + 7b_{2,8} + 63b_{10,0} = 0$, or
- (ii) $a_{0,2} + a_{2,0} = 0$, $b_{0,10} + b_{10,0} = 0$, $b_{1,9} + b_{9,1} = 0$, $b_{2,8} + b_{8,2} = 0$, $b_{3,7} + b_{7,3} = 0$, $b_{4,6} + b_{6,4} = 0$, $b_{5,5} = 0$.

For Case 1, system (2.1) takes the form

$$\dot{x} = -y + xR_{10}(x, y), \quad \dot{y} = x + yR_{10}(x, y). \tag{4.1}$$

The center condition of system (4.1) is $\int_0^{2\pi} R_{10}(\sin(\theta), \cos(\theta))d\theta = 0$ (see ([10])). That is,

$$63b_{0,10} + 3b_{6,4} + 3b_{4,6} + 7b_{8,2} + 7b_{2,8} + 63b_{10,0} = 0. \tag{4.2}$$

For Case 2, system (2.1) takes the form

$$\dot{x} = -y + xT, \quad \dot{y} = x + yT, \tag{4.3}$$

where $T = a_{0,2}(y^2 - x^2) + b_{0,10} + (y^{10} - x^{10}) + b_{1,9}(xy^9 - x^9y) + b_{2,8}(x^2y^8 - x^8y^2) + b_{3,7}(x^3y^7 - x^7y^3) + b_{4,6}(x^4y^6 - x^6y^4)$. For system (4.3), the following linear transformation:

$$(x, y) = (u, v) \begin{pmatrix} \frac{1}{2} & \frac{1}{2} \\ -\frac{1}{2} & \frac{1}{2} \end{pmatrix} \tag{4.4}$$

leads to

$$\dot{u} = -v + u^2vJ(u, v), \quad \dot{v} = u + uv^2J(u, v), \tag{4.5}$$

where $J(u, v) = J_{0,0} + J_{8,0}u^8 + J_{6,2}u^6v^2 + J_{4,4}u^4v^4 + J_{2,6}u^2v^6 + J_{0,8}v^8$,

$$\begin{aligned}
 J_{0,0} &= a_{0,2}, \\
 J_{8,0} &= \frac{1}{256}(3b_{2,8} + b_{4,6} + 5b_{0,10} + 4b_{1,9} + 2b_{3,7}), \\
 J_{6,2} &= \frac{1}{256}(24b_{1,9} - 4b_{3,7} + 60b_{0,10} + 4b_{2,8} - 4b_{4,6}), \\
 J_{4,4} &= \frac{1}{256}(-14b_{2,8} + 126b_{0,10} + 6b_{4,6}), \\
 J_{2,6} &= \frac{1}{256}(4b_{3,7} - 24b_{1,9} + 60b_{0,10} - 4b_{4,6} + 4b_{2,8}), \\
 J_{0,8} &= \frac{1}{256}(-4b_{1,9} + 3b_{2,8} + b_{4,6} + 5b_{0,10} - 2b_{3,7}).
 \end{aligned} \tag{4.6}$$

Obviously, in this case, system (4.5) satisfies the condition of symmetry principle [25, page 135]; thus the origin is a center for the system.

Case 2 ($a_{1,1} \neq 0, a_{2,0} = 0$). From (2.11), we have

$$b_{10,0} = b_{8,2} = b_{6,4} = b_{4,6} = b_{2,8} = b_{0,10} = 0. \tag{4.7}$$

Thus system (2.1) takes the form

$$\dot{x} = -y + x^2y(a_{1,1} + S), \quad \dot{y} = x + xy^2(a_{1,1} + S), \tag{4.8}$$

where $S = b_{9,1}x^8 + b_{7,3}x^6y^2 + b_{5,5}x^4y^4 + b_{3,7}x^2y^6 + b_{1,9}y^8$. Obviously, system (4.8) satisfies the condition of symmetry principle; thus the origin is a center for the system.

Case 3 ($a_{2,0} \neq 0, a_{1,1} \neq 0$). In this case, (2.11) takes the form

$$\begin{aligned}
 a_{0,2} &= -a_{2,0}, \\
 b_{4,6} &= -\frac{7}{3}b_{2,8} - 21b_{0,10} - b_{6,4} - \frac{7}{3}b_{8,2} - 21b_{10,0}, \\
 b_{5,5} &= -\frac{1}{15a_{2,0}}(-14a_{1,1}b_{8,2} + 21a_{2,0}b_{7,3} + 63a_{2,0}b_{9,1} - 3a_{1,1}b_{6,4} - 189a_{1,1}b_{10,0} \\
 &\quad + 21a_{2,0}b_{3,7} + 126a_{1,1}b_{0,10} + 63a_{2,0}b_{1,9} + 7a_{1,1}b_{2,8}), \\
 b_{2,8} &= -\frac{1}{-4a_{2,0}^2 + a_{1,1}^2} \left(3a_{1,1}a_{2,0}b_{3,7} - 18a_{1,1}a_{2,0}b_{9,1} + a_{1,1}^2b_{8,2} + 27a_{1,1}^2b_{10,0} \right. \\
 &\quad \left. - 4a_{2,0}^2b_{8,2} - 108a_{2,0}^2b_{10,0} - 3a_{1,1}a_{2,0}b_{7,3} - 108a_{2,0}^2b_{0,10} + 27a_{1,1}^2b_{0,10} \right. \\
 &\quad \left. + 18a_{1,1}a_{2,0}b_{1,9} \right),
 \end{aligned}$$

$$\begin{aligned}
b_{3,7} &= \frac{1}{2a_{2,0}^3(-4a_{2,0}^2 + 9a_{1,1}^2)} \\
&\times \left(3a_{1,1}^4 a_{2,0} b_{7,3} + 9a_{1,1}^5 b_{0,10} + 16a_{1,1} a_{2,0}^4 b_{6,4} - a_{1,1}^5 b_{8,2} \right. \\
&\quad + 96a_{2,0}^5 b_{1,9} + 768a_{1,1} a_{2,0}^4 b_{0,10} - 36a_{1,1}^2 a_{2,0}^3 b_{9,1} - 228a_{1,1}^3 a_{2,0}^2 b_{0,10} \\
&\quad + 288a_{1,1} a_{2,0}^4 b_{10,0} - 4a_{1,1}^3 a_{2,0}^2 b_{6,4} + 8a_{2,0}^5 b_{7,3} - 156a_{1,1}^2 a_{2,0}^3 b_{1,9} \\
&\quad - 12a_{1,1}^3 a_{2,0}^2 b_{8,2} + 2a_{1,1}^2 a_{2,0}^3 b_{7,3} + 9a_{1,1}^4 a_{2,0} b_{1,9} + 27a_{1,1}^4 a_{2,0} b_{9,1} \\
&\quad \left. + 72a_{1,1}^3 a_{2,0}^2 b_{10,0} + 64a_{1,1} a_{2,0}^4 b_{8,2} + 96a_{2,0}^5 b_{9,1} - 36a_{1,1}^5 b_{10,0} \right), \\
b_{0,10} &= \frac{1}{4a_{2,0}^2(7a_{1,1}^4 - 60a_{1,1}^2 a_{2,0}^2 + 16a_{2,0}^4)} \\
&\times \left(-148a_{1,1}^4 a_{2,0}^2 b_{10,0} + 76a_{1,1}^3 a_{2,0}^3 b_{9,1} + a_{1,1}^6 b_{8,2} + 4a_{1,1}^4 a_{2,0}^2 b_{6,4} + 4a_{1,1}^3 a_{2,0}^3 b_{7,3} \right. \\
&\quad - 28a_{1,1}^3 a_{2,0}^3 b_{1,9} + 16a_{1,1} a_{2,0}^5 b_{1,9} - 3a_{1,1}^5 a_{2,0} b_{7,3} + 16a_{1,1}^4 a_{2,0}^2 b_{8,2} - 16a_{1,1} a_{2,0}^5 b_{9,1} \\
&\quad \left. - 36a_{1,1}^5 a_{2,0} b_{9,1} + 240a_{1,1}^2 a_{2,0}^4 b_{10,0} + 45a_{1,1}^6 b_{10,0} - 64a_{2,0}^6 b_{10,0} \right), \\
b_{1,9} &= \frac{1}{128a_{2,0}^9} \left(-280a_{1,1}^5 a_{2,0}^4 b_{8,2} - 20a_{1,1}^6 a_{2,0}^3 b_{7,3} - 480a_{1,1}^4 a_{2,0}^5 b_{9,1} \right. \\
&\quad - 64a_{1,1}^3 a_{2,0}^6 b_{6,4} - 800a_{1,1}^3 a_{2,0}^6 b_{10,0} - 128a_{1,1} a_{2,0}^8 b_{8,2} - 96a_{1,1}^2 a_{2,0}^7 b_{7,3} \\
&\quad + 176a_{1,1}^4 a_{2,0}^5 b_{7,3} - 35a_{1,1}^8 a_{2,0} b_{9,1} + 30a_{1,1}^7 a_{2,0}^2 b_{8,2} + 8a_{1,1}^5 a_{2,0}^4 b_{6,4} \\
&\quad - 128a_{2,0}^9 b_{9,1} + 448a_{1,1}^2 a_{2,0}^7 b_{9,1} + 288a_{1,1}^3 a_{2,0}^6 b_{8,2} + 340a_{1,1}^6 a_{2,0}^3 b_{9,1} \\
&\quad \left. + 640a_{1,1} a_{2,0}^8 b_{10,0} + 600a_{1,1}^5 a_{2,0}^4 b_{10,0} + 35a_{1,1}^9 b_{10,0} - 350a_{1,1}^7 a_{2,0}^2 b_{10,0} \right).
\end{aligned} \tag{4.9}$$

Substituting (4.9) into (2.1), we get

$$\begin{aligned}
\dot{x} &= -y + x(a_{2,0}x^2 + a_{1,1}xy - a_{2,0}y^2)H(x, y), \\
\dot{y} &= x + y(a_{2,0}x^2 + a_{1,1}xy - a_{2,0}y^2)H(x, y),
\end{aligned} \tag{4.10}$$

where

$$\begin{aligned}
H(x, y) &= \frac{1}{128a_{2,0}^9} \left(128a_{2,0}^9 + 128b_{10,0}a_{2,0}^8x^8 + (-128b_{10,0}a_{1,1}a_{2,0}^7 + 128b_{9,1}a_{2,0}^8)yx^7 \right. \\
&\quad + (128a_{1,1}^2b_{10,0}a_{2,0}^6 - 128a_{1,1}b_{9,1}a_{2,0}^7 + 128b_{10,0}a_{2,0}^8 + 128a_{2,0}^8b_{8,2})y^2x^6 \\
&\quad + (128a_{1,1}^2b_{9,1}a_{2,0}^6 + 128b_{9,1}a_{2,0}^8 - 256b_{10,0}a_{1,1}a_{2,0}^7 - 128a_{1,1}^3b_{10,0}a_{2,0}^5 \\
&\quad \left. + 128a_{2,0}^8b_{7,3} - 128a_{2,0}^7a_{1,1}b_{8,2})y^3x^5 \right. \\
&\quad + (-256a_{1,1}b_{9,1}a_{2,0}^7 - 128a_{1,1}^3b_{9,1}a_{2,0}^5 + 384a_{1,1}^2b_{10,0}a_{2,0}^6 + 128a_{2,0}^6a_{1,1}^2b_{8,2} \\
&\quad \left. + 128a_{1,1}^4b_{10,0}a_{2,0}^4 + 128a_{2,0}^8b_{8,2} + 128b_{10,0}a_{2,0}^8 + 128a_{2,0}^8b_{6,4} - 128a_{2,0}^7a_{1,1}b_{7,3})y^4x^4 \right)
\end{aligned}$$

$$\begin{aligned}
& + \left(-880a_{1,1}^4b_{9,1}a_{2,0}^4 - 512a_{1,1}^3b_{10,0}a_{2,0}^5 + 128b_{9,1}a_{2,0}^8 - 256a_{2,0}^7a_{1,1}b_{8,2} \right. \\
& \quad + 880a_{1,1}^5b_{10,0}a_{2,0}^3 + 768a_{2,0}^5a_{1,1}^3b_{8,2} + 384a_{1,1}^2b_{9,1}a_{2,0}^6 + 128a_{2,0}^8b_{7,3} \\
& \quad \left. - 544a_{2,0}^6a_{1,1}^2b_{7,3} - 384b_{10,0}a_{1,1}a_{2,0}^7 + 256a_{2,0}^7a_{1,1}b_{6,4} \right) y^5 x^3 \\
& + \left(192a_{2,0}^6a_{1,1}^2b_{6,4} - 800a_{1,1}^5b_{9,1}a_{2,0}^3 + 832a_{1,1}^3b_{9,1}a_{2,0}^5 + 688a_{2,0}^4a_{1,1}^4b_{8,2} \right. \\
& \quad - 384a_{1,1}b_{9,1}a_{2,0}^7 + 192a_{2,0}^7a_{1,1}b_{7,3} + 800a_{1,1}^6b_{10,0}a_{2,0}^2 - 464a_{2,0}^5a_{1,1}^3b_{7,3} + 128a_{2,0}^8b_{8,2} \\
& \quad \left. + 128b_{10,0}a_{2,0}^8 - 1040a_{1,1}^4b_{10,0}a_{2,0}^4 + 768a_{1,1}^2b_{10,0}a_{2,0}^6 - 512a_{2,0}^6a_{1,1}^2b_{8,2} \right) y^6 x^2 \\
& + \left(-384a_{1,1}^2b_{9,1}a_{2,0}^6 - 160a_{1,1}^4a_{1,1}^4b_{7,3} + 240a_{2,0}^3a_{1,1}^5b_{8,2} + 96a_{2,0}^6a_{1,1}^2b_{7,3} \right. \\
& \quad + 64a_{2,0}^5a_{1,1}^3b_{6,4} - 256a_{2,0}^5a_{1,1}^3b_{8,2} - 480a_{1,1}^5b_{10,0}a_{2,0}^3 - 512b_{10,0}a_{1,1}a_{2,0}^7 \\
& \quad + 128a_{2,0}^7a_{1,1}b_{8,2} + 280a_{1,1}^7b_{10,0}a_{2,0} + 400a_{1,1}^4b_{9,1}a_{2,0}^4 \\
& \quad \left. - 280a_{1,1}^6b_{9,1}a_{2,0}^2 + 640a_{1,1}^3b_{10,0}a_{2,0}^5 + 128b_{9,1}a_{2,0}^8 \right) y^7 x \\
& + \left(16a_{2,0}^5a_{1,1}^3b_{7,3} - 80a_{1,1}^3b_{9,1}a_{2,0}^5 + 60a_{1,1}^5b_{9,1}a_{2,0}^3 + 120a_{1,1}^4b_{10,0}a_{2,0}^4 \right. \\
& \quad - 20a_{2,0}^3a_{1,1}^5b_{7,3} - 70a_{1,1}^6b_{10,0}a_{2,0}^2 + 30a_{2,0}^2a_{1,1}^6b_{8,2} + 32a_{2,0}^6a_{1,1}^2b_{8,2} \\
& \quad - 160a_{1,1}^2b_{10,0}a_{2,0}^6 - 35a_{1,1}^7b_{9,1}a_{2,0} + 8a_{2,0}^4a_{1,1}^4b_{6,4} + 128b_{10,0}a_{2,0}^8 \\
& \quad \left. + 64a_{1,1}b_{9,1}a_{2,0}^7 - 40a_{2,0}^4a_{1,1}^4b_{8,2} + 35a_{1,1}^8b_{10,0} \right) y^8.
\end{aligned} \tag{4.11}$$

For system (4.10), we consider the following linear transformation:

$$(x, y) = (u, v) \begin{pmatrix} t & -1 \\ 1 & t \end{pmatrix}, \tag{4.12}$$

where the diagonal elements of the transformation matrix satisfy the equation $a_{2,0}t^2 - a_{1,1}t - a_{2,0} = 0$. Applying the transformation (4.12) to (4.10), we obtain

$$\dot{u} = -v + u^2vM \cdot I(u, v), \quad \dot{v} = u + uv^2M \cdot I(u, v), \tag{4.13}$$

where $M = (4a_{2,0}t - a_{1,1} + a_{1,1}t^2)/128a_{2,0}^9$, $I(u, v) = I_{0,0} + I_{8,0}u^8 + I_{6,2}u^6v^2 + I_{4,4}u^4v^4 + I_{2,6}u^2v^6 + I_{0,8}v^8$, and $I_{0,0}, I_{8,0}, I_{6,2}, I_{4,4}, I_{2,6}, I_{0,8}$ are given in the appendix.

Obviously, system (4.13) satisfies the conditions of symmetry principle, thus the origin is a center for the system. Therefore, the sufficient part of Theorem 2.1 is proved.

5. Center Conditions of $P(2, 2n)$ for $n = 2, 3$ and 4

By similar steps discussed above, we can obtain the following theorem.

Theorem 5.1. *The origin is a center for system $P(2, 8)$ if and only if the following conditions are satisfied:*

$$0 = a_{2,0} + a_{0,2},$$

$$0 = 5b_{6,2} + 35b_{0,8} + 5b_{2,6} + 3b_{4,4} + 35b_{8,0},$$

$$\begin{aligned}
0 &= a_{1,1}b_{2,6} + 3a_{2,0}b_{5,3} + 14a_{1,1}b_{0,8} + 7a_{2,0}b_{1,7} + 3a_{2,0}b_{3,5} - a_{1,1}b_{6,2} + 7a_{2,0}b_{7,1} - 14a_{1,1}b_{8,0}, \\
0 &= 7a_{2,0}b_{1,7}a_{1,1} - 14a_{2,0}a_{1,1}b_{7,1} - 3a_{2,0}a_{1,1}b_{5,3} + a_{1,1}^2b_{6,2} + 21b_{8,0}a_{1,1}^2 \\
&\quad + 7a_{1,1}^2b_{0,8} - 2a_{2,0}^2b_{6,2} - 56a_{2,0}^2b_{0,8} - 2a_{2,0}^2b_{2,6} - 56a_{2,0}^2b_{8,0}, \\
0 &= -3a_{1,1}^2a_{2,0}b_{5,3} - 48a_{1,1}a_{2,0}^2b_{8,0} + 18a_{1,1}^3b_{8,0} - 11a_{1,1}^2a_{2,0}b_{7,1} + a_{1,1}^3b_{6,2} \\
&\quad - 64a_{2,0}^2a_{1,1}b_{0,8} - 4a_{1,1}a_{2,0}^2b_{6,2} + 10a_{1,1}^3b_{0,8} + 10a_{1,1}^2a_{2,0}b_{1,7} - 4a_{2,0}^3b_{1,7} - 4a_{2,0}^3b_{7,1}, \\
0 &= 8a_{2,0}^3a_{1,1}^3b_{7,1} + 16a_{2,0}^4a_{1,1}^2b_{8,0} - 5a_{1,1}^5a_{2,0}b_{7,1} + 5a_{1,1}^6b_{8,0} - 16a_{2,0}^6b_{8,0} \\
&\quad - 16a_{2,0}^6b_{0,8} + 4a_{2,0}^2a_{1,1}^4b_{6,2} - 2a_{2,0}^3a_{1,1}^3b_{5,3} - 8a_{2,0}^5a_{1,1}b_{7,1} - 4a_{2,0}^4a_{1,1}^2b_{6,2} - 10a_{2,0}^2a_{1,1}^4b_{8,0}.
\end{aligned} \tag{5.1}$$

The relations above give a complete set of relations in the sense given in [21], that is, this set of relations cover all the cases of the conditions which are sufficient and necessary for the system to be of center type.

Theorem 5.2. *The origin is a center for system $P(2,6)$ if and only if the following conditions are satisfied:*

$$\begin{aligned}
0 &= a_{2,0} + a_{0,2}, \\
0 &= 5b_{0,6} + b_{2,4} + b_{4,2} + 5b_{6,0}, \\
0 &= 3a_{2,0}b_{3,3} - a_{1,1}b_{4,2} + 5a_{1,1}b_{0,6} + 5a_{2,0}b_{1,5} + 5a_{2,0}b_{5,1} - 10a_{1,1}b_{6,0}, \\
0 &= a_{1,1}^2b_{0,6} + b_{6,0}a_{1,1}^2 - 4a_{2,0}^2b_{0,6} - 4a_{2,0}^2b_{6,0} + a_{2,0}a_{1,1}b_{1,5} - a_{2,0}a_{1,1}b_{5,1}, \\
0 &= 18a_{2,0}^2a_{1,1}^3b_{6,0} - 16a_{2,0}^3a_{1,1}^2b_{5,1} - 24a_{2,0}^4a_{1,1}b_{6,0} - 3a_{1,1}^5b_{6,0} \\
&\quad + 3a_{1,1}^4a_{2,0}b_{5,1} + 8a_{2,0}^5b_{1,5} + 8a_{2,0}^5b_{5,1} - 2a_{1,1}^3a_{2,0}^2b_{4,2} + 8a_{1,1}a_{2,0}^4b_{4,2}.
\end{aligned} \tag{5.2}$$

The relations above is another form as the result of paper [20].

Theorem 5.3. *The origin is a center for system $P(2,4)$ if and only if the following conditions are satisfied:*

$$\begin{aligned}
0 &= a_{2,0} + a_{0,2}, \\
0 &= 3b_{0,4} + b_{2,2} + 3b_{4,0}, \\
0 &= a_{1,1}b_{0,4} + a_{2,0}b_{1,3} + a_{2,0}b_{3,1} - a_{1,1}b_{4,0}, \\
0 &= -2a_{2,0}^2b_{0,4} - a_{1,1}a_{2,0}b_{3,1} + a_{1,1}^2b_{4,0} - 2a_{2,0}^2b_{4,0}.
\end{aligned} \tag{5.3}$$

The relations above is another form of center condition for the system $P(2,4)$, which has been discussed by Volokitin in paper [19].

Appendix $I_{0,0}, I_{8,0}, I_{6,2}, I_{4,4}, I_{2,6}, I_{0,8}$

$$\begin{aligned}
I_{0,0} &= 128a_{2,0}^9, \\
I_{8,0} &= 128b_{10,0}a_{2,0}^8t^8 + \left(128a_{2,0}^7b_{10,0}a_{1,1} - 128a_{2,0}^8b_{9,1}\right)t^7 \\
&\quad + \left(128a_{2,0}^6a_{1,1}^2b_{10,0} + 128b_{10,0}a_{2,0}^8 - 128a_{1,1}b_{9,1}a_{2,0}^7 + 128a_{2,0}^8b_{8,2}\right)t^6 \\
&\quad + \left(256a_{2,0}^7b_{10,0}a_{1,1} - 128a_{2,0}^8b_{9,1} + 128a_{2,0}^5a_{1,1}^3b_{10,0} - 128a_{2,0}^6a_{1,1}^2b_{9,1} \right. \\
&\quad \left. - 128a_{2,0}^8b_{7,3} + 128a_{2,0}^7a_{1,1}b_{8,2}\right)t^5 \\
&\quad + \left(384a_{2,0}^6a_{1,1}^2b_{10,0} + 128b_{10,0}a_{2,0}^8 - 256a_{1,1}b_{9,1}a_{2,0}^7 + 128a_{2,0}^4a_{1,1}^4b_{10,0} - 128a_{2,0}^7a_{1,1}b_{7,3} \right. \\
&\quad \left. + 128a_{2,0}^8b_{8,2} + 128a_{2,0}^6a_{1,1}^2b_{8,2} + 128a_{2,0}^8b_{6,4} - 128a_{2,0}^5a_{1,1}^3b_{9,1}\right)t^4 \\
&\quad + \left(-256a_{2,0}^7a_{1,1}b_{6,4} - 880a_{1,1}^5b_{10,0}a_{2,0}^3 - 128a_{2,0}^8b_{7,3} + 512a_{2,0}^5a_{1,1}^3b_{10,0} \right. \\
&\quad \left. - 384a_{2,0}^6a_{1,1}^2b_{9,1} - 768a_{2,0}^5a_{1,1}^3b_{8,2} - 128a_{2,0}^8b_{9,1} + 256a_{2,0}^7a_{1,1}b_{8,2} \right. \\
&\quad \left. + 384a_{2,0}^7b_{10,0}a_{1,1} + 880a_{1,1}^4b_{9,1}a_{2,0}^4 + 544a_{2,0}^6a_{1,1}^2b_{7,3}\right)t^3 \\
&\quad + \left(800a_{2,0}^2a_{1,1}^6b_{10,0} + 128a_{2,0}^8b_{8,2} - 800a_{2,0}^3a_{1,1}^5b_{9,1} - 512a_{2,0}^6a_{1,1}^2b_{8,2} \right. \\
&\quad \left. + 192a_{2,0}^7a_{1,1}b_{7,3} + 832a_{2,0}^5a_{1,1}^3b_{9,1} + 768a_{2,0}^6a_{1,1}^2b_{10,0} + 128b_{10,0}a_{2,0}^8 - 464a_{2,0}^5a_{1,1}^3b_{7,3} \right. \\
&\quad \left. - 384a_{1,1}b_{9,1}a_{2,0}^7 + 688a_{2,0}^4a_{1,1}^4b_{8,2} + 192a_{2,0}^6a_{1,1}^2b_{6,4} - 1040a_{2,0}^4a_{1,1}^4b_{10,0}\right)t^2 \\
&\quad + \left(-128a_{2,0}^7a_{1,1}b_{8,2} - 64a_{2,0}^5a_{1,1}^3b_{6,4} - 640a_{2,0}^5a_{1,1}^3b_{10,0} - 280a_{1,1}^7b_{10,0}a_{2,0} \right. \\
&\quad \left. - 128a_{2,0}^8b_{9,1} + 512a_{2,0}^7b_{10,0}a_{1,1} - 240a_{2,0}^3a_{1,1}^5b_{8,2} + 160a_{2,0}^4a_{1,1}^4b_{7,3} \right. \\
&\quad \left. - 400a_{1,1}^4b_{9,1}a_{2,0}^4 + 480a_{1,1}^5b_{10,0}a_{2,0}^3 - 96a_{2,0}^6a_{1,1}^2b_{7,3} \right. \\
&\quad \left. + 384a_{2,0}^6a_{1,1}^2b_{9,1} + 256a_{2,0}^5a_{1,1}^3b_{8,2} + 280a_{1,1}^6b_{9,1}a_{2,0}^2\right)t \\
&\quad + 30a_{2,0}^2a_{1,1}^6b_{8,2} - 20a_{2,0}^3a_{1,1}^5b_{7,3} + 128b_{10,0}a_{2,0}^8 \\
&\quad + 8a_{2,0}^4a_{1,1}^4b_{6,4} - 70a_{2,0}^2a_{1,1}^6b_{10,0} - 35a_{1,1}^7b_{9,1}a_{2,0} - 40a_{2,0}^4a_{1,1}^4b_{8,2} \\
&\quad + 60a_{2,0}^3a_{1,1}^5b_{9,1} - 80a_{2,0}^5a_{1,1}^3b_{9,1} + 120a_{2,0}^4a_{1,1}^4b_{10,0} + 16a_{2,0}^5a_{1,1}^3b_{7,3} \\
&\quad + 64a_{1,1}b_{9,1}a_{2,0}^7 - 160a_{2,0}^6a_{1,1}^2b_{10,0} + 35a_{1,1}^8b_{10,0} + 32a_{2,0}^6a_{1,1}^2b_{8,2}, \\
\end{aligned}
\tag{A.1}$$

$$\begin{aligned}
I_{6,2} &= \left(128a_{2,0}^6a_{1,1}^2b_{10,0} + 128b_{10,0}a_{2,0}^8 - 128a_{1,1}b_{9,1}a_{2,0}^7 + 128a_{2,0}^8b_{8,2}\right)t^8 \\
&\quad + \left(-384a_{2,0}^8b_{7,3} + 384a_{2,0}^5a_{1,1}^3b_{10,0} + 384a_{2,0}^7a_{1,1}b_{8,2} - 128a_{2,0}^7b_{10,0}a_{1,1} \right. \\
&\quad \left. - 384a_{2,0}^6a_{1,1}^2b_{9,1} + 512a_{2,0}^8b_{9,1}\right)t^7 \\
&\quad + \left(768a_{2,0}^6a_{1,1}^2b_{10,0} + 768a_{2,0}^4a_{1,1}^4b_{10,0} - 768a_{2,0}^5a_{1,1}^3b_{9,1} + 768a_{2,0}^8b_{6,4} \right.
\end{aligned}$$

$$\begin{aligned}
& +2816b_{10,0}a_{2,0}^8 + 768a_{2,0}^6a_{1,1}^2b_{8,2} - 768a_{2,0}^8b_{8,2} - 768a_{2,0}^7a_{1,1}b_{7,3})t^6 \\
& + \left(-1920a_{2,0}^6a_{1,1}^2b_{9,1} - 2048a_{2,0}^8b_{9,1} + 5440a_{2,0}^6a_{1,1}^2b_{7,3} \right. \\
& \quad + 640a_{2,0}^7a_{1,1}b_{8,2} - 8800a_{1,1}^5b_{10,0}a_{2,0}^3 + 2688a_{2,0}^7b_{10,0}a_{1,1} - 7680a_{2,0}^5a_{1,1}^3b_{8,2} \\
& \quad \left. + 8800a_{1,1}^4b_{9,1}a_{2,0}^4 - 2560a_{2,0}^7a_{1,1}b_{6,4} + 640a_{2,0}^8b_{7,3} + 3200a_{2,0}^5a_{1,1}^3b_{10,0} \right)t^5 \\
& + \left(14528a_{2,0}^5a_{1,1}^3b_{9,1} - 12000a_{2,0}^3a_{1,1}^5b_{9,1} - 9728a_{2,0}^6a_{1,1}^2b_{8,2} - 2048a_{2,0}^8b_{6,4} \right. \\
& \quad + 12000a_{2,0}^2a_{1,1}^6b_{10,0} + 7296a_{2,0}^6a_{1,1}^2b_{10,0} + 4928a_{2,0}^7a_{1,1}b_{7,3} + 1792b_{10,0}a_{2,0}^8 \\
& \quad + 10320a_{2,0}^4a_{1,1}^4b_{8,2} - 17648a_{2,0}^4a_{1,1}^4b_{10,0} - 3584a_{1,1}b_{9,1}a_{2,0}^7 + 1792a_{2,0}^8b_{8,2} \\
& \quad \left. - 6960a_{2,0}^5a_{1,1}^3b_{7,3} + 2880a_{2,0}^6a_{1,1}^2b_{6,4} \right)t^4 \\
& + \left(-1344a_{2,0}^5a_{1,1}^3b_{6,4} + 640a_{2,0}^8b_{7,3} - 19840a_{2,0}^5a_{1,1}^3b_{10,0} + 3840a_{2,0}^7a_{1,1}b_{6,4} \right. \\
& \quad - 21600a_{1,1}^4b_{9,1}a_{2,0}^4 + 12544a_{2,0}^6a_{1,1}^2b_{9,1} - 5248a_{2,0}^7a_{1,1}b_{8,2} \\
& \quad + 3360a_{2,0}^4a_{1,1}^4b_{7,3} + 16896a_{2,0}^5a_{1,1}^3b_{8,2} - 2048a_{2,0}^8b_{9,1} \\
& \quad - 5880a_{1,1}^7b_{10,0}a_{2,0} - 10176a_{2,0}^6a_{1,1}^2b_{7,3} + 23280a_{1,1}^5b_{10,0}a_{2,0}^3 \\
& \quad \left. + 7552a_{2,0}^7b_{10,0}a_{1,1} + 5880a_{1,1}^6b_{9,1}a_{2,0}^2 - 5040a_{2,0}^3a_{1,1}^5b_{8,2} \right)t^3 \\
& + \left(-11560a_{2,0}^2a_{1,1}^6b_{10,0} + 840a_{2,0}^2a_{1,1}^6b_{8,2} + 980a_{1,1}^8b_{10,0} + 2816b_{10,0}a_{2,0}^8 \right. \\
& \quad - 560a_{2,0}^3a_{1,1}^5b_{7,3} + 7808a_{2,0}^6a_{1,1}^2b_{8,2} + 16608a_{2,0}^4a_{1,1}^4b_{10,0} + 6016a_{2,0}^5a_{1,1}^3b_{7,3} \\
& \quad + 4864a_{1,1}b_{9,1}a_{2,0}^7 + 224a_{2,0}^4a_{1,1}^4b_{6,4} - 2304a_{2,0}^6a_{1,1}^2b_{6,4} - 12992a_{2,0}^5a_{1,1}^3b_{9,1} \\
& \quad + 768a_{2,0}^8b_{6,4} - 11392a_{2,0}^6a_{1,1}^2b_{10,0} + 11280a_{2,0}^3a_{1,1}^5b_{9,1} - 9376a_{2,0}^4a_{1,1}^4b_{8,2} \\
& \quad \left. - 980a_{1,1}^7b_{9,1}a_{2,0} - 768a_{2,0}^8b_{8,2} - 3072a_{2,0}^7a_{1,1}b_{7,3} \right)t^2 \\
& + \left(5440a_{1,1}^4b_{9,1}a_{2,0}^4 + 448a_{2,0}^5a_{1,1}^3b_{6,4} + 1680a_{2,0}^3a_{1,1}^5b_{8,2} - 1120a_{2,0}^4a_{1,1}^4b_{7,3} \right. \\
& \quad + 6016a_{2,0}^5a_{1,1}^3b_{10,0} - 3840a_{2,0}^6a_{1,1}^2b_{9,1} - 6000a_{1,1}^5b_{10,0}a_{2,0}^3 + 512a_{2,0}^8b_{9,1} \\
& \quad - 384a_{2,0}^8b_{7,3} + 1960a_{1,1}^7b_{10,0}a_{2,0} - 4096a_{2,0}^5a_{1,1}^3b_{8,2} - 1960a_{1,1}^6b_{9,1}a_{2,0}^2 \\
& \quad \left. - 768a_{2,0}^7a_{1,1}b_{6,4} - 2432a_{2,0}^7b_{10,0}a_{1,1} + 2304a_{2,0}^6a_{1,1}^2b_{7,3} + 1664a_{2,0}^7a_{1,1}b_{8,2} \right)t \\
& + 800a_{2,0}^2a_{1,1}^6b_{10,0} + 128a_{2,0}^8b_{8,2} - 800a_{2,0}^3a_{1,1}^5b_{9,1} - 512a_{2,0}^6a_{1,1}^2b_{8,2} \\
& + 192a_{2,0}^7a_{1,1}b_{7,3} + 832a_{2,0}^5a_{1,1}^3b_{9,1} + 768a_{2,0}^6a_{1,1}^2b_{10,0} + 128b_{10,0}a_{2,0}^8 \\
& - 464a_{2,0}^5a_{1,1}^3b_{7,3} - 384a_{1,1}b_{9,1}a_{2,0}^7 + 688a_{2,0}^4a_{1,1}^4b_{8,2} + 192a_{2,0}^6a_{1,1}^2b_{6,4} \\
& - 1040a_{2,0}^4a_{1,1}^4b_{10,0},
\end{aligned}$$

(A.2)

$$\begin{aligned}
I_{4,4} = & \left(128b_{10,0}a_{2,0}^8 + 128a_{2,0}^8b_{6,4} - 128a_{2,0}^7a_{1,1}b_{7,3} + 128a_{2,0}^4a_{1,1}^4b_{10,0} \right. \\
& + 128a_{2,0}^6a_{1,1}^2b_{8,2} + 384a_{2,0}^6a_{1,1}^2b_{10,0} - 256a_{1,1}b_{9,1}a_{2,0}^7 + 128a_{2,0}^8b_{8,2} \\
& \left. - 128a_{2,0}^5a_{1,1}^3b_{9,1} \right)t^8
\end{aligned}$$

$$\begin{aligned}
& + \left(640a_{2,0}^7 a_{1,1} b_{8,2} - 1280a_{2,0}^6 a_{1,1}^2 b_{9,1} - 3840a_{2,0}^5 a_{1,1}^3 b_{8,2} - 1280a_{2,0}^7 a_{1,1} b_{6,4} \right. \\
& \quad - 4400a_{1,1}^5 b_{10,0} a_{2,0}^3 + 1920a_{2,0}^5 a_{1,1}^3 b_{10,0} + 640a_{2,0}^7 b_{10,0} a_{1,1} + 4400a_{1,1}^4 b_{9,1} a_{2,0}^4 \\
& \quad \left. + 2720a_{2,0}^6 a_{1,1}^2 b_{7,3} \right) t^7 \\
& + \left(14528a_{2,0}^5 a_{1,1}^3 b_{9,1} - 12000a_{2,0}^3 a_{1,1}^5 b_{9,1} - 9728a_{2,0}^6 a_{1,1}^2 b_{8,2} + 12000a_{2,0}^2 a_{1,1}^6 b_{10,0} \right. \\
& \quad - 2048a_{2,0}^8 b_{6,4} + 7296a_{2,0}^6 a_{1,1}^2 b_{10,0} + 4928a_{2,0}^7 a_{1,1} b_{7,3} + 10320a_{2,0}^4 a_{1,1}^4 b_{8,2} \\
& \quad + 1792b_{10,0} a_{2,0}^8 - 17648a_{2,0}^4 a_{1,1}^4 b_{10,0} - 3584a_{1,1} b_{9,1} a_{2,0}^7 - 6960a_{2,0}^5 a_{1,1}^3 b_{7,3} \\
& \quad \left. + 1792a_{2,0}^8 b_{8,2} + 2880 a_{1,1}^2 b_{6,4} \right) t^6 \\
& + \left(9800a_{1,1}^6 b_{9,1} a_{2,0}^2 - 9800a_{1,1}^7 b_{10,0} a_{2,0} - 19680a_{2,0}^6 a_{1,1}^2 b_{7,3} + 9600a_{2,0}^7 b_{10,0} a_{1,1} \right. \\
& \quad + 21120a_{2,0}^6 a_{1,1}^2 b_{9,1} + 43200a_{1,1}^5 b_{10,0} a_{2,0}^3 - 33920a_{2,0}^5 a_{1,1}^3 b_{10,0} - 8400a_{2,0}^3 a_{1,1}^5 b_{8,2} \\
& \quad + 5600a_{2,0}^4 a_{1,1}^4 b_{7,3} - 8320a_{2,0}^7 a_{1,1} b_{8,2} - 40400a_{1,1}^4 b_{9,1} a_{2,0}^4 + 32000a_{2,0}^5 a_{1,1}^3 b_{8,2} \\
& \quad \left. - 2240a_{2,0}^5 a_{1,1}^3 b_{6,4} + 7680a_{2,0}^7 a_{1,1} b_{6,4} \right) t^5 \\
& + \left(-43488a_{2,0}^5 a_{1,1}^3 b_{9,1} + 19680a_{2,0}^5 a_{1,1}^3 b_{7,3} + 4608a_{2,0}^8 b_{6,4} + 27328a_{2,0}^6 a_{1,1}^2 b_{8,2} \right. \\
& \quad + 560a_{2,0}^4 a_{1,1}^4 b_{6,4} - 1400a_{2,0}^3 a_{1,1}^5 b_{7,3} + 12288b_{10,0} a_{2,0}^8 - 5632a_{2,0}^8 b_{8,2} \\
& \quad + 2450a_{1,1}^8 b_{10,0} - 36900a_{2,0}^2 a_{1,1}^6 b_{10,0} - 12288a_{2,0}^7 a_{1,1} b_{7,3} + 15744a_{1,1} b_{9,1} a_{2,0}^7 \\
& \quad - 2450a_{1,1}^7 b_{9,1} a_{2,0} - 7680a_{2,0}^6 a_{1,1}^2 b_{6,4} - 33216a_{2,0}^6 a_{1,1}^2 b_{10,0} + 54608a_{2,0}^4 a_{1,1}^4 b_{10,0} \\
& \quad \left. + 36200a_{2,0}^3 a_{1,1}^5 b_{9,1} - 30320a_{2,0}^4 a_{1,1}^4 b_{8,2} + 2100a_{2,0}^2 a_{1,1}^6 b_{8,2} \right) t^4 \\
& + \left(19680a_{2,0}^6 a_{1,1}^2 b_{7,3} + 2240a_{2,0}^5 a_{1,1}^3 b_{6,4} + 9800a_{1,1}^7 b_{10,0} a_{2,0} - 5600a_{2,0}^4 a_{1,1}^4 b_{7,3} \right. \\
& \quad - 9600a_{2,0}^7 b_{10,0} a_{1,1} + 8320a_{2,0}^7 a_{1,1} b_{8,2} - 9800a_{1,1}^6 b_{9,1} a_{2,0}^2 + 8400a_{2,0}^3 a_{1,1}^5 b_{8,2} \\
& \quad - 43200a_{1,1}^5 b_{10,0} a_{2,0}^3 - 7680a_{2,0}^7 a_{1,1} b_{6,4} + 33920a_{2,0}^5 a_{1,1}^3 b_{10,0} + 40400a_{1,1}^4 b_{9,1} a_{2,0}^4 \\
& \quad \left. - 21120a_{2,0}^6 a_{1,1}^2 b_{9,1} - 32000a_{2,0}^5 a_{1,1} b_{8,2} \right) t^3 \\
& + \left(14528a_{2,0}^5 a_{1,1}^3 b_{9,1} - 12000a_{2,0}^3 a_{1,1}^5 b_{9,1} - 9728a_{2,0}^6 a_{1,1}^2 b_{8,2} + 12000a_{2,0}^2 a_{1,1}^6 b_{10,0} \right. \\
& \quad - 2048a_{2,0}^8 b_{6,4} + 7296a_{2,0}^6 a_{1,1}^2 b_{10,0} + 4928a_{2,0}^7 a_{1,1} b_{7,3} + 10320a_{2,0}^4 a_{1,1}^4 b_{8,2} \\
& \quad + 1792b_{10,0} a_{2,0}^8 - 17648a_{2,0}^4 a_{1,1}^4 b_{10,0} - 3584a_{1,1} b_{9,1} a_{2,0}^7 - 6960a_{2,0}^5 a_{1,1}^3 b_{7,3} \\
& \quad \left. + 1792a_{2,0}^8 b_{8,2} + 2880a_{2,0}^6 a_{1,1}^2 b_{6,4} \right) t^2 \\
& + \left(3840a_{2,0}^5 a_{1,1}^3 b_{8,2} + 1280a_{2,0}^7 a_{1,1} b_{6,4} + 1280a_{2,0}^6 a_{1,1}^2 b_{9,1} - 640a_{2,0}^7 a_{1,1} b_{8,2} \right. \\
& \quad + 4400a_{1,1}^5 b_{10,0} a_{2,0}^3 - 640a_{2,0}^7 b_{10,0} a_{1,1} - 2720a_{2,0}^6 a_{1,1}^2 b_{7,3} - 4400a_{1,1}^4 b_{9,1} a_{2,0}^4 \\
& \quad \left. - 1920a_{2,0}^5 a_{1,1}^3 b_{10,0} \right) t + 128b_{10,0} a_{2,0}^8 + 128a_{2,0}^8 b_{6,4} - 128a_{2,0}^7 a_{1,1} b_{7,3} \\
& + 128a_{2,0}^4 a_{1,1}^4 b_{10,0} + 128a_{2,0}^6 a_{1,1}^2 b_{8,2} + 384a_{2,0}^6 a_{1,1}^2 b_{10,0} - 256a_{1,1} b_{9,1} a_{2,0}^7 \\
& + 128a_{2,0}^8 b_{8,2} - 128a_{2,0}^5 a_{1,1}^3 b_{9,1},
\end{aligned}$$

(A.3)

$$\begin{aligned}
I_{2,6} = & \left(128a_{2,0}^8 b_{8,2} + 128b_{10,0}a_{2,0}^8 + 768a_{2,0}^6 a_{1,1}^2 b_{10,0} + 832a_{2,0}^5 a_{1,1}^3 b_{9,1} \right. \\
& - 464a_{2,0}^5 a_{1,1}^3 b_{7,3} + 800a_{2,0}^6 a_{1,1}^2 b_{10,0} - 512a_{2,0}^6 a_{1,1}^2 b_{8,2} + 688a_{2,0}^4 a_{1,1}^4 b_{8,2} \\
& - 1040a_{2,0}^4 a_{1,1}^4 b_{10,0} - 800a_{2,0}^3 a_{1,1}^5 b_{9,1} + 192a_{2,0}^6 a_{1,1}^2 b_{6,4} + 192a_{2,0}^7 a_{1,1} b_{7,3} \\
& \left. - 384a_{1,1} b_{9,1} a_{2,0}^7 \right) t^8 \\
& + \left(3840a_{2,0}^6 a_{1,1}^2 b_{9,1} - 6016a_{2,0}^5 a_{1,1}^3 b_{10,0} - 512a_{2,0}^8 b_{9,1} \right. \\
& + 4096a_{2,0}^5 a_{1,1}^3 b_{8,2} - 448a_{2,0}^5 a_{1,1}^3 b_{6,4} + 1120a_{2,0}^4 a_{1,1}^4 b_{7,3} - 5440a_{1,1}^4 b_{9,1} a_{2,0}^4 \\
& + 384a_{2,0}^8 b_{7,3} + 2432a_{2,0}^7 b_{10,0} a_{1,1} - 1664a_{2,0}^7 a_{1,1} b_{8,2} - 1680a_{2,0}^3 a_{1,1}^5 b_{8,2} \\
& - 2304a_{2,0}^6 a_{1,1}^2 b_{7,3} + 1960a_{1,1}^6 b_{9,1} a_{2,0}^2 - 1960a_{1,1}^7 b_{10,0} a_{2,0} + 768a_{2,0}^7 a_{1,1} b_{6,4} \\
& \left. + 6000a_{1,1}^5 b_{10,0} a_{2,0}^3 \right) t^7 \\
& + \left(768a_{2,0}^8 b_{6,4} - 768a_{2,0}^8 b_{8,2} + 11280a_{2,0}^3 a_{1,1}^5 b_{9,1} \right. \\
& - 11392a_{2,0}^6 a_{1,1}^2 b_{10,0} - 980a_{1,1}^7 b_{9,1} a_{2,0} + 16608a_{2,0}^4 a_{1,1}^4 b_{10,0} - 3072a_{2,0}^7 a_{1,1} b_{7,3} \\
& - 2304a_{2,0}^6 a_{1,1}^2 b_{6,4} + 4864a_{1,1} b_{9,1} a_{2,0}^7 - 12992a_{2,0}^5 a_{1,1}^3 b_{9,1} - 560a_{2,0}^3 a_{1,1}^5 b_{7,3} \\
& + 980a_{1,1}^8 b_{10,0} + 224a_{2,0}^4 a_{1,1}^4 b_{6,4} + 6016a_{2,0}^5 a_{1,1}^3 b_{7,3} + 2816b_{10,0} a_{2,0}^8 \\
& + 7808a_{2,0}^6 a_{1,1}^2 b_{8,2} + 840a_{2,0}^2 a_{1,1}^6 b_{8,2} - 11560a_{2,0}^2 a_{1,1}^6 b_{10,0} - 9376a_{2,0}^4 a_{1,1}^4 b_{8,2} \left. \right) t^6 \\
& + \left(5248a_{2,0}^7 a_{1,1} b_{8,2} + 21600a_{1,1}^4 b_{9,1} a_{2,0}^4 - 7552a_{2,0}^7 b_{10,0} a_{1,1} + 1344a_{2,0}^5 a_{1,1}^3 b_{6,4} \right. \\
& - 3840a_{2,0}^7 a_{1,1} b_{6,4} - 23280a_{1,1}^5 b_{10,0} a_{2,0}^3 - 640a_{2,0}^8 b_{7,3} + 10176a_{2,0}^6 a_{1,1}^2 b_{7,3} \\
& - 5880a_{1,1}^6 b_{9,1} a_{2,0}^2 - 12544a_{2,0}^6 a_{1,1}^2 b_{9,1} - 3360a_{2,0}^4 a_{1,1}^4 b_{7,3} - 16896a_{2,0}^5 a_{1,1}^3 b_{8,2} \\
& + 5040a_{2,0}^3 a_{1,1}^5 b_{8,2} + 19840a_{2,0}^5 a_{1,1}^3 b_{10,0} + 5880a_{1,1}^7 b_{10,0} a_{2,0} + 2048a_{2,0}^8 b_{9,1} \left. \right) t^5 \\
& + \left(-2048a_{2,0}^8 b_{6,4} - 6960a_{2,0}^5 a_{1,1}^3 b_{7,3} - 12000a_{2,0}^3 a_{1,1}^5 b_{9,1} \right. \\
& + 7296a_{2,0}^6 a_{1,1}^2 b_{10,0} - 9728a_{2,0}^6 a_{1,1}^2 b_{8,2} + 1792a_{2,0}^8 b_{8,2} + 12000a_{2,0}^2 a_{1,1}^6 b_{10,0} \\
& + 14528a_{2,0}^5 a_{1,1}^3 b_{9,1} + 2880a_{2,0}^6 a_{1,1}^2 b_{6,4} - 3584a_{1,1} b_{9,1} a_{2,0}^7 + 1792b_{10,0} a_{2,0}^8 \\
& + 10320a_{2,0}^4 a_{1,1}^4 b_{8,2} - 17648a_{2,0}^4 a_{1,1}^4 b_{10,0} + 4928a_{2,0}^7 a_{1,1} b_{7,3} \left. \right) t^4 \\
& + \left(-640a_{2,0}^7 a_{1,1} b_{8,2} + 2048a_{2,0}^8 b_{9,1} - 640a_{2,0}^8 b_{7,3} - 5440a_{2,0}^6 a_{1,1}^2 b_{7,3} \right. \\
& - 3200a_{2,0}^5 a_{1,1}^3 b_{10,0} - 8800a_{1,1}^4 b_{9,1} a_{2,0}^4 + 7680a_{2,0}^5 a_{1,1}^3 b_{8,2} - 2688a_{2,0}^7 b_{10,0} a_{1,1} \\
& + 1920a_{2,0}^6 a_{1,1}^2 b_{9,1} + 8800a_{1,1}^5 b_{10,0} a_{2,0}^3 + 2560a_{2,0}^7 a_{1,1} b_{6,4} \left. \right) t^3 \\
& + \left(-768a_{2,0}^5 a_{1,1}^3 b_{9,1} - 768a_{2,0}^8 b_{8,2} + 768a_{2,0}^6 a_{1,1}^2 b_{10,0} + 2816b_{10,0} a_{2,0}^8 \right. \\
& + 768a_{2,0}^8 b_{6,4} + 768a_{2,0}^6 a_{1,1}^2 b_{8,2} - 768a_{2,0}^7 a_{1,1} b_{7,3} + 768a_{2,0}^4 a_{1,1}^4 b_{10,0} \left. \right) t^2 \\
& + \left(384a_{2,0}^8 b_{7,3} - 384a_{2,0}^7 a_{1,1} b_{8,2} - 384a_{2,0}^5 a_{1,1}^3 b_{10,0} \right. \\
& + 384a_{2,0}^6 a_{1,1}^2 b_{9,1} - 512a_{2,0}^8 b_{9,1} + 128a_{2,0}^7 b_{10,0} a_{1,1} \left. \right) t \\
& + 128a_{2,0}^6 a_{1,1}^2 b_{10,0} + 128b_{10,0} a_{2,0}^8 - 128a_{1,1} b_{9,1} a_{2,0}^7 + 128a_{2,0}^8 b_{8,2},
\end{aligned}$$

(A.4)

$$\begin{aligned}
I_{0,8} = & \left(16a_{2,0}^5 a_{1,1}^3 b_{7,3} - 35a_{1,1}^7 b_{9,1} a_{2,0} + 120a_{2,0}^4 a_{1,1}^4 b_{10,0} + 35a_{1,1}^8 b_{10,0} - 40a_{2,0}^4 a_{1,1}^4 b_{8,2} \right. \\
& + 32a_{2,0}^6 a_{1,1}^2 b_{8,2} + 128b_{10,0} a_{2,0}^8 - 70a_{2,0}^2 a_{1,1}^6 b_{10,0} + 30a_{2,0}^2 a_{1,1}^6 b_{8,2} - 160a_{2,0}^6 a_{1,1}^2 b_{10,0} \\
& - 80a_{2,0}^5 a_{1,1}^3 b_{9,1} - 20a_{2,0}^3 a_{1,1}^5 b_{7,3} + 60a_{2,0}^3 a_{1,1}^5 b_{9,1} + 64a_{1,1} b_{9,1} a_{2,0}^7 + 8a_{2,0}^4 a_{1,1}^4 b_{6,4} \Big) t^8 \\
& + \left(240a_{2,0}^3 a_{1,1}^5 b_{8,2} + 128a_{2,0}^7 a_{1,1} b_{8,2} - 256a_{2,0}^5 a_{1,1}^3 b_{8,2} + 640a_{2,0}^5 a_{1,1}^3 b_{10,0} \right. \\
& + 128a_{2,0}^8 b_{9,1} - 160a_{2,0}^4 a_{1,1}^4 b_{7,3} - 480a_{1,1}^5 b_{10,0} a_{2,0}^3 + 96a_{2,0}^6 a_{1,1}^2 b_{7,3} \\
& + 400a_{1,1}^4 b_{9,1} a_{2,0}^4 - 512a_{2,0}^7 b_{10,0} a_{1,1} - 280a_{1,1}^6 b_{9,1} a_{2,0}^2 + 280a_{1,1}^7 b_{10,0} a_{2,0} \\
& + 64a_{2,0}^5 a_{1,1}^3 b_{6,4} - 384a_{2,0}^6 a_{1,1}^2 b_{9,1} \Big) t^7 \\
& + \left(128a_{2,0}^8 b_{8,2} + 128b_{10,0} a_{2,0}^8 + 768a_{2,0}^6 a_{1,1}^2 b_{10,0} + 832a_{2,0}^5 a_{1,1}^3 b_{9,1} \right. \\
& - 464a_{2,0}^5 a_{1,1}^3 b_{7,3} + 800a_{2,0}^2 a_{1,1}^6 b_{10,0} - 512a_{2,0}^6 a_{1,1}^2 b_{8,2} + 688a_{2,0}^4 a_{1,1}^4 b_{8,2} \\
& - 1040a_{2,0}^4 a_{1,1}^4 b_{10,0} - 800a_{2,0}^3 a_{1,1}^5 b_{9,1} + 192a_{2,0}^6 a_{1,1}^2 b_{6,4} + 192a_{2,0}^7 a_{1,1} b_{7,3} \\
& - 384a_{1,1} b_{9,1} a_{2,0}^7 \Big) t^6 \\
& + \left(-512a_{2,0}^5 a_{1,1}^3 b_{10,0} + 384a_{2,0}^6 a_{1,1}^2 b_{9,1} - 256a_{2,0}^7 a_{1,1} b_{8,2} \right. \\
& + 128a_{2,0}^8 b_{7,3} - 544a_{2,0}^6 a_{1,1}^2 b_{7,3} + 768a_{2,0}^5 a_{1,1}^3 b_{8,2} + 256a_{2,0}^7 a_{1,1} b_{6,4} + 128a_{2,0}^8 b_{9,1} \\
& + 880a_{1,1}^5 b_{10,0} a_{2,0}^3 - 384a_{2,0}^7 b_{10,0} a_{1,1} - 880a_{1,1}^4 b_{9,1} a_{2,0}^4 \Big) t^5 \\
& + \left(128a_{2,0}^6 a_{1,1}^2 b_{8,2} + 128b_{10,0} a_{2,0}^8 - 256a_{1,1} b_{9,1} a_{2,0}^7 + 128a_{2,0}^8 b_{6,4} + 128a_{2,0}^4 a_{1,1}^4 b_{10,0} \right. \\
& + 128a_{2,0}^8 b_{8,2} + 384a_{2,0}^6 a_{1,1}^2 b_{10,0} - 128a_{2,0}^7 a_{1,1} b_{7,3} - 128a_{2,0}^5 a_{1,1}^3 b_{9,1} \Big) t^4 \\
& + \left(-128a_{2,0}^5 a_{1,1}^3 b_{10,0} - 256a_{2,0}^7 b_{10,0} a_{1,1} + 128a_{2,0}^6 a_{1,1}^2 b_{9,1} \right. \\
& + 128a_{2,0}^8 b_{9,1} + 128a_{2,0}^8 b_{7,3} - 128a_{2,0}^7 a_{1,1} b_{8,2} \Big) t^3 \\
& + \left(128a_{2,0}^6 a_{1,1}^2 b_{10,0} + 128b_{10,0} a_{2,0}^8 - 128a_{1,1} b_{9,1} a_{2,0}^7 + 128a_{2,0}^8 b_{8,2} \right) t^2 \\
& + \left(128a_{2,0}^8 b_{9,1} - 128a_{2,0}^7 b_{10,0} a_{1,1} \right) t + 128b_{10,0} a_{2,0}^8.
\end{aligned}
\tag{A.5}$$

Acknowledgments

The authors are very grateful to the referees for the useful remarks and suggestions. This paper is partially supported by a National Key Basic Research of China (Grant no. 2004CB318000).

References

- [1] J. Giné, "On some open problems in planar differential systems and Hilbert's 16th problem," *Chaos, Solitons and Fractals*, vol. 31, no. 5, pp. 1118–1134, 2007.
- [2] J. Li, "Hilbert's 16th problem and bifurcations of planar polynomial vector fields," *International Journal of Bifurcation and Chaos in Applied Sciences and Engineering*, vol. 13, no. 1, pp. 47–106, 2003.
- [3] I. A. García and J. Giné, "The center problem via averaging method," *Journal of Mathematical Analysis and Applications*, vol. 351, no. 1, pp. 334–339, 2009.

- [4] J. Giné and S. Maza, "The reversibility and the center problem," *Nonlinear Analysis*, vol. 74, no. 2, pp. 695–704, 2011.
- [5] J. Llibre and C. Pessoa, "On the centers of the weight-homogeneous polynomial vector fields on the plane," *Journal of Mathematical Analysis and Applications*, vol. 359, no. 2, pp. 722–730, 2009.
- [6] J. Llibre and C. Valls, "Classification of the centers and isochronous centers for a class of quartic-like systems," *Nonlinear Analysis*, vol. 71, no. 7-8, pp. 3119–3128, 2009.
- [7] G. R. Nicklason, "A general class of centers for the Poincaré problem," *Journal of Mathematical Analysis and Applications*, vol. 358, no. 1, pp. 75–80, 2009.
- [8] R. K. W. Roeder, "On Poincaré's fourth and fifth examples of limit cycles at infinity," *Rocky Mountain Journal of Mathematics*, vol. 33, no. 3, pp. 1057–1082, 2003.
- [9] Q. Zhang, G. Weihua, and Y. Liu, "The generalized center problem of degenerate resonant singular point," *Bulletin des Sciences Mathématiques*, vol. 133, no. 2, pp. 198–204, 2009.
- [10] R. Conti, "Uniformly isochronous centers of polynomial systems in $\mathbb{R}^2$," in *Differential Equations, Dynamical Systems, and Control Science*, E. B. Lee, K. D. Elworthy, and W. N. Everitt, Eds., vol. 152 of *Lecture Notes in Pure and Applied Mathematics*, pp. 21–31, Marcel Dekker, New York, NY, USA, 1994.
- [11] R. Conti, "Centers of planar polynomial systems. A review," *Le Matematiche*, vol. 53, no. 2, pp. 207–240, 1998.
- [12] J. Giné and P. de Prada, "The nondegenerate center problem in certain families of planar differential systems," *International Journal of Bifurcation and Chaos in Applied Sciences and Engineering*, vol. 19, no. 1, pp. 435–443, 2009.
- [13] C. B. Collins, "Conditions for a centre in a simple class of cubic systems," *Differential and Integral Equations*, vol. 10, no. 2, pp. 333–356, 1997.
- [14] J. Giné and X. Santallusia, "On the Poincaré-Lyapunov constants and the Poincaré series," *Applicationes Mathematicae*, vol. 28, no. 1, pp. 17–30, 2001.
- [15] J. Chavarriga, I. A. García, and J. Giné, "On integrability of differential equations defined by the sum of homogeneous vector fields with degenerate infinity," *International Journal of Bifurcation and Chaos in Applied Sciences and Engineering*, vol. 11, no. 3, pp. 711–722, 2001.
- [16] A. Algaba, M. Reyes, and A. Bravo, "Uniformly isochronous quintic planar vector fields," in *Proceedings of the International Conference on Differential Equations*, B. Fiedler, Ed., vol. 2, pp. 1415–1417, World Scientific Publishing, Berlin, Germany, 1999.
- [17] A. Algaba and M. Reyes, "Computing center conditions for vector fields with constant angular speed," *Journal of Computational and Applied Mathematics*, vol. 154, no. 1, pp. 143–159, 2003.
- [18] A. Algaba and M. Reyes, "Centers with degenerate infinity and their commutators," *Journal of Mathematical Analysis and Applications*, vol. 278, no. 1, pp. 109–124, 2003.
- [19] E. P. Volokitin, "Center conditions for a simple class of quintic systems," *International Journal of Mathematics and Mathematical Sciences*, vol. 29, no. 11, pp. 625–632, 2002.
- [20] E. P. Volokitin, "Centering conditions for planar septic systems," *Electronic Journal of Differential Equations*, vol. 2003, no. 34, pp. 1–7, 2003.
- [21] J. Xu and Z. Lu, "Center conditions for a class of Poincaré system," in *Proceedings of the 7th Conference on Biological Dynamic System and Stability of Differential Equation*, vol. 2, pp. 776–772, World Academic Press, 2010.
- [22] M. A. M. Alwash, "On the center conditions of certain cubic systems," *Proceedings of the American Mathematical Society*, vol. 126, no. 11, pp. 3335–3336, 1998.
- [23] Z. Lu, B. He, and Y. Luo, *Algorithm of Real Root Isolation for Polynomial Systems and its Application*, Science Press, China, 2004.
- [24] D. M. Wang, "An elimination method for polynomial systems," *Journal of Symbolic Computation*, vol. 16, no. 2, pp. 83–114, 1993.
- [25] V. V. Nemytskii and V. V. Stepanov, *Qualitative Theory of Differential Equations*, Dover Publications, New York, NY, USA, 1989.