

Breaking strength (gf)					
con	Setting time (h)	3	6	12	24
		197	365	779	795
		172	400	591	991
		213	572	606	639
		218	490	778	638
		231	459	814	938
	avg. std.	516	505	831	
		206	467	679	806
		25	69	116	134
1st F-T	Setting time (h)	3	6	12	24
		124	330	525	644
			297	413	576
		124	329	495	426
		119	344	533	699
		119	252	582	782
	avg. std.	119	320	435	
		121	312	497	675
		2	30	58	155
2nd F-T	Setting time (h)	3	6	12	24
		97.9	305	412	574
		93.8	265	492	564
		94.8	223	570	669
		95.9	286	506	531
			281	374	604
	avg. std.	98.9	273	428	524
		96.3	272	464	578
		1.9	25	66	49

Breaking strain (mm)					
con	Setting time (h)	3	6	12	24
		13.9	14.7	19.8	17.4
		12.8	16.7	17.2	19.2
		13.1	19.6	17.0	15.3
		12.9	17.8	19.5	15.2
		13.6	17.4	19.7	19.7
			18.7	15.5	17.9
		avg.	13.3	17.5	18.1
		std.	0.4	1.6	1.6
					1.7
1st F-T	Setting time (h)	3	6	12	24
		10.0	16.7	18.1	17.2
			15.0	16.9	16.9
		9.66	16.8	16.8	14.3
		8.82	16.7	17.2	18.3
		9.16	14.0	18.3	18.8
		10.3	17.4	15.8	
		avg.	9.77	16.1	17.2
		std.	0.64	1.2	0.8
					1.8
2nd F-T	Setting time (h)	3	6	12	24
		8.42	16.3	17.0	17.0
		8.14	14.4	17.5	17.8
		8.34	13.6	19.1	18.8
		7.62	15.6	17.7	16.3
			15.6	16.0	17.3
		8.28	15.6	16.5	16.0
		avg.	8.13	15.2	17.3
		std.	0.27	0.9	1.0
					0.9

		Gel stiffness (gf/cm)				
con	Setting time (h)	3	6	12	24	
		142	248	394	456	
		134	239	343	516	
		163	291	356	417	
		169	276	399	419	
		171	264	414	475	
			276	326	465	
		avg.	156	266	372	458
		std.	15	18	32	34
1st F-T	Setting time (h)	3	6	12	24	
		124	198	291	375	
			198	245	341	
		129	196	295	298	
		135	205	309	383	
		130	180	319	416	
		116	184	276		
		avg.	127	193	289	363
		std.	7	9	24	40
2nd F-T	Setting time (h)	3	6	12	24	
		116	187	242	337	
		115	184	281	317	
		114	164	298	356	
		126	183	286	326	
			181	234	350	
		119	176	260	327	
		avg.	118	179	267	335
		std.	4	8	23	14