Corrigendum

Corrigendum to “Two-Year Outcome of Aflibercept in Patients with Pigment Epithelial Detachment due to Neovascular Age-Related Macular Degeneration (nAMD) Refractory to Ranibizumab”

Thi Ha Chau Tran ¹, Stéphane Dumas,² and Florence Coscas³

¹Ophthalmology Department, Lille Catholic Hospitals, Lille Catholic University, Lille, France

²Clinique de la Louvière, Lille, France

³Centre Ophtalmologique de l'Odéon, Université Paris-Est Créteil (UPEC), Paris, France

Correspondence should be addressed to Thi Ha Chau Tran; tran.hachau@ghicl.net

Received 24 April 2018; Accepted 27 May 2018; Published 8 July 2018

Copyright © 2018 Thi Ha Chau Tran et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In the article titled “Two-Year Outcome of Aflibercept in Patients with Pigment Epithelial Detachment due to Neovascular Age-Related Macular Degeneration (nAMD) Refractory to Ranibizumab” [1], there were errors, which should be corrected as follows:

- (i) In Abstract, the term “(DEP)” should be “(PED).”
- (ii) In Results, “Change of CRT did not reach the significant difference at any time point of the study

(M6: $312 \pm 91 \mu\text{m}$, NS; M12: $312 \pm 84 \mu\text{m}$, NS; M24: 312 ± 12.3 , NS)” should be corrected to “Change of CRT did not reach the significant difference at any time point of the study (M6: $312 \pm 14 \mu\text{m}$, NS; M12: $313 \pm 13.9 \mu\text{m}$, NS; M24: 305 ± 76 , NS).”

- (iii) In Table 2, there were errors in the values in the third, fourth, and sixth columns. The corrected table and its description are shown below.

TABLE 2: Comparison of functional and morphologic changes from time of switch to 24 months.

Central macular thickness (μm)	Baseline <i>N</i> = 44	Month 3 <i>N</i> = 44	<i>P</i>	Month 6 <i>N</i> = 44	<i>P</i>	Month 12 <i>N</i> = 44	<i>P</i>	Month 24 <i>N</i> = 38	<i>P</i>
ETDRS	64.4 ± 13.1	67.6 ± 12.3	0.002	67.3 ± 11	0.005	64.8 ± 13	0.6	61.4 ± 13.8	0.2
Central macular thickness (μm)	313 ± 13	301 ± 77	0.2	312 ± 14.2	0.9	313 ± 13.9	0.9	305 ± 76	0.6
Macular volume (mm^3)	7.70 ± 2.2	7.75 ± 0.16	0.8	7.8 ± 0.16	0.6	7.85 ± 0.16	0.4	7.8 ± 0.65	0.3
PED height (μm)	224.7 ± 18.5	198.5 ± 19.5	0.025	190 ± 17.3	0.05	224 ± 21	0.27	200 ± 19	0.14
Subfoveal choroidal thickness (μm)	179 ± 68					158 ± 67	0.2	174 ± 56	0.5

Data are mean $\pm$ SD unless indicated otherwise. *P*: continuous variables compared by independent samples *t*-test from baseline; ETDRS: Early Treatment Diabetic Retinopathy Score; PED: pigment epithelial detachment.

References

- [1] T. H. C. Tran, S. Dumas, and F. Coscas, "Two-year outcome of aflibercept in patients with pigment epithelial detachment due to neovascular age-related macular degeneration (nAMD) refractory to ranibizumab," *Journal of Ophthalmology*, vol. 2017, Article ID 8984313, 8 pages, 2017.