Corrigendum

Corrigendum to “Basic Fibroblast Growth Factor Inhibits Apoptosis and Promotes Proliferation of Adipose-Derived Mesenchymal Stromal Cells Isolated from Patients with Type 2 Diabetes by Reducing Cellular Oxidative Stress”

Daria Nawrocka,¹ Katarzyna Kornicka,¹ Joanna Szydlarska,¹ and Krzysztof Marycz^{1,2}

¹*Department of Experimental Biology and Electron Microscope Facility, The Faculty of Biology and Animal Science, Wrocław University of Environmental and Life Sciences, 50-631 Wrocław, Poland*

²*Wrocław Research Centre EIT+, 54-066 Wrocław, Poland*

Correspondence should be addressed to Krzysztof Marycz; krzysztofmarycz@interia.pl

Received 5 March 2017; Accepted 6 April 2017; Published 16 May 2017

Copyright © 2017 Daria Nawrocka et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In the article titled “Basic Fibroblast Growth Factor Inhibits Apoptosis and Promotes Proliferation of Adipose-Derived Mesenchymal Stromal Cells Isolated from Patients with Type 2 Diabetes by Reducing Cellular Oxidative Stress” [1], an acknowledgment should be added as follows:

“Publication was supported by the Wrocław Centre of Biotechnology programme, the Leading National Research Centre (KNOW) for years 2014–2018.”

Reference

- [1] D. Nawrocka, K. Kornicka, J. Szydlarska, and K. Marycz, “Basic fibroblast growth factor inhibits apoptosis and promotes proliferation of adipose-derived mesenchymal stromal cells isolated from patients with type 2 diabetes by reducing cellular oxidative stress,” *Oxidative Medicine and Cellular Longevity*, vol. 2017, Article ID 3027109, 22 pages, 2017.