BIBLIOGRAPHICAL NOTES. — VI.

BY SAMUEL HENSHAW.

BIOLOGIA CENTRALI-AMERICANA.—RHYNCOTA. HEMIPTERA—HETEROPTERA. Vol. I. By W. L. Distant.

- Pentatomidae, 1880, pt. 4, 5, 7, 8, p. 1-88; 1881, pt. 9, p. 89-103; 1884, pt. 34, p. 304; 1889, pt. 78, 81, p. 305-328; 1890, pt. 84, 85, 87, p. 329-351; 1893, pt. 109, p. 452-458. gen. sp.
- Coreidae, 1881, pt. 9-12, p. 103-168; 1882, pt. 15, p. 169-173; 1890, pt. 87, p. 351-352; 1892, pt. 105, p. 353-368; 1893, pt. 106, 109, p. 369-378, 458-461. 104 377
- Lygaeidae, 1882, pt. 15-17, 19, p. 173-220; 1893, pt. 106-108, p. 387-411. 75 210
- Pyrrhocoridae, 1882, pt. 19, p. 220-224; 1883, pt. 21, 26, p. 225-234; 1893, pt. 108, 109, p. 411-415, 461-462. 54 176
- Capsidae, 1883, pt. 26, p. 234-264; 1884, pt. 28, 29, 34, p. 265-303; 1893, pt. 108, 109, p. 415-451, 462. 80 313

Species of the following genera are figured:—

Pentatomidae.—*Acanthosoma*, 10. *Achates*, 30. *Aethus*, 3. *Agonosoma*, 30. *Agroecus*, 31. **Alkindus*, 30. **Architas*, 29. *Arocera*, 7, 30, 31. **Atizies*, 39. *Augocoris*, 1. *Banasa*, 7, 8, 30. *Berecynthus*, 6. **Beroaldus*, 29. *Boea*, 30. **Boterus*, 30. *Bothrocoris*, 8. *Brachystethus*, 8, 31. *Brochymena*, 5, 6, 31. *Camirus*, 2, 30. **Capivaccius*, 39. *Chlaenocoris*, 30. *Chlorochroa*, 6, 31. *Chlorocoris*, 5, 6, 7, 30, 31. *Coryzorhaphis*, 2. *Cosmopepla*, 5, 31. **Crato*, 39. *Cyrtaspis*, 4, 30. *Cyrtomenus*, 2. *Dichelops*, 31. *Dinidor*, 10. *Dinocoris*, 5, 6, 29, 31. *Discocephala*, 4, 5, 6. *Dryptocephala*, 4. *Dystus*, 2. *Edessa*, 8, 9, 10, 30, 31, 32. *Empicoris*, 6. *Eurystethus*, 6. *Euschistus*, 5, 6, 7, 31. *Euthyrhynchus*, 1. **Galeacius*, 29. *Galedanta*, 5. *Heteroscelis*,

3. *Homaemus*, 2, 30. *Hymenarcys*, 6. *Lobonotus*, 4. *Lobothyreus*, 29. *Loxa*, 5, 6. *Macropygium*, 5, 6. **Mathiolus*, 31. *Melanodermus*, 5. *Microporus*, 2, 4. *Mormidea*, 5, 6, 7. *Murgantia*, 7. *Mutyca*, 4. *Nezara*, 7, 31, 32. *Olbia*, 10. *Oplomus*, 1, 3, 4. *Orsilochus*, 1, 2, 30. *Pachycoris*, 1. *Padaeus*, 6. *Pallantia*, 30. *Pangaeus*, 2, 3. *Pantochlora*, 8. *Pelidnocoris*, 7. *Peribalus*, 6. *Perillus*, 1, 3, 4. *Peromatus*, 8, 10. *Phalaecus*, 7. *Pharypia*, 6. *Phineus*, 7. *Piezodorus*, 7, 31. *Podisus*, 1, 2, 3, 4, 7, 29, 30. **Priapismus*, 31. *Proxys*, 5. *Rhytidoporus*, 4. *Sibaria*, 5. *Sphyracoris*, 2. **Stenocoris*, 4. *Stiretrus*, 1, 3, 30. **Supputius*, 4, 29. *Syllobus*, 3. *Symphylus*, 1, 2, 3, 29, 30. *Taurocerus*, 7, 8. *Tetyra*, 3. *Thyanta*, 5, 7, 30. *Thyreocoris*, 2, 3, 30. *Trichopepla*, 6, 31. *Tynacantha*, 29.

Coreidae.—*Acanthocephala*, 10, 11, 12. *Acidomeria*, 12. *Alydus*, 15. *Anasa*, 12, 13, 14, 33. *Anisoscelis*, 13. *Archimeris*, 11, 12, 33. *Aufesius*, 15. *Bactrodosoma*, 39. *Bardistus*, 33. *Capaneus*, 11, 12, 33. *Catorhintha*, 13. *Cebrenis*, 14. *Charisterus*, 13, 33. *Chelinidea*, 13. *Cimolus*, 13. *Colatitia*, 14. *Corizus*, 15, 16. *Curupira*, 39. *Cydamus*, 15, 33. *Darmistus*, 15. *Dasycoris*, 15. *Diactor*, 33. *Ficana*, 14. *Flavivius*, 10. **Galeottus*, 39. *Harmostes*, 15. *Hirilcus*, 10. *Hyalymenus*, 15. *Hypselonotus*, 14, 16. *Jadera*, 15, 17. *Jalysus*, 16. *Laminiceps*, 33. *Leptoglossus*, 12. *Leptoscelis*, 13. *Lycambes*, 11. *Machtima*, 11. *Madura*, 13. *Mamurius*, 12. *Margus*, 13, 14. *Melucha*, 33. *Mozema*, 11, 12. *Namacus*, 14. *Narnia*, 13, 33. *Nematopus*, 11, 12. *Nirovecus*, 14. **Ojedana*, 33. *Pachylis*, 10. **Parajalysus*, 16. *Paryphes*, 15. *Plapigus*, 13. *Protenor*, 16. *Savius*, 15. *Scolopocerus*, 16. *Sephina*, 12, 13. *Spartocera*, 13, 33. *Sphictyrus*, 15, 33. *Staluptus*, 13. *Stenoscelidea*, 12. *Thasus*, 10. *Trachelium*, 16, 33. *Vilga*, 14, 33. *Xenogenus*, 39. *Zicca*, 14.

Lygaeidae.—**Aclohua*, 34. *Acroleucus*, 17, 18, 34. **Balboa*, 35. **Bathycles*, 35. *Belonochilus*, 34. **Bubaces*, 36. **Caeneus*,

35. *Catenes, 35. *Cholula, 19, 35. *Cligenes, 35. Cymus, 34. *Davila, 35. *Dorachosa, 36. *Enciscoa, 34. Eremocoris, 20, 35. Erlacda, 35. Esuris, 36. Geocoris, 17, 18. *Gonatas, 20. Heraeus, 18, 19. Ischodemus, 19, 34. Ischnorhynchus, 19, 34. Ligyrocoris, 17, 18, 19. Lygaeus, 16, 17, 18, 34. *Mayana, 34. Myodocha, 17, 18. *Neocattarus, 19, 20, 35. *Neoninus, 19. *Nicuesa, 34. Ninus, 19. *Ninyas, 19, 34. Nysius, 34. Oncopeltus, 16, 17. Pachygrontha, 17, 34. Parema, 17, 19. Peliopelta, 36. Pephysena, 18, 20. *Perigenes, 34. *Petissius, 35. Plociamera, 17, 19, 35. *Prytanes, 35. *Pseudopamera, 20, 35. Rhaptus, 36. Rhyparochromus, 19. Salacia, 35. *Scythinus, 35. *Sisamnes, 35. *Toonglasa, 34. Trapezonotus, 20. *Trapezus, 20.

Pyrrhocoridae.—Arhaphe, 21. Dysderus, 21. Fibrenus, 20, 21. Japetus, 21. Largus, 20. *Phaeax, 36. Pyrrhocoris, 21. *Renodaeus, 39. Stenomacra, 20. Theraneis, 21, 22.

Capsidae.—*Admetus, 25. *Annona, 26, 27, 39. *Antias, 29. *Auchus, 39. *Bibaculus, 28. Calocoris, 22, 23, 25, 37. *Calocorisca, 26, 27, 38. *Calondas, 23, 26. *Carmelus, 28, 38, 39. *Chius, 27. *Cimatlan, 27, 38. Compsocorocoris, 25, 37. Collaria, 24. *Creontiades, 23. Cylapus, 24, 36. Cyrtocapsus, 29. *Dermarata, 29, 39. Eccritotarsus, 22, 23, 26, 28, 38.

*Eioneus, 36. *Eubatas, 27. *Eurotas, 29. *Falconia, 29. *Ficinus, 39. *Florus, 29. Fulvius, 23, 27. *Fundanius, 28. *Fuscus, 29. Garganus, 25, 37. Hadromema, 22. Henicocnemis, 27. Herdonius, 36. *Horcias, 26, 27, 38. *Jacchinus, 37. *Jobertus, 36. *Jornandes, 29, 39. *Lampethusa, 29. Lopidea, 23, 37. *Lygdus, 24, 36. Lygus, 23, 26, 37. *Mala, 26. Megacolum, 23, 37. *Minytus, 24, 36. Miris, 23, 36. *Monalocorisca, 28, 38. Monalonion, 23, 24. *Neoborus, 27, 38. *Neocapsus, 22, 38. *Neocarnus, 29. *Neofurius, 23, 28, 29. *Neoleucon, 26. *Neopropa, 26, 37. *Neosilia, 27, 29, 39. Neurocolpus, 23. Ofellus, 25. Orasus, 23. *Pandama, 26, 37. *Pappus, 25, 37. *Paracalocoris, 22, 25, 37. *Paracarnus, 28, 39. *Parachius, 27. *Parapropa, 26. *Piasus, 24. *Poeas, 37. Poecilocapsus, 22, 23, 26, 27, 37. *Proba, 25, 26. *Pseudobryocoris, 28. *Pseudocarnus, 28. *Ranzovius, 36. Resthenia, 22, 24, 25, 36, 37. *Rhasis, 38. *Spartacus, 26. *Sysinas, 23, 24, 25. *Taedia, 25. *Trygo, 29. *Vannius, 24. *Xenetus, 24. *Zacyntus, 24. *Zoilus, 25, 36. *Zosippus, 24, 36.

The figure following the name of the genus indicates the number of the plate; new genera are preceded by an (*). Of the 1109 species recorded from Central America, 49 Pentatomidae, 29 Coreidae, 22 Lygaeidae, 7 Pyrrhocoridae, and 7 Capsidae, a total of 114, are found in America north of Mexico.

NOTES ON BOMBYCID LARVAE.

BY HARRISON G. DYAR, NEW YORK.

PARORGYIA LEUCOPHAEA Abbot and Smith. 1797—A and S. Lep. ins. Ga. pl. 78.

clintonii Grote and Robinson.

1866—G and R. Proc. ent. soc. Phil., vi, 3. var. BASIFLAVA Packard.

1864—Pack., Proc. ent. soc. Phil., iii, 333.

Larva (before last molt). Head shining black. Body pale yellowish, variegated with

black; a black dorsal line, interrupted on the summits of the posterior segments. Long silky white hairs, with a few black ones arise from the subventral warts. The lateral row (row iii) furnishes shorter bristly yellowish hairs; but on joints 2 and 13 gives a long pencil of black hairs. A few black hairs also overhang the head and extend from joint 13.