

A new generation of glycoconjugated azo dyes (GADs) based on aminosugars

Lorenzo Guazzelli,^{1,#,*} Giorgio Catelani,^{1,*} Felicia D'Andrea¹


¹Department of Pharmacy, University of Pisa, via Bonanno 33, 56126, Pisa, Italy

[#]current address: School of Chemistry and Chemical Biology, University College Dublin, Belfield, Dublin 4, Ireland



^{*}Corresponding author

Table of contents

¹ H- and ¹³ C NMR spectra of 6	S2
¹ H- and ¹³ C-NMR spectra of 7	S3
¹ H- and ¹³ C-NMR spectra of GAD 11	S4
¹ H- and ¹³ C-NMR spectra of GAD 12	S5
¹ H- and ¹³ C-NMR spectra of GAD 13	S6
¹ H- and ¹³ C-NMR spectra of GAD 14	S7
COSY spectrum of GAD 14	S8
¹ H- and ¹³ C-NMR spectra of GAD 15	S9
COSY spectrum of GAD 15	S10
¹ H- and ¹³ C-NMR spectra of GAD 16	S11
¹ H- and ¹³ C-NMR spectra of GAD 17	S12
¹ H- and DEPT135 spectrum of GAD 18	S13
UV-Vis absorption spectrum of the 9 , GAD 12 and GAD 17	S14
UV-Vis absorption spectrum of the 8 , GAD 13 and GAD 18	S14



¹H NMR spectrum of **6** (200.13 MHz, CDCl₃)



^{13}C NMR spectrum of **6** (50.3 MHz, CDCl_3)

