

Retraction

Retracted: An Intelligent Collection System of Big Data in Medical and Health Education Based on the Internet of Things

Journal of Healthcare Engineering

Received 3 October 2023; Accepted 3 October 2023; Published 4 October 2023

Copyright © 2023 Journal of Healthcare Engineering. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

This article has been retracted by Hindawi following an investigation undertaken by the publisher [1]. This investigation has uncovered evidence of one or more of the following indicators of systematic manipulation of the publication process:

- (1) Discrepancies in scope
- (2) Discrepancies in the description of the research reported
- (3) Discrepancies between the availability of data and the research described
- (4) Inappropriate citations
- (5) Incoherent, meaningless and/or irrelevant content included in the article
- (6) Peer-review manipulation

The presence of these indicators undermines our confidence in the integrity of the article's content and we cannot, therefore, vouch for its reliability. Please note that this notice is intended solely to alert readers that the content of this article is unreliable. We have not investigated whether authors were aware of or involved in the systematic manipulation of the publication process.

Wiley and Hindawi regrets that the usual quality checks did not identify these issues before publication and have since put additional measures in place to safeguard research integrity.

We wish to credit our own Research Integrity and Research Publishing teams and anonymous and named external researchers and research integrity experts for contributing to this investigation. The corresponding author, as the representative of all authors, has been given the opportunity to register their agreement or disagreement to this retraction. We have kept a record of any response received.

References

 Z. Wang, "An Intelligent Collection System of Big Data in Medical and Health Education Based on the Internet of Things," *Journal of Healthcare Engineering*, vol. 2022, Article ID 3735102, 8 pages, 2022.



Research Article

An Intelligent Collection System of Big Data in Medical and Health Education Based on the Internet of Things

Zhiling Wang

Xi'an Mediacl University, Xi'an, China

Correspondence should be addressed to Zhiling Wang; wangzl@xiyi.edu.cn

Received 22 January 2022; Accepted 12 March 2022; Published 9 April 2022

Academic Editor: Ali Kashif Bashir

Copyright © 2022 Zhiling Wang. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

The Internet of Medical Things has developed rapidly as an important direction in the field of Internet of Things, especially through the use of the new generation of information technology, theoretical and applied research on medical IoT intelligent health management that provides "full-service." It has become a research hotspot of many universities and research institutions. Therefore, conducting research on intelligent health management in the network of medical things is of great engineering importance and theoretical guidance to improve the level of medical information. For health management in the network of medical things to conduct research around the goal of health management "Everything full spectrum for everyone," analyzed the lack of sharing of health information in current health management, lack of continuous monitoring and management of health indicators, etc., a new "individual-family-community-hospital" four-level intelligent health management service model is proposed, the hardware architecture of intelligent healthcare management and the software maintenance system have been built. Through methods such as real-time multi-source data collection, mobile sensing, cloud computing, multi-network fusion technology, continuous monitoring and intelligent management of health data is realized convenient, fast and efficient. It solves the problems that the existing medical system cannot meet the multi-level health needs, personal data security and privacy protection, etc., it has achieved the goal of real-time interactive health management of regionalization, multi-level and multi-center, and whole-person, whole-process and all-round.

1. Introduction

In recent years, when the living standard of the population is constantly rising, people pay more and more attention to physical health, but this is accompanied by an aging trend of the population within the country. There are more and more elderly people suffering from diabetes, hypertension, cardiovascular and cerebrovascular diseases. The proportion of chronic diseases is increasing, at the same time, the fast pace of life in modern society, high work pressure, mental stress, unhealthy lifestyle and obesity and other factors, among the young and middle-aged population, the number of chronic disease patients is also increasing, and the average age is decreasing. It is reported that there are currently about 300 million hypertensive patients in 2020 in China and this number is still growing. Chronic diseases have become the number one killer of urban populations [1]. On the other

hand, due to the uneven distribution of medical resources, there are urban-rural differences and regional differences. In addition, there is still a gap between the proportion of medical resources and developed regions in foreign countries. At the same time, there is also a lack of informatization means to achieve hospital interoperability and health file sharing. The masses are often faced with repeated inspections, repeated payments, repeated diagnosis, etc. It wastes medical resources and patients' human and financial costs, and leads to extremely tense doctor-patient relationships. At present, people with various medical and health service needs such as patients, recovered people, healthy, subhealthy, and high-risk groups are flocking to the hospital, this leads to the shortage of clinical diagnosis and treatment service resources and the difficulty of seeing a doctor. However, public health resources such as disease management services and health management services are idle [2]. This is not to say that it can be solved by increasing the investment in clinical diagnosis and treatment service resources. What is needed is to change the old model of health care delivery and to provide targeted medical and health services for different groups of people. Through the innovation of service model, it can relieve resource shortage and improve service quality; Effectively provide all-weather, long-term deep-level health services for healthy, subhealthy and sick patients, it can truly realize the health protection service of "everyone has a doctor," Figure 1 shows the structure of the hospital information system [3].

2. Literature Review

Dimitrov, D. V. et al. stated that the concept of the Internet of Things was put forward in 1999, and the Internet of Things is the Internet associated with things, the abbreviated name is the: IoT. Information sensing devices, such as radio frequency identification (RFID), infrared sensors, GPS and others, connect any object to the Internet by agreement, exchange information and communicate in order to implement a network of intelligent identification, localization, tracking, monitoring and managing an object [4]. Sharma et al. think this means two levels: firstly, the core and foundation of the Internet of things is still the Internet and is an extended and expanded network based on the Internet. Secondly, his client is lengthened and extended to any subjects and objects for information exchange and communication [5]. Deursen and others stated that the Internet of Things is a network based on information carriers such as the Internet, traditional telecommunications networks that allow interconnection of all ordinary physical objects that have independent addressing. The Internet of Things not only provides the connection of sensors, but also has the ability of intelligent processing, which can implement intelligent control of objects [6]. Chen and Huang stated that The Internet of Things combines sensors and intelligent processing to expand the scope of their application through various intelligent technologies such as cloud computing, pattern recognition. Analysis, processing, and processing of useful data from the massive information received by sensors, taking into account the different needs of different users [7]. Pauzi and Juhari believe that the Internet of Things is being fully applied in various industries through the application of new technologies such as Radio Frequency Identification (RFID) technology, sensor technology, nanotechnology, fully connecting various objects, and through the wireless network, etc., various real-time dynamic information collected will be sent to the computing processing center, aggregate, analyze and process, Can realize centralized management, control of machine, equipment, personnel through the central computer, and optimize production and life in a more subtle and dynamic way, achieve the organic integration and harmonious coexistence of human society and the material world [8]. Ji, H. et al. stated that the initial design idea of applying the Internet of Things technology in the medical field is mobile medical care, and the realization of mobile medical care requires mobile computing and intelligent identification. From the

boom of mobile medicine that has been observed in the medical industry after 2004, the change in management perceptions, the transition from business systems to object management, is also central to mobile medicine, which is also the first driving force of the Internet of things. Very important ideas have been put forward in the field of research and application of the Internet of Medical Things, and all systems should be focused on specific objects [9]. Nwogbaga, N. E. et al. stated that the most important objects in the medical industry are patients, around which are doctors, nurses, medicines, devices, all patient-related systems, and if the orderly management of these systems in accordance with certain management standards and rules has the main effect: all objects pass in an orderly and work under control, thus ensuring basic medical safety, the quality of hospitals [10]. Al-Malah, A. R. and others believe that mobile medical health service is a service method based on the telemedicine system. At present, due to insufficient and uneven distribution of medical resources, as a result, the basic health needs of most people in the world cannot be met. At the same time, high medical expenses and complicated diagnosis and treatment procedures also bring a lot of inconvenience to patients. The cycle of training medical personnel is very long. It is impossible to meet the growth rate of people's demand for medical resources, but mobile medicine can solve these problems very well [11]. Tatan, M. et al. stated that doctors provide online services through traditional Internet or mobile Internet, and patients can choose a doctor only through a professional self-service terminal, and by uploading diagnostic results, interacting with diagnostic information, providing dynamic or static images, etc, provide doctors with disease characteristics, realize cross-regional diagnosis and treatment, and are not limited by time and place [12]. Sun et al. believe that medical informatization is an effective way to fundamentally solve high medical costs, lack of medical resources and uneven distribution. It will become an inevitable direction for the development of medical care in the future. Developed countries can effectively reduce medical costs through mobile health care, and improve service quality. In developing countries, mobile health care is used to solve the problems of lack of medical resources and uneven distribution [13].

3. Methods

3.1. Cloud Platform Architecture Design. According to the previous analysis and the practice of the new business cloud platform, the plan is based on cloud computing technology, build a cloud computing-based IoT operation platform. It mainly includes the following parts.

3.1.1. Cloud Resource Pool. Considering that the cloud platform must support the development and use of business, in addition to meeting the bearing requirements of the design, 30% of the resource capacity needs to be reserved, for future business development needs [14]. The construction of cloud-based resource pools mainly considers hosts (PC



FIGURE 1: Information system structure diagram.

servers and blade servers, minicomputers), storage (FC-SAN, NAS) and network virtualization solutions, at the same time consider backup, security and other needs. Through the unified management system, the intelligent configuration and life cycle management of all resources are realized. Platform database, hosted on the AIX environment application physical machine resource pool, other types of application servers (application, WEB, management, interface, SMS, MMS, WAP server, etc.), all run uniformly in the virtual machine resource pool [15]. High-performance storage, mainly used for storage of databases, key business data, etc, using storage virtualization software, it can realize unified management and distribution of storage in heterogeneous environment; because this part of the data is more important, it can be backed up by configuring a small tape library (10T).

3.1.2. Resource Pool Management Platform. The resource pool management platform can realize the unified management of all resource pools. Specifically, it should have the characteristics of automatic management, real-time monitoring, support for both physical and virtual devices, support for massive nodes, high availability and high scalability [16].

(1) Presentation Layer. The presentation layer is mainly responsible for portal presentation and external service interface provision. Portal is divided into administrator portal and application provider portal, admins through the Admin Portal, manage and monitor all resources and services of the entire system, check the load of the entire system, understand the expansion and contraction status of each

component in the system, and when an abnormal alarm occurs, you can view the location of the problem and assist in locating the problem [17].

(2) Management. The management layer is the core of the management platform management system, it should have various functions such as alarms, logs, performance statistics, deployment, automatic scaling control, configuration, resource and device management, and service management [17]. To improve the deployment options, performance and reliability of the system, EDA event-driven architecture should be adopted within the management, run each event reported by the domain, through the EDA event bus, it is passed to the home service for processing. Through the use of the event mechanism, the system concurrency efficiency and throughput rate are improved.

(3) Communication Layer. The link layer is responsible for managing the link between the domain as a whole and the execution domain. The communication layer should provide a variety of communication means, including message queues, socket communication nodes, ftp/tfip communication nodes, etc. [18]. For communication of different quality attributes, different communication methods can be used for communication. For example, log information passes through the log aggregation node, transfer logs to a distributed file system, monitoring information and deployment commands issued by the management layer are transmitted through message queues. The transport layer should consider its own expansion in the design, and can adapt to the transmission requirements of large amounts of data. (4) Domain Controller. Massive service nodes can be managed by dividing them into multiple domains. Each domain can contain compute, storage, and networking equipment. The computing device can be a blade server, a rack server, etc., storage devices include SAN, NAS, etc., network devices include switches, routers, load balancers, and firewalls [19]. Each domain is based on business needs, its hardware and software configuration can be focused. For example, a domain needs to provide external distributed memory caching services, a blade server with a relatively large amount of memory can be used, the requirements for storage devices are not high; some need to provide external storage services like amazon S3, it requires that its storage capacity must be sufficient. One domain controller is deployed inside each domain, it is used to manage the hardware and software resources within the domain. For example, domain controllers provide device management functions as well as dhcp services and tftp services, ability to manage automatic discovery of devices, and handles the automatic deployment of the operating system on a single board [20]. In addition, the domain controller is responsible for receiving commands from the management platform management layer, and forward these commands to the management agent of the corresponding node for execution.

(5) Management Agent. The management agent is deployed on each business node, for business nodes that provide external services in the form of physical machines, the management agent is directly deployed on the operating system of the physical machine; For business nodes that provide external services in the form of virtual machines, management agents are deployed on both the host machine and the virtual machine. The main responsibility of the management agent is to monitor the hardware and software resources of the business node, and execute various commands issued by the management, such as downloading software packages, installing software, starting specified software and so on. The management agent adopts an extensible plug-in architecture, different software and hardware can develop corresponding plug-ins and deploy them on the management agent, in order to complete the monitoring and management of software and hardware [21]. The management platform also needs to implement two views of resources and business, open different views for different user roles, in order to achieve decentralized management of resources.

3.1.3. Resource Application and Configuration. This design mainly uses the existing internal application system resource pool and virtualization platform, build a cloud computing operation management platform on it, and divide virtual machines to carry the mobile medical and health service system, at the same time, business processes such as CRM, BOSS, and medical institution HIS are opened up, highlighting the automation of cloud computing business processes, and adopt the first-level BOSS interface specification to enhance system adaptability. As shown in Figure 2: At present, two mobile internal application system platforms have been formed, which are virtualized computing resource pools and storage resource pools based on VM Ware and Hyper-V, respectively, the system scale of the computing resource pool is 58 blades on the host, 944 total cores, it can provide 200 virtual machines, and the storage resource pool system scale is 9 pieces of storage, which can provide a total effective capacity of 154T. Considering that the initial carrying target of the mobile medical and health service system is 50,000 registered users, 1500 concurrent users, and save the user's physical data and related advice materials for 3 years, as well as resources such as expert database, a total of 15 virtual machines are used, 55T storage resources are used, and 22 external network IP addresses are used [22].

3.2. System Interface Function Design

3.2.1. Functional Design of the Interface between Modules within the System. The internal modules of the system mainly include: hospital IT system, support system, medical terminal, data storage, calculation and analysis are performed on the cloud platform. The interfaces between the internal modules of these systems are shown in Figure 3:

The interface protocol table of regional health information system is shown in Table 1:

3.2.2. Design of Interface Function between Mobile Health Guard System and Peripheral Subsystem. As the entire mobile medical and health service system, sensors, gateways and platforms follow WHIP-S and WHIP-T protocols, its interface is shown in Figure 4 [23]:

As can be seen from the figure, there are three devices between the user and the healthcare provider: sensor terminals, gateway terminals, and business platforms. The sensor terminal is used to measure physiological indicators, such as blood pressure, electrocardiogram, blood oxygen saturation, heart rate and other physiological indicators; The gateway terminal is used to link the sensor terminal to receive physiological indicators, and forward it to the business platform; the gateway is also used to receive health information and other instructions sent by the server [24].

As can be seen from Figure 5, there are two forms of T interface: long-distance wireless communication, including: GSM, GPRS, EDGE, TDS-CDMA, long-distance wired communication, including: ADSL, PON. There are two forms of S interface: short-distance wireless communication, including WIFI, Bluetooth, Zigbee, etc., and short-distance wired communication, including serial port, USB, Category 5 cable, etc. [25].

4. Results and Analysis

4.1. Design of Platform Hardware. The platform hardware is implemented as follows:

 After individual users measure health physiological indicators with health medical terminals, the measured data will pass through the gateway terminal, it



FIGURE 3: Interface diagram of regional health information system.

TABLE 1: Interface protocol table of regional health information system	TABLE 1:	LE 1: Interface pro	otocol table of	regional health	information	system
---	----------	---------------------	-----------------	-----------------	-------------	--------



FIGURE 4: Schematic diagram of mobile health guardian service interface.



FIGURE 5: Interface classification of telehealth services.

is sent to the health guard service terminal access and distribution server, so as to be further sent to the health service server.

- (2) Peripheral systems such as hospital IT systems, call centers, and mobile health service guardian platforms, the interface is connected through the health guard service interface machine. Considering the security of the hospital IT system, the interface machine and the hospital IT system should be connected by a dedicated line.
- (3) Personal user, both doctors and agents access the Portal WEB server through the Internet to provide/ obtain services, the mobile health guard service server is providing background data information and processing.
- (4) As the core of the entire business platform, the mobile health guardian business server provides the following functions: unified health business platform process support; system operation management and maintenance of the entire platform; management of medical and health institutions; management of individual users and packages.
- (5) Realize the interface with auxiliary systems such as M2M platform, health expert system, BOSS, GIS, etc.
- (6) The entire platform can be maintained and managed through the management terminal PC.
- (7) In the management of health and medical terminals, the participation of a general M2M platform can reduce the burden of health service servers [26].

4.2. Design of Gateway Hardware. Figure 6 is the hardware principle block diagram of the gateway designed by the author. The gateway collects the data measured by the sensor through the "short-distance communication submodule." Then through the "long-distance communication submodule," the functions of each subsystem of the collected measurement data gateway are described as follows:

 Short-range communication subsystem: link sensors for data interaction and transmission. Wired interfaces such as serial port, USB, and Category 5 cable can be used, and wireless interfaces such as Bluetooth, Zigbee, and Wif can also be used.

- (2) Long-distance communication submodule: it supports the wireless communication interface of China Mobile GSM/GPRS/EDGE/TD-SCDMA and other networks, and also supports SMS, MMS and other interfaces.
- (3) Processing submodule: the core chip unit of business and management, data storage, program storage, and online upgrade functions are required; Process the forwarding of physiological data from the sensor to the mobile health guard platform; process the voice and data communication between the user and the network.
- (4) SIM card management submodule: it can identify the SIM card, and can obtain and record IMSI and other information.
- (5) Display submodule: display the operating status of the gateway, display the collected data measured by the sensor terminal, display various information pushed by the M2M platform or business platform.
- (6) Control submodule: an instruction input component that controls the normal operation of the gateway, including: input characters, numbers, contact positions, scroll devices, key devices, etc.
- (7) User identification submodule (optional): can upload the user ID according to the sensor data.
- (8) Loudspeaker submodule: capable of playing sound, and the playing sound can be directly from the voice of the communication peer, it can also come from audio format files stored on the terminal storage device [27].

From the above analysis of the gateway terminal, it can be seen that, as the most frequently used and convenient terminal in modern mobile communication, smart phone, in recent years, it has faster and faster communication capabilities, higher and higher data processing capabilities, and more and more convenient human-computer interaction capabilities, it is very suitable as a gateway terminal for mobile health care services, can choose the mainstream smartphone platform in the market, development of customized smartphone gateway terminal software.

4.3. System Development and Simulation Operation Analysis. The simulation results are shown in Figure 7: after the oximeter is paired with the Bluetooth of the Android mobile

Journal of Healthcare Engineering



FIGURE 6: Schematic diagram of gateway terminal.



phone, it starts to record the blood oxygen and pulse information of the test subject, the SPO2 and Pulse values, and the real-time graph of blood oxygen are represented by a line graph. The mobile phone is connected to the community service center or the home health management terminal through Wifi, after the connection is successful, the data information collected by the oximeter can be monitored in real time.

5. Conclusion

Through the research on key technologies such as the integration of TD and Internet of Things technologies, the unified access of diversified terminals, and the

research on standardized platforms, completed the design and implementation of the cloud platform-based mobile medical health service system. Firstly, cloud platformbased mobile medical and health service system, it can carry services that meet the actual needs of users, such as chronic disease management and personal protection for special groups, and can be connected with the hospital IT system, so that the collected health-related information can play the greatest role. It is convenient for users to carry out diagnosis and treatment. Secondly, the interface between the cloud-based mobile medical and health service system platform and other systems is standardized (such as with HIS, short message center, terminal business data, etc.), make the interface universal, the system has good scalability. Once again, a mobile healthcare platform implemented on a cloud platform can simplify the complexity of the business platform itself and reduce the cost of building a healthcare platform. Finally, the mobile health system platform integrates several resources, such as health terminals, communication networks, M2M platforms, medical healthcare institutions and telecom operators, it is conducive to enhancing the influence of the health protection business industry chain. The Cloud Platform Mobile Health Care System integrates TD and ION technologies, providing a platform for two-way user and healthcare management choice, coupled with new trends in healthcare management. By accurately grasping customer needs and taking health as the entry point, the large system has achieved the ability to seize customers' share of information life. From the overall strategy point of view, the system has low price, simple operation and large demand, and by gradually enriching the application content, on the basis of accelerating the construction of the commercial platform, adopt support mode, support network-wide business operations.

Data Availability

The data used to support the findings of this study are available from the corresponding author upon request.

Conflicts of Interest

The authors declare that they have no conflicts of interest.

References

- [1] X. Lv and M. Li, "Application and research of the intelligent management system based on internet of things technology in the era of big data," *Mobile Information Systems*, vol. 2021, Article ID 6515792, 6 pages, 2021.
- [2] T. Ding, J. Li, J. Pan, and D. Guo, "Human remote mobile medical information collection method based on internet of things and intelligent algorithm," *Revista Brasileira de Medicina do Esporte*, vol. 27, no. spe, pp. 28–30, 2021.
- [3] H.-H. Choi, S.-A. Lim, and J.-H. Kim, "An efficient expression technique for promotional video production based on iot(the internet of things) in cultural art institutions," *Multimedia Tools and Applications*, vol. 75, no. 22, Article ID 14124, 2016.
- [4] D. V. Dimitrov, "Medical internet of things and big data in healthcare," *Healthcare Informatics Research*, vol. 22, no. 3, p. 156, 2016.
- [5] R. Sharma, S. Rani, and D. Gupta, "Stress detection using machine learning classifiers in internet of things environment," *Journal of Computational and Theoretical Nanoscience*, vol. 16, no. 10, pp. 4214–4219, 2019.
- [6] A. J. A. M. V. Deursen, A. V. D. Zeeuw, P. D. Boer, G. Jansen, and T. V. Rompay, "Digital inequalities in the internet of things: differences in attitudes, material access, skills, and usage," *Information, Communication & Society*, vol. 24, no. 2017, pp. 1–19, 2019.
- [7] H. Chen and J. Huang, "Research and application of the interactive English online teaching system based on the internet of things," *Scientific Programming*, vol. 2021, Article ID 3636533, 10 pages, 2021.
- [8] M. F. Pauzi and S. N. Juhari, "Digital transformation of healthcare and medical education, within, and beyond pandemic covid-19," *Asian Journal of Medicine and Biomedicine*, vol. 4, no. 2, pp. 39–42, 2020.
- [9] H. Ji, "Design of distributed collection model of student development information based on internet of things technology," *Security and Communication Networks*, vol. 2021, Article ID 6505359, 10 pages, 2021.
- [10] N. E. Nwogbaga, "A review of big data clustering methods and research issues," *International Journal of Science and Research*, vol. 9, no. 5, pp. 253–264, 2020.
- [11] A. R. Al-Malah, H. Jinah, and H. Alrikabi, "Enhancement of educational services by using the internet of things applications for talent and intelligent schools," *Periodicals of Engineering and Natural Sciences*, vol. 8, no. 4, pp. 2358–2366, 2020.
- [12] M. Tatan and H. Gkozan, "An internet of things based air conditioning and lighting control system for smart home," *American Scientific Research Journal for Engineering, Technology, and Sciences*, vol. 50, no. 1, pp. 181–189, 2018.

- [13] Z. Sun, S. N. Kadry, and S. Krishnamoorthy, "Internet of things-assisted advanced dynamic information processing system for physical education system," *Technology and Health Care: Official Journal of the European Society for Engineering and Medicine*, vol. 29, no. 6, pp. 1263–1275, 2021.
- [14] L.-D. Radu, "Disruptive technologies in smart cities: a survey on current trends and challenges," *Smart Cities*, vol. 3, no. 3, pp. 1022–1038, 2020.
- [15] K. C. Chu and M. Y. Xiao, "Applying big data in smart healthcare," *Hu li za zhi The journal of nursing*, vol. 67, no. 5, pp. 19–25, 2020.
- [16] M. K. Ahirwar, A. Bansal, and P. K. Shukla, "Opinion on different classification algorithms used in internet of things environment for large data set," *International Journal of Organizational and Collective Intelligence*, vol. 9, no. 1, pp. 51-60, 2019.
- [17] E. Makanyadevi, "Efficient healthcare assisting cloud storage strategy using fog prioritization logic based on edge devices," *Turkish Journal of Computer and Mathematics Education* (*TURCOMAT*), vol. 12, no. 2, pp. 1059–1066, 2021.
- [18] A. Aldahiri, B. Alrashed, and W. Hussain, "Trends in using iot with machine learning in health prediction system," *Forecasting*, vol. 3, no. 1, pp. 181–206, 2021.
- [19] E. P. Vidal, M. M. C. De Liberal, and P. Zucchi, "Health management trends," *International Journal for Innovation Education and Research*, vol. 8, no. 3, pp. 77–92, 2020.
- [20] R. J. Oskouei, Z. Mousavilou, Z. Bakhtiari, and K. B. Jalbani, "Iot-based healthcare support system for alzheimer's patients," *Wireless Communications and Mobile Computing*, vol. 2020, Article ID 8822598, 5 pages, 2020.
- [21] A. Bansal, M. K. Ahirwar, and P. K. Shukla, "Assessment on different classification algorithms used in internet of things applications," *International Journal of Organizational and Collective Intelligence*, vol. 9, no. 1, pp. 1–11, 2019.
- [22] I. Pernice, "Global cybersecurity governance: a constitutionalist analysis," *Global Constitutionalism*, vol. 7, no. 1, pp. 112–141, 2018.
- [23] M. Rath, "Real time analysis based on intelligent applications of big data and iot in smart health care systems," *International Journal of Big Data and Analytics in Healthcare*, vol. 3, no. 2, pp. 45–61, 2018.
- [24] F. Nambajemariya and Y. Wang, "Excavation of the internet of things in urban areas based on an intelligent transportation management system," *Advances in Internet of Things*, vol. 11, no. 3, pp. 113–122, 2021.
- [25] C.-S. Ryu, "Research on a service model for an internet of things-based intelligent smart care system," *International Journal of Multimedia and Ubiquitous Engineering*, vol. 11, no. 10, pp. 183–188, 2016.
- [26] J. Xu, Z. Hu, J. Zou, and A. Bi, "Intelligent emotion detection method based on deep learning in medical and health data," *IEEE Access*, vol. 8, pp. 3802–3811, 2020.
- [27] Y. Wang, J. He, H. Zhao, Y. H. Han, and X. J. Huang, "Intelligent community medical service based on internet of things," *Journal of Interdisciplinary Mathematics*, vol. 21, no. 5, pp. 1121–1126, 2018.