

Editorial

Biological Processes for Pollution Control: Current Research and Emerging Technologies 2020

Jin Li ¹, Yu Tao,² Guangbin Li,³ Cuijie Feng,⁴ Rong Chen,⁵ and Ming Hua⁶

¹Qingdao University, Qingdao, China

²Chinese Academy of Sciences, Beijing, China

³University of Maryland, College Park, USA

⁴Polytechnic University of Milan Piazza Leonardo da Vinci, Milan, Italy

⁵Xi'an University of Architecture and Technology, Xi'an, China

⁶Nanjing University, Nanjing, China

Correspondence should be addressed to Jin Li; ljin0532@126.com

Received 19 July 2021; Accepted 19 July 2021; Published 5 November 2021

Copyright © 2021 Jin Li et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

With rapid economic growth, aggravated environmental pollution has become a severe issue worldwide [1, 2]. Pollution control and nutrient recovery are imperative for sustainable development and critical for ecosystem and human health [3]. Excessive chemicals and energy have been used to control pollutants, which causes neglected but severe side effects [4].

The biological process is regarded as promising and sustainable [5, 6], developing quickly with exciting breakthroughs in both theory improvement and technology innovation [7]. The bioparts of pollutants are degraded through microbial activities, where complex organic matters are degraded, and nutrients such as nitrogen and phosphorus are removed. Archaea and bacteria are essential in such processes [8, 9]. For example, anaerobic ammonia-oxidizing (anammox) bacteria are responsible for nitrogen removal from both engineered and natural water systems [10, 11].

Aside from pollutant removal, biological processes are integrated with energy production and resource recovery [12]. Archaea and bacteria play essential roles in converting carbon, nitrogen, phosphorus, and other pollutants into energy and valuable chemicals [13, 14]. However, process efficiency and stability issues remain unknown, such as microbiome dynamics, metabolic mechanisms, and identification of novel microorganisms. These investigations will optimize current biological processes and innovate emerging technologies.

Pollutant removal and nutrient recovery are two major themes in this special issue. C. He et al. presented a comprehensive insight into the feasibility and robustness of anaerobic ceramic membrane bioreactors for treating high-strength phenol wastewater [15]. D. Cui et al. investigated the adsorption capacity and mechanism of Pb^{2+} , Cd^{2+} , and Ni^{2+} by the extracellular polymeric substance (EPS) from *Agrobacterium tumefaciens* F2. EPS's potential as a bioadsorbent sheds light on the control of heavy metal pollution [16]. R. Yang et al. studied the response and adaptation of microbial communities to a completely autotrophic nitrogen removal over nitrite (CANON) system exposed to extreme alkaline shocks. This study gave implications for recovering CANON reactors after alkaline shock [17]. J. Xing et al. applied a microbial flocculant extracted from *Klebsiella pneumoniae* J1 to remove carbamazepine in wastewater and domestic sewage. This eco-friendly and highly efficient microbial flocculant is expected for practical applications in carbamazepine removal [18]. For nutrient recovery, X. Gu et al. applied anaerobic baffled reactors for biohydrogen production out of molasses wastewater and analyzed hydrogen-producing acetogen's performance under increasing organic loads [19]. X. Li et al. demonstrated the feasibility of cultivating marine macroalgae (*Chaetomorpha maxim*) in a moving bed bioreactor to remove nitrogen and phosphorus in aquaculture wastewater and produce macroalgae biomass, supplying an effective option to benefit aquaculture systems [20]. A. Sasi

et al. developed a *Bacillus licheniformis* mutant strain that could produce hyperchitinase, which has the excellent potential of recycling and processing chitin waste from crustaceans and shrimp, adding value to the crustacean industry [21]. L. Su et al. applied thermophilic solid-state anaerobic digestion of agricultural wastes, i.e., corn straw, cattle manure, and vegetable waste, and investigated the effects of temperature, total solid content, and C/N ratio [22].

The novel design of techniques is also addressed in the special issue. Y. Liu et al. developed a highly sensitive and rapid method for measuring BOD by establishing a correlation between current and dissolved oxygen. Such a rapid BOD current sensing biosensor method is expected to be used for wastewater monitoring [23]. X. Cui et al. developed a novel tubular photobioreactor with improved potential for microalgal cultivation. The new design can provide a more suitable microenvironment for microalgal cultivation and increase microalgae yield [24].

Given all these advances in biological processes for pollution control and nutrient recovery, what does the future hold for us? The application of biological tools in solving environmental problems has a long history and is broad, covering many underpinning and allied technological areas. We hope that the ten articles that are included in this special issue would supply inspiration to researchers who work in both biological science and environmental engineering.

Conflicts of Interest

I declare that none of the Guest Editors have a conflict of interest.

Jin Li
Yu Tao
Guangbin Li
Cuijie Feng
Rong Chen
Ming Hua

References

- [1] Z. Xie, "China's historical evolution of environmental protection along with the forty years' reform and opening-up," *Environmental Science and Ecotechnology*, vol. 1, article 100001, 2020.
- [2] A. Deletic and H. T. Wang, "Water pollution control for sustainable development," *Engineering*, vol. 5, no. 5, pp. 839–840, 2019.
- [3] Z. M. Liu and P. Espinosa, "Tackling climate change to accelerate sustainable development," *Nature Climate Change*, vol. 9, pp. 494–496, 2019.
- [4] W. Yang, K. Brüggemann, K. D. Seguya et al., "Measuring performance of low impact development practices for the surface runoff management," *Environmental Science and Ecotechnology*, vol. 1, article 100010, 2020.
- [5] A. ter Heijne, "Bioelectrochemistry for flexible control of biological processes," *Environmental Science and Ecotechnology*, vol. 1, p. 100011, 2020.
- [6] M. J. Jin, C. Gunawan, N. Uppugundla, V. Balan, and B. E. Dale, "A novel integrated biological process for cellulosic ethanol production featuring high ethanol productivity, enzyme recycling and yeast cells reuse," *Energy & Environmental Science*, vol. 5, no. 5, pp. 7168–7175, 2012.
- [7] Z. Zhu, Y. Yang, A. Fang et al., "Quorum sensing systems regulate heterotrophic nitrification-aerobic denitrification by changing the activity of nitrogen-cycling enzymes," *Environmental Science and Ecotechnology*, vol. 2, article 100026, 2020.
- [8] Y. Tao, M. E. Ersahin, D. S. M. Ghasimi et al., "Biogas productivity of anaerobic digestion process is governed by a core bacterial microbiota," *Chemical Engineering Journal*, vol. 380, p. 122425, 2020.
- [9] J. De Vrieze, "The next frontier of the anaerobic digestion microbiome: from ecology to process control," *Environmental Science and Ecotechnology*, vol. 3, article 100032, 2020.
- [10] Y. Tao, X. Huang, D. Gao et al., "NanoSIMS reveals unusual enrichment of acetate and propionate by an anammox consortium dominated by *Jettenia asiatica*," *Water Research*, vol. 159, pp. 223–232, 2019.
- [11] J. Li, X. Chen, W. Liu, and Y. Tao, "Biostimulation of a marine anammox bacteria-dominated bioprocess by Co(II) to treat nitrogen-rich, saline wastewater," *Science of The Total Environment*, vol. 749, article 141489, 2020.
- [12] X. Hao et al., "Environmental impacts of resource recovery from wastewater treatment plants," *Water Research*, vol. 160, pp. 268–277, 2019.
- [13] D. Gao, Y. Fu, Y. Tao, W. Wu, R. An, and X. Li, "Current research and development of controlling membrane fouling of MBR," *African Journal of Biotechnology*, vol. 8, pp. 2993–2998, 2009.
- [14] S. Aikawa, A. Joseph, R. Yamada et al., "Direct conversion of spirulina to ethanol without pretreatment or enzymatic hydrolysis processes," *Energy & Environmental Science*, vol. 6, no. 6, pp. 1844–1849, 2013.
- [15] C. He, C. Yang, S. Yuan, Z. Hu, and W. Wang, "Effects of sludge retention time on the performance of anaerobic ceramic membrane bioreactor treating high-strength phenol wastewater," *Archaea*, vol. 2020, Article ID 8895321, 10 pages, 2020.
- [16] D. Cui, C. Tan, H. Deng et al., "Biosorption mechanism of aqueous Pb²⁺, Cd²⁺, and Ni²⁺ ions on extracellular polymeric substances (EPS)," *Archaea*, vol. 2020, Article ID 8891543, 9 pages, 2020.
- [17] R. Yang, W. Mao, X. Wang, Z. Zhang, J. Wu, and S. Chen, "Response and adaptation of microbial community in a CANON reactor exposed to an extreme alkaline shock," *Archaea*, vol. 2020, Article ID 8888615, 11 pages, 2020.
- [18] J. Xing, N. Song, X. Chen, A. Li, and H. Ni, "Flocculation efficiency and mechanism of carbamazepine by microbial flocculant extracted from *Klebsiella pneumoniae* J1," *Archaea*, vol. 2020, Article ID 8811516, 8 pages, 2020.
- [19] X. Gu, Y. Wang, H. Li, J. Li, and S. Wang, "Characteristics of Biohydrogen Production and Performance of Hydrogen-Producing Acetogen by Increasing Normal Molasses Wastewater Proportion in Anaerobic Baffled Reactor," *Archaea*, vol. 2020, Article ID 8885662, 14 pages, 2020.
- [20] X. Li, Y. Deng, X. Li, X. Ma, J. Wang, and J. Li, "Integration of marine macroalgae (*Chaetomorpha maxima*) with a moving bed bioreactor for nutrient removal from maricultural wastewater," *Archaea*, vol. 2020, Article ID 8848120, 13 pages, 2020.
- [21] A. Sasi, N. Duraipandiyam, K. Marikani, S. Dhanasekaran, N. al-Dayam, and D. Venugopal, "Identification and

- characterization of a newly isolated chitinase-producing strain *Bacillus licheniformis* SSCL-10 for chitin degradation,” *Archaea*, vol. 2020, Article ID 8844811, 9 pages, 2020.
- [22] L. Su, X. Sun, C. Liu et al., “Thermophilic solid-state anaerobic digestion of corn straw, cattle manure, and vegetable waste: effect of temperature, total solid content, and C/N ratio,” *Archaea*, vol. 2020, Article ID 8841490, 10 pages, 2020.
- [23] Y. Liu, J. Li, N. Wan et al., “A current sensing biosensor for BOD rapid measurement,” *Archaea*, vol. 2020, Article ID 8894925, 7 pages, 2020.
- [24] X. Cui, J. Yang, Y. Feng, and W. Zhang, “Simulation of a novel tubular microalgae photobioreactor with aerated tangent inner tubes: improvements in mixing performance and flashing-light effects,” *Archaea*, vol. 2020, Article ID 8815263, 16 pages, 2020.