


Supplement 1



Supplement 2

ROC curve for bMBF

Variable	bMBF	
Classification variable	DIAGNOSIS	
Sample size		200
Positive group :	DIAGNOSIS = 1	100
Negative group :	DIAGNOSIS = 0	100
Disease prevalence (%)		unknown

Area under the ROC curve (AUC)

Area under the ROC curve (AUC)	0.803
Standard Error ^a	0.0301
95% Confidence interval ^b	0.741 to 0.856
z statistic	10.052
Significance level P (Area=0.5)	<0.0001

^a DeLong et al., 1988

^b Binomial exact

Youden index

Youden index J	0.4500
Associated criterion	≤19.3

Criterion values and coordinates of the ROC curve

Criterion	Sensitivity	95% CI	Specificity	95% CI	+LR	95% CI	-LR	95% CI
<4.3	0.00	0.0 - 3.6	100.00	96.4 - 100.0			1.00	1.0 - 1.0
≤10.1	20.00	12.7 - 29.2	100.00	96.4 - 100.0			0.80	0.7 - 0.9
≤10.2	21.00	13.5 - 30.3	99.00	94.6 - 100.0	21.00	2.9 - 153.1	0.80	0.7 - 0.9
≤11.3	31.00	22.1 - 41.0	99.00	94.6 - 100.0	31.00	4.3 - 222.7	0.70	0.6 - 0.8
≤11.4	31.00	22.1 - 41.0	97.00	91.5 - 99.4	10.33	3.3 - 32.7	0.71	0.6 - 0.8
≤11.8	34.00	24.8 - 44.2	97.00	91.5 - 99.4	11.33	3.6 - 35.7	0.68	0.6 - 0.8
≤11.9	36.00	26.6 - 46.2	95.00	88.7 - 98.4	7.20	2.9 - 17.6	0.67	0.6 - 0.8
≤12.3	42.00	32.2 - 52.3	95.00	88.7 - 98.4	8.40	3.5 - 20.3	0.61	0.5 - 0.7
≤12.6	42.00	32.2 - 52.3	94.00	87.4 - 97.8	7.00	3.1 - 15.7	0.62	0.5 - 0.7
≤12.7	43.00	33.1 - 53.3	94.00	87.4 - 97.8	7.17	3.2 - 16.1	0.61	0.5 - 0.7
≤12.8	45.00	35.0 - 55.3	93.00	86.1 - 97.1	6.43	3.0 - 13.6	0.59	0.5 - 0.7
≤13.1	48.00	37.9 - 58.2	93.00	86.1 - 97.1	6.86	3.3 - 14.4	0.56	0.5 - 0.7
≤13.3	48.00	37.9 - 58.2	91.00	83.6 - 95.8	5.33	2.8 - 10.3	0.57	0.5 - 0.7
≤13.5	50.00	39.8 - 60.2	91.00	83.6 - 95.8	5.56	2.9 - 10.7	0.55	0.4 - 0.7
≤13.6	51.00	40.8 - 61.1	90.00	82.4 - 95.1	5.10	2.7 - 9.5	0.54	0.4 - 0.7
≤13.7	53.00	42.8 - 63.1	89.00	81.2 - 94.4	4.82	2.7 - 8.7	0.53	0.4 - 0.7
≤13.8	54.00	43.7 - 64.0	89.00	81.2 - 94.4	4.91	2.7 - 8.8	0.52	0.4 - 0.6
≤13.9	54.00	43.7 - 64.0	88.00	80.0 - 93.6	4.50	2.6 - 7.9	0.52	0.4 - 0.7
≤14	55.00	44.7 - 65.0	88.00	80.0 - 93.6	4.58	2.6 - 8.0	0.51	0.4 - 0.6
≤14.2	55.00	44.7 - 65.0	87.00	78.8 - 92.9	4.23	2.5 - 7.2	0.52	0.4 - 0.7
≤14.4	56.00	45.7 - 65.9	86.00	77.6 - 92.1	4.00	2.4 - 6.7	0.51	0.4 - 0.6

≤14.6	57.00	46.7 - 66.9	85.00	76.5 - 91.4	3.80	2.3 - 6.2	0.51	0.4 - 0.6
≤14.7	57.00	46.7 - 66.9	84.00	75.3 - 90.6	3.56	2.2 - 5.8	0.51	0.4 - 0.7
≤14.9	59.00	48.7 - 68.7	84.00	75.3 - 90.6	3.69	2.3 - 5.9	0.49	0.4 - 0.6
≤15.5	59.00	48.7 - 68.7	80.00	70.8 - 87.3	2.95	1.9 - 4.5	0.51	0.4 - 0.7
≤15.6	60.00	49.7 - 69.7	80.00	70.8 - 87.3	3.00	2.0 - 4.6	0.50	0.4 - 0.6
≤15.8	60.00	49.7 - 69.7	78.00	68.6 - 85.7	2.73	1.8 - 4.1	0.51	0.4 - 0.7
≤15.9	62.00	51.7 - 71.5	77.00	67.5 - 84.8	2.70	1.8 - 4.0	0.49	0.4 - 0.6
≤16	63.00	52.8 - 72.4	77.00	67.5 - 84.8	2.74	1.9 - 4.0	0.48	0.4 - 0.6
≤16.2	63.00	52.8 - 72.4	76.00	66.4 - 84.0	2.62	1.8 - 3.8	0.49	0.4 - 0.6
≤16.6	64.00	53.8 - 73.4	75.00	65.3 - 83.1	2.56	1.8 - 3.7	0.48	0.4 - 0.6
≤16.7	64.00	53.8 - 73.4	74.00	64.3 - 82.3	2.46	1.7 - 3.5	0.49	0.4 - 0.6
≤16.9	67.00	56.9 - 76.1	74.00	64.3 - 82.3	2.58	1.8 - 3.7	0.45	0.3 - 0.6
≤17.1	67.00	56.9 - 76.1	73.00	63.2 - 81.4	2.48	1.7 - 3.5	0.45	0.3 - 0.6
≤17.2	69.00	59.0 - 77.9	72.00	62.1 - 80.5	2.46	1.8 - 3.5	0.43	0.3 - 0.6
≤17.3	70.00	60.0 - 78.8	72.00	62.1 - 80.5	2.50	1.8 - 3.5	0.42	0.3 - 0.6
≤17.4	71.00	61.1 - 79.6	71.00	61.1 - 79.6	2.45	1.8 - 3.4	0.41	0.3 - 0.6
≤17.8	71.00	61.1 - 79.6	69.00	59.0 - 77.9	2.29	1.7 - 3.1	0.42	0.3 - 0.6
≤18.2	72.00	62.1 - 80.5	68.00	57.9 - 77.0	2.25	1.6 - 3.1	0.41	0.3 - 0.6
≤18.4	73.00	63.2 - 81.4	68.00	57.9 - 77.0	2.28	1.7 - 3.1	0.40	0.3 - 0.6
≤18.7	74.00	64.3 - 82.3	67.00	56.9 - 76.1	2.24	1.7 - 3.0	0.39	0.3 - 0.6
≤18.8	76.00	66.4 - 84.0	67.00	56.9 - 76.1	2.30	1.7 - 3.1	0.36	0.2 - 0.5
≤18.9	78.00	68.6 - 85.7	66.00	55.8 - 75.2	2.29	1.7 - 3.1	0.33	0.2 - 0.5
≤19.3	79.00	69.7 - 86.5	66.00	55.8 - 75.2	2.32	1.7 - 3.1	0.32	0.2 - 0.5
≤19.4	79.00	69.7 - 86.5	65.00	54.8 - 74.3	2.26	1.7 - 3.0	0.32	0.2 - 0.5
≤19.6	80.00	70.8 - 87.3	65.00	54.8 - 74.3	2.29	1.7 - 3.0	0.31	0.2 - 0.5
≤19.9	80.00	70.8 - 87.3	64.00	53.8 - 73.4	2.22	1.7 - 2.9	0.31	0.2 - 0.5
≤20.3	81.00	71.9 - 88.2	64.00	53.8 - 73.4	2.25	1.7 - 3.0	0.30	0.2 - 0.5
≤20.4	82.00	73.1 - 89.0	63.00	52.8 - 72.4	2.22	1.7 - 2.9	0.29	0.2 - 0.4
≤21.2	82.00	73.1 - 89.0	59.00	48.7 - 68.7	2.00	1.6 - 2.6	0.31	0.2 - 0.5
≤21.5	83.00	74.2 - 89.8	59.00	48.7 - 68.7	2.02	1.6 - 2.6	0.29	0.2 - 0.5
≤21.7	83.00	74.2 - 89.8	56.00	45.7 - 65.9	1.89	1.5 - 2.4	0.30	0.2 - 0.5
≤21.8	84.00	75.3 - 90.6	56.00	45.7 - 65.9	1.91	1.5 - 2.4	0.29	0.2 - 0.5
≤22.4	84.00	75.3 - 90.6	53.00	42.8 - 63.1	1.79	1.4 - 2.2	0.30	0.2 - 0.5
≤22.5	86.00	77.6 - 92.1	53.00	42.8 - 63.1	1.83	1.5 - 2.3	0.26	0.2 - 0.4
≤22.7	86.00	77.6 - 92.1	52.00	41.8 - 62.1	1.79	1.4 - 2.2	0.27	0.2 - 0.5
≤22.9	87.00	78.8 - 92.9	51.00	40.8 - 61.1	1.78	1.4 - 2.2	0.25	0.1 - 0.4
≤23.3	87.00	78.8 - 92.9	48.00	37.9 - 58.2	1.67	1.4 - 2.0	0.27	0.2 - 0.5
≤23.4	88.00	80.0 - 93.6	48.00	37.9 - 58.2	1.69	1.4 - 2.1	0.25	0.1 - 0.4
≤24	88.00	80.0 - 93.6	44.00	34.1 - 54.3	1.57	1.3 - 1.9	0.27	0.2 - 0.5
≤24.8	92.00	84.8 - 96.5	44.00	34.1 - 54.3	1.64	1.4 - 2.0	0.18	0.09 - 0.4
≤26.6	92.00	84.8 - 96.5	37.00	27.6 - 47.2	1.46	1.2 - 1.7	0.22	0.1 - 0.4
≤27	94.00	87.4 - 97.8	37.00	27.6 - 47.2	1.49	1.3 - 1.7	0.16	0.07 - 0.4
≤27.1	95.00	88.7 - 98.4	34.00	24.8 - 44.2	1.44	1.2 - 1.7	0.15	0.06 - 0.4
≤27.7	95.00	88.7 - 98.4	33.00	23.9 - 43.1	1.42	1.2 - 1.6	0.15	0.06 - 0.4
≤28.3	96.00	90.1 - 98.9	33.00	23.9 - 43.1	1.43	1.2 - 1.7	0.12	0.04 - 0.3
≤30.1	96.00	90.1 - 98.9	24.00	16.0 - 33.6	1.26	1.1 - 1.4	0.17	0.06 - 0.5
≤30.4	97.00	91.5 - 99.4	24.00	16.0 - 33.6	1.28	1.1 - 1.4	0.13	0.04 - 0.4
≤30.9	97.00	91.5 - 99.4	23.00	15.2 - 32.5	1.26	1.1 - 1.4	0.13	0.04 - 0.4
≤32	99.00	94.6 - 100.0	23.00	15.2 - 32.5	1.29	1.2 - 1.4	0.043	0.006 - 0.3

≤32.1	99.00	94.6 - 100.0	22.00	14.3 - 31.4	1.27	1.1 - 1.4	0.045	0.006 - 0.3
≤33.2	100.00	96.4 - 100.0	21.00	13.5 - 30.3	1.27	1.1 - 1.4	0.00	
≤46.1	100.00	96.4 - 100.0	0.00	0.0 - 3.6	1.00	1.0 - 1.0		

ROC curve for tpMBF

Variable	tpMBF	
Classification variable	DIAGNOSIS	
Sample size		200
Positive group :	DIAGNOSIS = 1	100
Negative group :	DIAGNOSIS = 0	100
Disease prevalence (%)		unknown

Area under the ROC curve (AUC)

Area under the ROC curve (AUC)	0.921
Standard Error ^a	0.0189
95% Confidence interval ^b	0.875 to 0.954
z statistic	22.229
Significance level P (Area=0.5)	<0.0001

^a DeLong et al., 1988

^b Binomial exact

Youden index

Youden index J	0.6900
Associated criterion	>7.2

Criterion values and coordinates of the ROC curve

Criterion	Sensitivity	95% CI	Specificity	95% CI	+LR	95% CI	-LR	95% CI
≥1.6	100.00	96.4 - 100.0	0.00	0.0 - 3.6	1.00	1.0 - 1.0		
>2.9	100.00	96.4 - 100.0	13.00	7.1 - 21.2	1.15	1.1 - 1.2	0.00	
>3	99.00	94.6 - 100.0	16.00	9.4 - 24.7	1.18	1.1 - 1.3	0.063	0.008 - 0.5
>3.7	99.00	94.6 - 100.0	27.00	18.6 - 36.8	1.36	1.2 - 1.5	0.037	0.005 - 0.3
>3.8	98.00	93.0 - 99.8	29.00	20.4 - 38.9	1.38	1.2 - 1.6	0.069	0.02 - 0.3
>3.9	98.00	93.0 - 99.8	34.00	24.8 - 44.2	1.48	1.3 - 1.7	0.059	0.01 - 0.2
>4	97.00	91.5 - 99.4	35.00	25.7 - 45.2	1.49	1.3 - 1.7	0.086	0.03 - 0.3
>4.1	96.00	90.1 - 98.9	36.00	26.6 - 46.2	1.50	1.3 - 1.7	0.11	0.04 - 0.3
>4.5	96.00	90.1 - 98.9	46.00	36.0 - 56.3	1.78	1.5 - 2.1	0.087	0.03 - 0.2
>4.6	95.00	88.7 - 98.4	48.00	37.9 - 58.2	1.83	1.5 - 2.2	0.10	0.04 - 0.3
>5	95.00	88.7 - 98.4	59.00	48.7 - 68.7	2.32	1.8 - 2.9	0.085	0.04 - 0.2
>5.1	94.00	87.4 - 97.8	64.00	53.8 - 73.4	2.61	2.0 - 3.4	0.094	0.04 - 0.2
>5.2	93.00	86.1 - 97.1	65.00	54.8 - 74.3	2.66	2.0 - 3.5	0.11	0.05 - 0.2
>5.3	93.00	86.1 - 97.1	66.00	55.8 - 75.2	2.74	2.1 - 3.6	0.11	0.05 - 0.2
>5.4	92.00	84.8 - 96.5	67.00	56.9 - 76.1	2.79	2.1 - 3.7	0.12	0.06 - 0.2
>5.5	91.00	83.6 - 95.8	71.00	61.1 - 79.6	3.14	2.3 - 4.3	0.13	0.07 - 0.2
>5.6	91.00	83.6 - 95.8	72.00	62.1 - 80.5	3.25	2.4 - 4.5	0.13	0.07 - 0.2
>5.7	89.00	81.2 - 94.4	72.00	62.1 - 80.5	3.18	2.3 - 4.4	0.15	0.09 - 0.3
>5.8	89.00	81.2 - 94.4	73.00	63.2 - 81.4	3.30	2.4 - 4.6	0.15	0.09 - 0.3
>5.9	88.00	80.0 - 93.6	76.00	66.4 - 84.0	3.67	2.6 - 5.2	0.16	0.09 - 0.3
>6	86.00	77.6 - 92.1	77.00	67.5 - 84.8	3.74	2.6 - 5.4	0.18	0.1 - 0.3
>6.1	86.00	77.6 - 92.1	80.00	70.8 - 87.3	4.30	2.9 - 6.4	0.18	0.1 - 0.3
>6.2	85.00	76.5 - 91.4	83.00	74.2 - 89.8	5.00	3.2 - 7.8	0.18	0.1 - 0.3
>6.3	84.00	75.3 - 90.6	83.00	74.2 - 89.8	4.94	3.2 - 7.7	0.19	0.1 - 0.3
>6.6	82.00	73.1 - 89.0	84.00	75.3 - 90.6	5.12	3.2 - 8.1	0.21	0.1 - 0.3

>6.7	82.00	73.1 - 89.0	85.00	76.5 - 91.4	5.47	3.4 - 8.8	0.21	0.1 - 0.3
>6.8	80.00	70.8 - 87.3	85.00	76.5 - 91.4	5.33	3.3 - 8.6	0.24	0.2 - 0.4
>7	80.00	70.8 - 87.3	86.00	77.6 - 92.1	5.71	3.5 - 9.4	0.23	0.2 - 0.3
>7.1	79.00	69.7 - 86.5	89.00	81.2 - 94.4	7.18	4.1 - 12.7	0.24	0.2 - 0.3
>7.2	79.00	69.7 - 86.5	90.00	82.4 - 95.1	7.90	4.4 - 14.3	0.23	0.2 - 0.3
>7.3	77.00	67.5 - 84.8	90.00	82.4 - 95.1	7.70	4.2 - 14.0	0.26	0.2 - 0.4
>7.4	77.00	67.5 - 84.8	91.00	83.6 - 95.8	8.56	4.5 - 16.1	0.25	0.2 - 0.4
>7.5	76.00	66.4 - 84.0	91.00	83.6 - 95.8	8.44	4.5 - 15.9	0.26	0.2 - 0.4
>7.7	74.00	64.3 - 82.3	92.00	84.8 - 96.5	9.25	4.7 - 18.2	0.28	0.2 - 0.4
>8	73.00	63.2 - 81.4	92.00	84.8 - 96.5	9.13	4.6 - 17.9	0.29	0.2 - 0.4
>8.1	72.00	62.1 - 80.5	94.00	87.4 - 97.8	12.00	5.5 - 26.3	0.30	0.2 - 0.4
>8.2	72.00	62.1 - 80.5	95.00	88.7 - 98.4	14.40	6.1 - 34.1	0.29	0.2 - 0.4
>8.3	71.00	61.1 - 79.6	97.00	91.5 - 99.4	23.67	7.7 - 72.6	0.30	0.2 - 0.4
>8.8	71.00	61.1 - 79.6	98.00	93.0 - 99.8	35.50	9.0 - 140.8	0.30	0.2 - 0.4
>9	70.00	60.0 - 78.8	99.00	94.6 - 100.0	70.00	9.9 - 494.2	0.30	0.2 - 0.4
>9.5	67.00	56.9 - 76.1	99.00	94.6 - 100.0	67.00	9.5 - 473.3	0.33	0.3 - 0.4
>9.9	66.00	55.8 - 75.2	100.00	96.4 - 100.0			0.34	0.3 - 0.4
>65	0.00	0.0 - 3.6	100.00	96.4 - 100.0			1.00	1.0 - 1.0

ROC curve for TcPO₂

Variable	TcPO ₂	
Classification variable	DIAGNOSIS	
Sample size		200
Positive group :	DIAGNOSIS = 1	100
Negative group :	DIAGNOSIS = 0	100
Disease prevalence (%)		unknown

Area under the ROC curve (AUC)

Area under the ROC curve (AUC)	0.759
Standard Error ^a	0.0334
95% Confidence interval ^b	0.694 to 0.816
z statistic	7.751
Significance level P (Area=0.5)	<0.0001

^a DeLong et al., 1988

^b Binomial exact

Youden index

Youden index J	0.4100
Associated criterion	≤62.6

Criterion values and coordinates of the ROC curve

Criterion	Sensitivity	95% CI	Specificity	95% CI	+LR	95% CI	-LR	95% CI
<34.2	0.00	0.0 - 3.6	100.00	96.4 - 100.0			1.00	1.0 - 1.0
≤45.6	14.00	7.9 - 22.4	100.00	96.4 - 100.0			0.86	0.8 - 0.9
≤45.9	14.00	7.9 - 22.4	99.00	94.6 - 100.0	14.00	1.9 - 104.5	0.87	0.8 - 0.9
≤46.7	16.00	9.4 - 24.7	99.00	94.6 - 100.0	16.00	2.2 - 118.4	0.85	0.8 - 0.9
≤46.9	17.00	10.2 - 25.8	98.00	93.0 - 99.8	8.50	2.0 - 35.8	0.85	0.8 - 0.9
<47.4	19.00	11.8 - 28.1	98.00	93.0 - 99.8	9.50	2.3 - 39.7	0.83	0.7 - 0.9
<47.5	21.00	13.5 - 30.3	97.00	91.5 - 99.4	7.00	2.2 - 22.7	0.81	0.7 - 0.9
≤47.7	22.00	14.3 - 31.4	96.00	90.1 - 98.9	5.50	2.0 - 15.4	0.81	0.7 - 0.9
≤47.8	22.00	14.3 - 31.4	95.00	88.7 - 98.4	4.40	1.7 - 11.2	0.82	0.7 - 0.9
≤48.7	26.00	17.7 - 35.7	95.00	88.7 - 98.4	5.20	2.1 - 13.0	0.78	0.7 - 0.9
≤49.5	26.00	17.7 - 35.7	93.00	86.1 - 97.1	3.71	1.7 - 8.2	0.80	0.7 - 0.9
≤50.5	30.00	21.2 - 40.0	93.00	86.1 - 97.1	4.29	2.0 - 9.3	0.75	0.7 - 0.9
≤50.6	30.00	21.2 - 40.0	92.00	84.8 - 96.5	3.75	1.8 - 7.8	0.76	0.7 - 0.9
≤51	31.00	22.1 - 41.0	92.00	84.8 - 96.5	3.88	1.9 - 8.0	0.75	0.6 - 0.9
≤52.2	32.00	23.0 - 42.1	90.00	82.4 - 95.1	3.20	1.7 - 6.2	0.76	0.7 - 0.9
≤52.3	33.00	23.9 - 43.1	90.00	82.4 - 95.1	3.30	1.7 - 6.3	0.74	0.6 - 0.9
≤52.4	33.00	23.9 - 43.1	89.00	81.2 - 94.4	3.00	1.6 - 5.6	0.75	0.6 - 0.9
≤53.2	38.00	28.5 - 48.3	89.00	81.2 - 94.4	3.45	1.9 - 6.4	0.70	0.6 - 0.8
≤53.9	38.00	28.5 - 48.3	86.00	77.6 - 92.1	2.71	1.6 - 4.7	0.72	0.6 - 0.9
≤54.7	44.00	34.1 - 54.3	86.00	77.6 - 92.1	3.14	1.8 - 5.4	0.65	0.5 - 0.8
≤55.2	44.00	34.1 - 54.3	84.00	75.3 - 90.6	2.75	1.7 - 4.5	0.67	0.5 - 0.8
≤55.3	45.00	35.0 - 55.3	84.00	75.3 - 90.6	2.81	1.7 - 4.6	0.65	0.5 - 0.8
≤55.4	46.00	36.0 - 56.3	83.00	74.2 - 89.8	2.71	1.7 - 4.4	0.65	0.5 - 0.8
≤55.5	46.00	36.0 - 56.3	82.00	73.1 - 89.0	2.56	1.6 - 4.1	0.66	0.5 - 0.8
≤55.8	49.00	38.9 - 59.2	82.00	73.1 - 89.0	2.72	1.7 - 4.3	0.62	0.5 - 0.8

≤55.9	49.00	38.9 - 59.2	81.00	71.9 - 88.2	2.58	1.6 - 4.1	0.63	0.5 - 0.8
≤56.7	52.00	41.8 - 62.1	81.00	71.9 - 88.2	2.74	1.8 - 4.3	0.59	0.5 - 0.7
≤57.7	52.00	41.8 - 62.1	80.00	70.8 - 87.3	2.60	1.7 - 4.0	0.60	0.5 - 0.8
≤57.8	53.00	42.8 - 63.1	80.00	70.8 - 87.3	2.65	1.7 - 4.1	0.59	0.5 - 0.7
≤57.9	53.00	42.8 - 63.1	79.00	69.7 - 86.5	2.52	1.7 - 3.9	0.59	0.5 - 0.7
≤58.5	60.00	49.7 - 69.7	79.00	69.7 - 86.5	2.86	1.9 - 4.3	0.51	0.4 - 0.7
≤58.6	61.00	50.7 - 70.6	78.00	68.6 - 85.7	2.77	1.9 - 4.1	0.50	0.4 - 0.7
≤58.9	61.00	50.7 - 70.6	74.00	64.3 - 82.3	2.35	1.6 - 3.4	0.53	0.4 - 0.7
≤59.1	62.00	51.7 - 71.5	74.00	64.3 - 82.3	2.38	1.7 - 3.4	0.51	0.4 - 0.7
≤59.3	64.00	53.8 - 73.4	73.00	63.2 - 81.4	2.37	1.7 - 3.4	0.49	0.4 - 0.7
≤59.5	65.00	54.8 - 74.3	72.00	62.1 - 80.5	2.32	1.6 - 3.3	0.49	0.4 - 0.7
≤59.7	66.00	55.8 - 75.2	70.00	60.0 - 78.8	2.20	1.6 - 3.1	0.49	0.4 - 0.7
≤59.9	66.00	55.8 - 75.2	69.00	59.0 - 77.9	2.13	1.5 - 2.9	0.49	0.4 - 0.7
≤60.2	67.00	56.9 - 76.1	69.00	59.0 - 77.9	2.16	1.6 - 3.0	0.48	0.4 - 0.7
≤60.5	67.00	56.9 - 76.1	68.00	57.9 - 77.0	2.09	1.5 - 2.9	0.49	0.4 - 0.7
≤60.8	69.00	59.0 - 77.9	68.00	57.9 - 77.0	2.16	1.6 - 3.0	0.46	0.3 - 0.6
≤61	70.00	60.0 - 78.8	67.00	56.9 - 76.1	2.12	1.6 - 2.9	0.45	0.3 - 0.6
≤61.1	70.00	60.0 - 78.8	66.00	55.8 - 75.2	2.06	1.5 - 2.8	0.45	0.3 - 0.6
≤61.4	71.00	61.1 - 79.6	66.00	55.8 - 75.2	2.09	1.5 - 2.8	0.44	0.3 - 0.6
≤61.7	71.00	61.1 - 79.6	64.00	53.8 - 73.4	1.97	1.5 - 2.6	0.45	0.3 - 0.6
≤62.6	77.00	67.5 - 84.8	64.00	53.8 - 73.4	2.14	1.6 - 2.8	0.36	0.2 - 0.5
≤62.7	77.00	67.5 - 84.8	63.00	52.8 - 72.4	2.08	1.6 - 2.7	0.37	0.2 - 0.5
≤63.1	78.00	68.6 - 85.7	63.00	52.8 - 72.4	2.11	1.6 - 2.8	0.35	0.2 - 0.5
≤63.7	78.00	68.6 - 85.7	60.00	49.7 - 69.7	1.95	1.5 - 2.5	0.37	0.2 - 0.5
≤64.6	79.00	69.7 - 86.5	60.00	49.7 - 69.7	1.98	1.5 - 2.6	0.35	0.2 - 0.5
≤65.3	79.00	69.7 - 86.5	58.00	47.7 - 67.8	1.88	1.5 - 2.4	0.36	0.2 - 0.5
≤65.6	80.00	70.8 - 87.3	56.00	45.7 - 65.9	1.82	1.4 - 2.3	0.36	0.2 - 0.5
≤65.8	81.00	71.9 - 88.2	56.00	45.7 - 65.9	1.84	1.4 - 2.3	0.34	0.2 - 0.5
≤66.1	81.00	71.9 - 88.2	55.00	44.7 - 65.0	1.80	1.4 - 2.3	0.35	0.2 - 0.5
≤66.2	82.00	73.1 - 89.0	54.00	43.7 - 64.0	1.78	1.4 - 2.2	0.33	0.2 - 0.5
≤66.5	82.00	73.1 - 89.0	52.00	41.8 - 62.1	1.71	1.4 - 2.1	0.35	0.2 - 0.5
≤66.6	83.00	74.2 - 89.8	49.00	38.9 - 59.2	1.63	1.3 - 2.0	0.35	0.2 - 0.6
≤66.7	83.00	74.2 - 89.8	48.00	37.9 - 58.2	1.60	1.3 - 2.0	0.35	0.2 - 0.6
≤66.8	84.00	75.3 - 90.6	47.00	36.9 - 57.2	1.58	1.3 - 1.9	0.34	0.2 - 0.6
≤66.9	84.00	75.3 - 90.6	46.00	36.0 - 56.3	1.56	1.3 - 1.9	0.35	0.2 - 0.6
≤67.1	85.00	76.5 - 91.4	45.00	35.0 - 55.3	1.55	1.3 - 1.9	0.33	0.2 - 0.6
≤67.6	85.00	76.5 - 91.4	44.00	34.1 - 54.3	1.52	1.3 - 1.8	0.34	0.2 - 0.6
≤67.7	86.00	77.6 - 92.1	44.00	34.1 - 54.3	1.54	1.3 - 1.9	0.32	0.2 - 0.5
≤67.8	87.00	78.8 - 92.9	43.00	33.1 - 53.3	1.53	1.3 - 1.8	0.30	0.2 - 0.5
≤68	88.00	80.0 - 93.6	43.00	33.1 - 53.3	1.54	1.3 - 1.9	0.28	0.2 - 0.5
≤68.1	89.00	81.2 - 94.4	42.00	32.2 - 52.3	1.53	1.3 - 1.8	0.26	0.1 - 0.5
≤68.6	91.00	83.6 - 95.8	42.00	32.2 - 52.3	1.57	1.3 - 1.9	0.21	0.1 - 0.4
≤68.7	91.00	83.6 - 95.8	41.00	31.3 - 51.3	1.54	1.3 - 1.8	0.22	0.1 - 0.4
≤69	92.00	84.8 - 96.5	40.00	30.3 - 50.3	1.53	1.3 - 1.8	0.20	0.10 - 0.4
≤69.4	92.00	84.8 - 96.5	37.00	27.6 - 47.2	1.46	1.2 - 1.7	0.22	0.1 - 0.4
≤69.7	93.00	86.1 - 97.1	37.00	27.6 - 47.2	1.48	1.3 - 1.7	0.19	0.09 - 0.4
≤70	93.00	86.1 - 97.1	36.00	26.6 - 46.2	1.45	1.2 - 1.7	0.19	0.09 - 0.4
≤70.1	94.00	87.4 - 97.8	35.00	25.7 - 45.2	1.45	1.2 - 1.7	0.17	0.08 - 0.4
≤70.2	94.00	87.4 - 97.8	34.00	24.8 - 44.2	1.42	1.2 - 1.7	0.18	0.08 - 0.4

≤71.1	95.00	88.7 - 98.4	33.00	23.9 - 43.1	1.42	1.2 - 1.6	0.15	0.06 - 0.4
≤71.2	96.00	90.1 - 98.9	32.00	23.0 - 42.1	1.41	1.2 - 1.6	0.13	0.05 - 0.3
≤71.4	97.00	91.5 - 99.4	32.00	23.0 - 42.1	1.43	1.2 - 1.6	0.094	0.03 - 0.3
≤71.5	97.00	91.5 - 99.4	31.00	22.1 - 41.0	1.41	1.2 - 1.6	0.097	0.03 - 0.3
≤72.2	98.00	93.0 - 99.8	30.00	21.2 - 40.0	1.40	1.2 - 1.6	0.067	0.02 - 0.3
≤74	98.00	93.0 - 99.8	24.00	16.0 - 33.6	1.29	1.2 - 1.4	0.083	0.02 - 0.3
≤74.4	99.00	94.6 - 100.0	24.00	16.0 - 33.6	1.30	1.2 - 1.5	0.042	0.006 - 0.3
≤83.6	99.00	94.6 - 100.0	8.00	3.5 - 15.2	1.08	1.0 - 1.1	0.13	0.02 - 1.0
≤84.2	100.00	96.4 - 100.0	7.00	2.9 - 13.9	1.08	1.0 - 1.1	0.00	
≤91.1	100.00	96.4 - 100.0	0.00	0.0 - 3.6	1.00	1.0 - 1.0		