

Corrigendum

Corrigendum to “Sodium Fluorescein-Guided Resection under the YELLOW 560 nm Surgical Microscope Filter in Malignant Gliomas: Our First 38 Cases Experience”

Ningning Zhang , **Hailong Tian**, **Dezhang Huang**, **Xianbing Meng**, **Wenqiang Guo**, **Chaochao Wang**, **Xin Yin**, **Hongying Zhang**, **Bin Jiang**, **Zheng He**, and **Zhigang Wang** 

Department of Neurosurgery, Qilu Hospital, Shandong University, Qingdao, China

Correspondence should be addressed to Zhigang Wang; tedy03@163.com

Received 18 April 2018; Accepted 29 April 2018; Published 14 May 2018

Copyright © 2018 Ningning Zhang et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In the article titled “Sodium Fluorescein-Guided Resection under the YELLOW 560 nm Surgical Microscope Filter in Malignant Gliomas: Our First 38 Cases Experience” [1], there was an error in the authors’ affiliation. The corrected affiliation is shown above.

References

- [1] N. Zhang, H. Tian, D. Huang et al., “Sodium fluorescein-guided resection under the YELLOW 560 nm surgical microscope filter in malignant gliomas: our first 38 cases experience,” *BioMed Research International*, vol. 2017, Article ID 7865747, pp. 1–10, 2017.



Hindawi

Submit your manuscripts at
www.hindawi.com

