

Sars-CoV-2 Envelope and Membrane proteins: structural differences linked to virus characteristics?

Martina Bianchi¹, Domenico Benvenuto², Marta Giovanetti³, Silvia Angeletti⁴, Massimo Ciccozzi² and Stefano Pascarella^{1*}

¹Department of Biochemical sciences “A Rossi Fanelli”, Sapienza University of Rome, 00185 Rome, Italy

²Unit of Medical Statistics and Molecular Epidemiology, University Campus Bio-Medico of Rome, Rome, Italy.

³Flavivirus Laboratory, Oswaldo Cruz Institute, Oswaldo Cruz Foundation, Rio de Janeiro, Brazil.

⁴Unit of Clinical Laboratory Science, University Campus Bio-Medico of Rome, Rome, Italy

Supplementary Data Description

Table 1 displays the number of sequences contained in each cluster of Envelope and Membrane protein variants as determined by the application of cd-hit at 100% sequence identity threshold. The accession codes and definitions of isolates of the smaller clusters have been reported. The sum of the numbers of all isolates of Sars-CoV-2 Membrane proteins does not equal 797, the number of initial genomes considered, because sequences containing ambiguous codons translated as “X” have been removed by cd-hit.

The **Excel file** contains the list of the 797 Sars-CoV-2 genomes retrieved from GenBank and analysed in the article. For each genome, the sequence header is displayed as found in the GenBank. The header reports the accession code in the first field of each line after the “>” character.