

Retraction

Retracted: Biologically Synthesized Copper Nanoparticles Show Considerable Degradation of Reactive Red 81 Dye: An Eco-Friendly Sustainable Approach

BioMed Research International

Received 12 March 2024; Accepted 12 March 2024; Published 20 March 2024

Copyright © 2024 BioMed Research International. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

This article has been retracted by Hindawi following an investigation undertaken by the publisher [1]. This investigation has uncovered evidence of one or more of the following indicators of systematic manipulation of the publication process:

- (1) Discrepancies in scope
- (2) Discrepancies in the description of the research reported
- (3) Discrepancies between the availability of data and the research described
- (4) Inappropriate citations
- (5) Incoherent, meaningless and/or irrelevant content included in the article
- (6) Manipulated or compromised peer review

The presence of these indicators undermines our confidence in the integrity of the article's content and we cannot, therefore, vouch for its reliability. Please note that this notice is intended solely to alert readers that the content of this article is unreliable. We have not investigated whether authors were aware of or involved in the systematic manipulation of the publication process.

Wiley and Hindawi regrets that the usual quality checks did not identify these issues before publication and have since put additional measures in place to safeguard research integrity.

We wish to credit our own Research Integrity and Research Publishing teams and anonymous and named external researchers and research integrity experts for contributing to this investigation.

The corresponding author, as the representative of all authors, has been given the opportunity to register their agreement or disagreement to this retraction. We have kept a record of any response received.

References

- [1] M. A. Rafique, A. Jamal, Z. Ali et al., "Biologically Synthesized Copper Nanoparticles Show Considerable Degradation of Reactive Red 81 Dye: An Eco-Friendly Sustainable Approach," *BioMed Research International*, vol. 2022, Article ID 7537955, 9 pages, 2022.

Research Article

Biologically Synthesized Copper Nanoparticles Show Considerable Degradation of Reactive Red 81 Dye: An Eco-Friendly Sustainable Approach

Muhammad Asim Rafique,¹ Adil Jamal ,² Zainab Ali,³ Shumaila Kiran ,⁴ Sarosh Iqbal,⁴ Sofia Nosheen,⁵ Zulqarnain Ansar,⁴ and Md Belal Hossain ⁶

¹School of Economics and Management, Yanshan University, Qinhuangdao, Hebei Province, China

²Sciences and Research, College of Nursing, Umm Al Qura University, Makkah-715, Saudi Arabia

³Government Health Department Sialkot, Sialkot, Pakistan

⁴Department of Applied Chemistry, Government College University, Faisalabad-38000, Pakistan

⁵Department of Environmental Science, Lahore College for Women University, Lahore, Pakistan

⁶Department of Plant Pathology, Faculty of Agriculture, Sher-e-Bangla Agricultural University, Sher-e-Bangla Nagar, Dhaka 1207, Bangladesh

Correspondence should be addressed to Shumaila Kiran; shumaila.asimch@gmail.com and Md Belal Hossain; dr.mbhossain@sau.edu.bd

Received 10 April 2022; Accepted 4 July 2022; Published 16 July 2022

Academic Editor: Abdelmotaleb Elokil

Copyright © 2022 Muhammad Asim Rafique et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Diospyros kaki leaf extract was used in this study as a favorable basis for the synthesis of copper nanoparticles (Cu NPs). X-ray diffraction (XRD) and UV-visible spectroscopy approaches were used to characterize the biologically synthesized copper nanoparticles. The XRD analysis showed that copper nanoparticles were face-centered cubic structure. Various experimental levels like conc. of dye, concentration of Cu NPs, pH, reaction time, and temperature were optimized to decolorize reactive red 81 dye using the synthesized Cu NPs. Reactive red 81 dye was decolorized maximum using Cu NPs of 0.005 mg/L. Additionally, reactive red 81 dye was decolorized at its maximum at pH = 6, temperature = 50°C. Our study reported that chemical oxidation demand (COD) and total organic carbon (TOC) deduction efficacies were 74.56% and 73.24%. Further degradation study of reactive red 81 dye was also carried out. Cu NPs have the ability and promising potential to decolorize and degrade reactive red 81 dye found in wastewater.

1. Introduction

Water is one of the most abundant natural resources on the planet, but just 1% of it is usable by humans [1, 2]. In the water supply system, continuing pollution of freshwater resources is a critical concern [3]. The textile sector makes a substantial contribution to the global economy and employs a huge number of people [4, 5]. Textile and garment sectors emit toxic waste high in organic compounds, especially colors, which are the principal outputs to the production process [6]. To discharge of dye-containing effluents, they have to go through a thorough preprocessing

procedure that safeguards the human health and the environment [7–9]. Chemical, environmental, and toxicological aspects influence the numerous therapy options available. Adsorption [10], electrochemical [11], photodegradation [12], and bioremediation are some of the methods exploited in these investigations [13]. Wastewater treatment and drinkable water can assist to address these problems [14], but current treatment methods are unable to completely remove new contaminants and meet high water quality standards [15]. Moreover, current treatment technologies have serious flaws, such as a higher energy demand, poor pollutant removal, and harmful sludge development [14].

Biological wastewater treatment is widely utilized, although it is slow and can occasionally result in microbe toxicity as a result of toxic chemicals [16, 17].

Nanomaterials can be made in a variety of ways [18]. For the detoxification of industrial wastes, various effective, sustainable, and cost-effective nanomaterials with various features have been developed [19, 20]. Copper nanoparticles (Cu NPs) have been found to be effective in the breakdown of organic contaminants. Metallic nanoparticles were found to enhance dye degradation via reductive [21] or oxidative [22] mechanisms. Furthermore, the C-N link between the amine group and the core benzene ring of the molecule might break, resulting in primary amines as waste [22]. Hydroxyl radicals are produced in these environments, and they act in a Fenton-like reaction on the oxidative destruction of organic contaminants. Physical and chemical methods for producing nanoparticles are costly, require complex processes, and result in pollution as well as low productivity [23].

Scientists are working on developing biologically produced nanoparticles derived from plant extracts [24–28]. Plant-assisted nanoparticles can also be used to cure a range of diseases [29]. Persimmon, or *Diospyros kaki*, is a tropical, deciduous, pulpy/fibrous fruit from the Ebenaceae group. It is commonly cultivated in warm regions of the globe, mainly China, Korea, and other Asian countries. *D. kaki* exhibits a number of medicinal effects, such as powerful radical sequestration and antigen lethality in the seed [30], anti-inflammatory action in the leaves [31], anticarcinogenic, antihypertensive [32], and antidiabetic properties [33]. The goal of the current study was to develop low-cost, environmentally friendly methods for degrading reactive red 81 dye. *D. kaki* leaf extract was used to make stable Cu NPs in the first stage. Following the optimization of experimental variables, the second stage involved using these stable Cu NPs for decolorization of reactive red 81 dye.

2. Materials and Methods

2.1. Experimental Plan. All of analytical-grade chemicals and reagents applied in this research were acquired on the local market. The copper nanoparticles (Cu NPs) were synthesized utilizing *Diospyros kaki* leaf extract and were characterized using physical methods. After which they were employed to decolorize and degrade direct red dye.

2.2. Preparation of Extract and Cu NPs. Leaves of *D. kaki* were collected from the native marketplace and were washed thrice using distilled water to eradicate adhered dust particles. The washed samples were dried in shade. Dried mass of these samples was grinded to fine powder. Fine powder of green leaf extract (10 g) was mixed in 500 mL distilled water and heated to 70°C for 20 minutes. Then, solution was later filtered with funnel and Whatman filter paper. Filtered extracts were cooled at room temperature and labeled and kept at 10°C [34]. Copper sulphate (0.1 M) was mixed with 30 mL of leaf extract of *D. Kaki* and further diluted to 400 mL with distilled water. Solution was agitated at 90°C for 3 hrs. The change in color with the passage of time indi-

cated that copper salt was being reduced to copper nanoparticles. The blend was centrifuged for 20-25 minutes, and the residue (Cu nanoparticles) was dried for 12 hours at 145-150°C.

2.3. Characterization of Copper Nanoparticles (UV-Vis Spectroscopy and XRD). The qualitative biosynthesis of Cu NPs was investigated using UV-visible spectroscopy. An ultraviolet-visible (UV-Vis) spectrophotometer was used to validate Cu nanoparticle production. The peak absorbance of synthesized Cu NPs was measured in the spectrum region of 300-800 nm wavelengths. Shimadzu-Scientific Instruments (SSI), Kyoto, Japan, used the XRD 6000 series to obtain X-ray diffraction peaks utilizing a nickel filter and Cu-K α target. The spectra were gathered in two ranges: 25-55 and 0-150 for strength indices. The average crystallite size of Cu NPs can also be measured utilizing the following equation of Debye-Scherrer:

$$D = k\lambda/\beta \cos \theta.$$

D = average crystallite size (nm).

k = Scherrer constant with a value from 0.9 to 1.

λ = X – ray wavelength.

β = full width of half maximum.

θ = Bragg diffraction angle (degrees).

2.4. Experimental Procedure. 100 mL of reactive red 81 dye solution (0.01%) was taken, its pH was attuned to 6.1 mg of copper nanoparticles that were added into it, and the reaction mixture was kept at 45°C for ninety minutes. The reaction's progress was checked by taking little volume of reaction mixture after every 15 minutes and measuring its maximum absorbance (λ_{max}) using a spectrophotometer [35]. Reactive red 81 dye level was changed from 0.01-0.05%, and copper nanoparticle dosage was altered from 0.001-0.01 g/L. pH level was adjusted from 4-8 and temperature from 40-70°C. All factors were elevated by the similar procedure by varying only one factor at a time.

2.5. Chemical Analysis. All experiments regarding decolorization were done in triplicate UV-visible spectroscopy was used to assess absorbance at 450 nm being measured. The following formula was used to calculate the efficacy of decolorization (%) for all parameters.

$$\text{Decolorization}(\%) = \frac{(I - F)}{I} \times 100, \quad (1)$$

while I is the absorption at zero time, and F is the last absorption of the degraded color.

2.6. Mineralization Analysis and Degradation Study. Dye solution was evaluated using TOC and COD measurements. Vials were used to determine COD. These were filled with 3.6 mL of catalyst solution (silver sulphate in conc. H₂SO₄), a digesting solution of 1.5 mL (K₂CR₂O₇ in acidified HgSO₄), and 2.5 mL of reactive red 81 dye solution. In deionized water, a blank sample with all materials was also prepared instead of a reactive red 81 dye sample. The vials were placed at 150°C for 120 minutes. The vials were then cooled at room temperature, and the absorbance was




FIGURE 1: Characterization of copper nanoparticles by XRD.




FIGURE 2: UV-vis spectroscopy result (λ_{max}) of direct red 81 dye.




FIGURE 3: Decolorization of synthetic direct red 81 dye solution using Cu nanoparticles as a catalyst.




FIGURE 4: Decolorization of synthetic direct red 81 dye solution copper nanoparticle as catalyst.

recorded at 600 nm. A vial was filled with 1.6 mL concentrated H_2SO_4 , 1 mL $K_2CR_2O_7$ (2 N), and 4 mL reactive red 81 dye sample to determine the TOC value. The same sample was made with all ingredients except the dye solution, which functioned as a blank. The digestion vials were kept at $110^\circ C$ for 90 minutes. The vials were then cooled at room temperature, and the absorbance at 590 nm was recorded [36]. For a precise measurement of the sample, the absorbance of the blank sample was subtracted from the absorbance of the sample.

COD and TOC values were estimated using the formula given below:

$$\frac{TOC}{COD} = SF \times A. \quad (2)$$

When SF stands for standard factor, A stands for absorbance, and standard factor can be determined as follows:

$$\text{Standard factor} = \frac{\text{Conc. of standard}}{\text{absorbance}}. \quad (3)$$

The disintegration of reactive red 81 dye was measured in various phases involving the cracking of various connections and development of different moieties.

2.7. *Statistical Analysis.* All the parameters in experiments were performed in triplicates. Averages of triplicates were calculated. Results were computed using standard error and standard deviation mean.

3. Results and Discussions

3.1. *Characterization of Copper Nanoparticles and Scanning of λ_{max} .* XRD was used to characterize the copper nanoparticles. Figure 1 shows the XRD patterns for Cu NPs produced with *D. kaki* leaves extract. The graph shows powerful and strong peaks, indicating a crystalline face-centered cube (FCC) phase of produced Cu NPs. The strength of a solution can be determined by determining absorbed quantity. A UV-visible spectrophotometer was used to determine the wavelength of maximum absorption (λ_{max}). The maximum wavelength was reported to be 450 nm (Figure 2).

3.2. *Role of Experimental Conditions for Decolorization of Reactive Red 81 Dye Solution.* Decolorization of reactive red 81 dye was involved the optimization of parameters like concentration of dye solution, concentration of Cu NPs, pH, and temperature.

3.2.1. *Effect of Concentration of Dye and Catalyst (Cu NPs) for Decolorization of Reactive Red 81 Dye Solution.* Various




FIGURE 5: Decolorization of synthetic direct red 81 dye solution at different pH using Cu nanoparticles as a catalyst.




FIGURE 6: Decolorization of synthetic direct red 81 dye solution at different temperature using Cu nanoparticles as a catalyst.




FIGURE 7: Effect of catalytic treatment interaction time on wastewater quality parameters.




FIGURE 8: Proposed degradation pathway of direct red 81 dye.

amounts of reactive red 81 dye (0.01-0.05%) have been used in the ongoing study. Optimum decolorization (72.7%) of reactive red 81 dye was obtained at a dosage of 0.02%. Dye removal was reduced as the amount of reactive red 81 dye was increased (Figure 3). A greater number of dye molecules may self-associate, giving the medium a turbid appearance. Moreover, larger substrate concentrations may cause the catalyst to be inhibited, reducing the rate of the reaction [37–39]. Removal of dye was inhibited only when amount of reactive red 81 dye was high due to turbulence in the sample medium and the substrate acting as a blocker. The catalyst's efficiency is reduced when the amount of red 81 dye is at greatest [40–42].

In the current investigation, a variety of catalysts were being used. The % age of dye decolorized improved from 58.4 to 78.2% when catalyst level was raised from 0.001 to 0.005 g/L (Figures 3 and 4). As a consequence, it was found that the best acceptable catalyst dose for reactive red 81 dye decolorization is 0.005 g/L Cu NPs (Figure 4). The rate of dye decolorization increases as the catalyst concentration is increased. The dosage of Cu nanoparticles applied affects

dye decolorization significantly [43]. The explanation for this is that as the concentration is raised, the number of active sites rises [44]. There will be no further development in rate of the reaction when the energetic sites of catalytic agents are entirely saturated with dye particles [45]. Increasing catalyst levels might cause turbulence in the solution due to a decrease in reaction rate [46].

3.2.2. Effect of pH and Temperature for Decolorization of Reactive Red 81 Dye Solution. The dye solution's pH is important since it affects the dye's decolorization time and can modify the type of the charge density on the adsorbent's surface. In this work, we did a sequence of catalytic assays with pH levels from 4-8, whereas the other parameters stayed persistent. As the pH climbed from 4 to 6, the decolorization of the dye under study increased from 57.9% to 86.1% (Figures 3 and 5). Rises in pH up to 8 caused a reduction in dye clearance over time (Figure 5). Increases in pH up to 8 resulted in a gradual decrease in dye removal (Figure 5). Fewer dye molecules are deposited on the catalytic surface because dye molecules are protonated at quite

lower pH. At pH 6, attraction interactions between negative and positive charged catalytic surfaces interfaces were detected, indicating the highest interacting forces amongst dye nanoparticles at this pH [47, 48]. It is worth noting that the pH of the aquatic component has a significant impact on the adsorbent's charge [40]. In addition, catalysts have a pH value that is ideal for maximum catalytic potential [49]. Catalyst alteration can occur at pH levels greater than the optimum [50].

Experimental studies with an optimum dosage of Cu NPs (0.005 g/L) at temperatures ranging from 40-70°C have been performed out to evaluate the influence of temperature on the decolorization of reactive red 81 dye. As the temperature is increased from 40-50°C, the efficiency of dye decolorization rises from 76.3% to 87.8%, demonstrating that the catalytic action of Cu NPs is sensitive to temperature (Figures 3 and 6). The decolorization of the dye was reduced by up to 69.6% by raising the temperature to 70°C. As a consequence, 50°C was shown to be the best temperature for best dye removal of reactive red 81 dye by Cu nanoparticles (Figure 6). One theory is that catalysts have a large number of active regions for stimulating activities. Only at a certain temperature do catalysts achieve significant catalytic effect [40]. Temperatures that exceed the optimal value might cause permanent changes in the three-dimensional form of catalytic agents, resulting in declining the catalytic activity decline [51]. Our findings show that high temperature causes a decrease in dye decolorization (Figures 3 and 6). Temperature increases may cause a shift in the three-dimensional form of catalyst agents, reducing their dye adhesion ability [52].

3.2.3. Mineralization Study. For the management of reactive red 81 dye utilizing Cu NPs as a catalyst, the mineralized efficiency was evaluated utilizing quality control metrics like COD and TOC. The COD and TOC of reactive red 81 dye solution were measured. % decrease in COD and TOC was calculated throughout a series of contact times from ten to seventy minutes. When the contact duration is amplified from 10-50 minutes, the %decrease of these metrics rises (Figure 7). COD and TOC levels decreased as the duration of contact was lengthened to 70 minutes (Figure 7). The products of a reaction might function as inhibitor, slowing down the speed of the process [53]. As indicated by higher COD and TOC removal values, Cu NPs not only decomposed but also mineralized our dye molecule and the other generated reaction intermediates formed at various stages of catalytic reaction [40, 54].

3.2.4. Dye Degradation Study. Copper nanoparticles were employed to degrade direct red 81 dye which broke down the chromophore group firstly (Figure 8). The direct red dye's ring structure was later deteriorated. Intermediate products (carboxylic acids, aldehydes, and alkane) were generated once the dye molecule was degraded. During the mineralization, the basic substances such as carbon dioxide and water molecules were produced [24, 54].

4. Conclusion

Agro-waste stuff might be an excellent source of nanoparticles. Cu NPs were made physiologically using an aqueous extract of *Diospyros kaki* leaves. UV-visible and XRD analyses were used to characterize Cu NPs. Cu NPs were utilized to decolorize reactive red 81 dye. The dye decolorized up to 87.8% at 0.02% dye concentration, pH 6, and 0.005 g/L copper nanoparticle concentration at 50°C. COD and TOC levels were found to be 74.56% and 73.24%, correspondingly. The dye breakdown process produced the most basic components. Plant extracts could be employed in future investigations to produce additional metal oxide nanoparticles in a more environmentally friendly manner. So, it can be concluded that Cu NPs can potentially be employed to remove other notorious dyes present in industrial wastewater to eliminate their toxic effects, hence, saving the aquatic and terrestrial lives.

Abbreviations

Cu NPs:	Copper nanoparticles
XRD:	X-ray diffraction
COD:	Chemical oxidation demand
TOC:	Total organic carbon
K ₂ CR ₂ O ₇ :	Potassium dichromate
HgSO ₄ :	Mercuric sulphate
H ₂ SO ₄ :	Sulphuric acid.

Data Availability

All the data relevant to this study are mentioned in the manuscript. There is no any supplementary data.

Conflicts of Interest

The authors declare no conflicts of interest.

Authors' Contributions

SK and Md BH executed the idea, planned, organized, and supervised the study. ZA performed the experiments. AJ and MAR wrote the early and final draft of manuscript. SI and SN did the statistical analysis and results interpretation. All the authors finally read and approved the manuscript.

Acknowledgments

Thai research work was done in Department of Applied Chemistry, Government College University, Faisalabad, Pakistan, for providing the necessary chemicals and equipment to complete the experimental work magnificently. All authors are thankful to the Department of Applied Chemistry, Government College University, Faisalabad, Pakistan, for providing lab facilities being run by Dr. Shumaila Kiran, to carry out current study smoothly and successfully.

References

- [1] D. Grey, D. Garrick, D. Blackmore, J. Kelman, M. Muller, and C. Sadoff, "Water security in one blue planet: twenty-first century policy challenges for science," *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, vol. 371, no. 2002, p. 20120406, 2013.
- [2] A. S. Adeleye, J. R. Conway, K. Garner, Y. Huang, Y. Su, and A. A. Keller, "Engineered nanomaterials for water treatment and remediation: costs, benefits, and applicability," *Chemical Engineering Journal*, vol. 286, pp. 640–662, 2016.
- [3] S. Kiran, A. Ghaffar, S. Iqbal et al., "Characterization and valorization of sludge from textile wastewater plant for positive environmental applications," *Handbook of Biomass Valorization for Industrial Applications*, vol. 20, pp. 465–489, 2022.
- [4] M. Shahadat, A. Jha, S. U. Islam et al., "Recent advances in chitosan-polyaniline based nanocomposites for environmental applications: a review," *Polymer*, vol. 254, p. 124975, 2022.
- [5] A. Haque, S. Kiran, S. Nosheen et al., "Degradation of reactive blue 19 dye using copper nanoparticles synthesized from *Labeo rohita* fish scales: a greener approach," *Polish Journal of Environmental Studies*, vol. 29, no. 1, pp. 609–616, 2020.
- [6] M. Shahid and F. Mohammad, "Perspectives for natural product based agents derived from industrial plants in textile applications - a review," *Journal of Cleaner Production*, vol. 57, pp. 2–18, 2013.
- [7] C. C. Guaratini and M. V. Zanoni, "Corantes têxteis," *Química Nova*, vol. 23, no. 1, pp. 71–78, 2000.
- [8] L. E. Sendelbach, "A review of the toxicity and carcinogenicity of anthraquinone derivatives," *Toxicology*, vol. 57, no. 3, pp. 227–240, 1989.
- [9] F. A. Esteve-Turrillas and M. de la Guardia, "Environmental impact of recover cotton in textile industry," *Resources, Conservation and Recycling*, vol. 116, pp. 107–115, 2017.
- [10] H. Karaer and I. Kaya, "Synthesis, characterization of magnetic chitosan/active charcoal composite and using at the adsorption of methylene blue and reactive blue4," *Microporous and Mesoporous Materials*, vol. 232, pp. 26–38, 2016.
- [11] N. R. Neti and R. Misra, "Efficient degradation of reactive blue 4 in carbon bed electrochemical reactor," *Chemical Engineering Journal*, vol. 184, pp. 23–32, 2012.
- [12] J. M. Monteagudo, A. Durán, I. San Martín, and S. García, "Ultrasound-assisted homogeneous photocatalytic degradation of reactive blue 4 in aqueous solution," *Applied Catalysis B: Environmental*, vol. 152–153, pp. 59–67, 2014.
- [13] J. Axelsson, U. Nilsson, E. Terrazas, T. Alvarez Aliaga, and U. Welander, "Decolorization of the textile dyes reactive red 2 and reactive blue 4 using *Bjerkandera* sp. Strain BOL 13 in a continuous rotating biological contactor reactor," *Enzyme and Microbial Technology*, vol. 39, no. 1, pp. 32–37, 2006.
- [14] N. Ferroudj, J. Nzimoto, A. Davidson et al., "Maghemite nanoparticles and maghemite/silica nanocomposite microspheres as magnetic Fenton catalysts for the removal of water pollutants," *Applied Catalysis B: Environmental*, vol. 136–137, pp. 9–18, 2013.
- [15] X. Qu, J. Brame, Q. Li, and P. J. Alvarez, "Nanotechnology for a safe and sustainable water supply: enabling integrated water treatment and reuse," *Accounts of Chemical Research*, vol. 46, no. 3, pp. 834–843, 2013.
- [16] G. Zelmanov and R. Semiat, "Phenol oxidation kinetics in water solution using iron(3)-oxide-based nano-catalysts," *Water Research*, vol. 42, no. 14, pp. 3848–3856, 2008.
- [17] S. Chaturvedi, P. N. Dave, and N. K. Shah, "Applications of nano-catalyst in new era," *Journal of Saudi Chemical Society*, vol. 16, no. 3, pp. 307–325, 2012.
- [18] S. U. Islam, L. J. Rather, and F. Mohammad, "Phytochemistry, biological activities and potential of annatto in natural colorant production for industrial applications - a review," *Journal of Advanced Research*, vol. 7, no. 3, pp. 499–514, 2016.
- [19] V. K. Gupta, I. Tyagi, H. Sadegh, R. Shahryari-Ghoshekan, A. S. H. Makhoulouf, and B. Maazinejad, "Nanoparticles as adsorbent; a positive approach for removal of noxious metal ions: a review," *Science Technology and Development*, vol. 34, no. 3, pp. 195–214, 2015.
- [20] J. Theron, J. A. Walker, and T. E. Cloete, "Nanotechnology and water treatment: applications and emerging opportunities," *Critical Reviews in Microbiology*, vol. 34, no. 1, pp. 43–69, 2008.
- [21] S. S. Raut, S. P. Kamble, and P. S. Kulkarni, "Efficacy of zero-valent copper (Cu^0) nanoparticles and reducing agents for dechlorination of mono chloroaromatics," *Chemosphere*, vol. 159, pp. 359–366, 2016.
- [22] S. Dutta, R. Saha, H. Kalita, and A. N. Bezbaruah, "Rapid reductive degradation of azo and anthraquinone dyes by nano-scale zero-valent iron," *Environmental Technology and Innovation*, vol. 5, pp. 176–187, 2016.
- [23] G. Dong, Z. Ai, and L. Zhang, "Total aerobic destruction of azo contaminants with nanoscale zero-valent copper at neutral pH: promotion effect of in-situ generated carbon center radicals," *Water Research*, vol. 66, pp. 22–30, 2014.
- [24] S. Kiran, M. A. Rafique, S. Iqbal, S. Nosheen, S. Nazm, and A. Rasheed, "Synthesis of nickel nanoparticles using *Citrullus colocynthis* stem extract for remediation of reactive yellow 160 dye," *Environmental Science and Pollution Research*, vol. 27, no. 26, pp. 32998–33007, 2020.
- [25] S. Kiran, M. A. Rafique, A. Ashraf et al., "Green synthesis of nickel nanoparticles using fruit peels of citrus paradise for remediation of Congo red dye," *Journal of the Mexican Chemical Society*, vol. 65, no. 4, pp. 507–515, 2021.
- [26] M. A. Rafique, S. Kiran, S. Javed et al., "Green synthesis of nickel oxide nanoparticles using *Allium cepa* peels for degradation of Congo red direct dye: an environmental remedial approach," *Water Science and Technology*, vol. 84, no. 10–11, pp. 2793–2804, 2021.
- [27] M. A. Rafique, A. Jamal, G. Afzal et al., "Photocatalytic mediated remediation of synthetic dyes effluent using zero-valent iron: a comparative study," *Desalination and Water Treatment*, vol. 237, pp. 284–291, 2021.
- [28] Y. O. Al-Ghamdi, M. Jabli, R. Soury, and S. A. Khan, "Synthesis of copper oxide nanoparticles using *Pergularia tomentosa* leaves and decolorization studies," *International Journal of Phytoremediation*, vol. 24, no. 2, pp. 118–130, 2022.
- [29] P. Kuppusamy, M. M. Yusoff, G. P. Maniam, and N. Govindan, "Biosynthesis of metallic nanoparticles using plant derivatives and their new avenues in pharmacological applications - an updated report," *Saudi Pharmaceutical Journal*, vol. 24, no. 4, pp. 473–484, 2016.
- [30] Z. Zreen, A. Hameed, S. Kiran, T. Farooq, and M. S. Zaroog, "A Comparative Study of *Diospyros malabarica* (Gaub) Extracts in Various Polarity-Dependent Solvents for Evaluation of

- Phytoconstituents and Biological Activities,” *BioMed Research International*, vol. 2022, 2022.
- [31] K. S. Kim, D. S. Lee, D. C. Kim et al., “Anti-inflammatory effects and mechanisms of action of coussaric and betulinic acids isolated from *Diospyros kaki* in lipopolysaccharide-stimulated RAW 264.7 macrophages,” *Molecules*, vol. 21, no. 9, p. 1206, 2016.
- [32] R. U. Islam, M. A. Khan, and S. U. Islam, “Plant derivatives as promising materials for processing and packaging of meat-based products – focus on antioxidant and antimicrobial effects,” *Journal of Food Processing and Preservation*, vol. 41, no. 2, article e12862, 2017.
- [33] C. Li, W. Bei, Y. Li, and J. Lou, “Ethylacetate extract of *Diospyros kaki* leaf for preventing and treating hyperglycemic, diabetes and metabolic syndromes,” *Faming Zhuanli Shenqing Gongkai Shuomingshu*, vol. 32, pp. 21–23, 2007.
- [34] T. Sinha and M. Ahmaruzzaman, “Green synthesis of copper nanoparticles for the efficient removal (degradation) of dye from aqueous phase,” *Environmental Science and Pollution Research*, vol. 22, no. 24, pp. 20092–20100, 2015.
- [35] S. Kiran, S. Nosheen, S. Iqbal et al., “Photocatalysis using titanium dioxide for treatment of textile wastewater containing disperse dyes,” *Chiang Mai Journal of Science*, vol. 45, no. 7, pp. 2730–2739, 2018.
- [36] B. L. Greenberg, U.S. Patent and Trademark Office, Washington, DC, 1985, U.S. Patent No. 4, 547,804.
- [37] M. Bayat, V. Javanbakht, and J. Esmaili, “Synthesis of zeolite/nickel ferrite/sodium alginate bionanocomposite via a coprecipitation technique for efficient removal of water-soluble methylene blue dye,” *International Journal of Biological Macromolecules*, vol. 116, pp. 607–619, 2018.
- [38] N. Rahman, Z. Abedin, and M. A. Hossain, “Rapid degradation of azo dyes using nano-scale zero valent iron,” *American Journal of Environmental Sciences*, vol. 10, no. 2, pp. 157–163, 2014.
- [39] N. Askari, M. Farhadian, and A. Razmjou, “Simultaneous effects of pH, concentration, pressure on dye removal by a polyamide nanofilter membrane; optimization through response surface methodology,” *Environmental Nanotechnology, Monitoring & Management*, vol. 10, pp. 223–230, 2018.
- [40] A. Ghaffar, S. Kiran, M. A. Rafique et al., “Citrus paradisi fruit peel extract mediated green synthesis of copper nanoparticles for remediation of disperse yellow 125 dye,” *Desalination and Water Treatment*, vol. 212, pp. 368–375, 2021.
- [41] S. Shende, A. P. Ingle, A. Gade, and M. Rai, “Green synthesis of copper nanoparticles by *Citrus medica* Linn. (Idilimbu) juice and its antimicrobial activity,” *World Journal of Microbiology and Biotechnology*, vol. 31, no. 6, pp. 865–873, 2015.
- [42] C. Vidya, C. Manjunatha, M. Sudeep, S. Ashoka, and L. A. Raj, “Photo-assisted mineralisation of titan yellow dye using ZnO nanorods synthesised via environmental benign route,” *SN Applied Sciences*, vol. 2, no. 4, pp. 1–15, 2020.
- [43] B. Shahmoradi, A. Maleki, and K. Byrappa, “Removal of disperse orange 25 using in situ surface-modified iron-doped TiO₂ nanoparticles,” *Desalination and Water Treatment*, vol. 53, no. 13, pp. 3615–3622, 2015.
- [44] S. U. Islam and F. Mohammad, “Silver nanomaterials as future colorants and potential antimicrobial agents for natural and synthetic textile materials,” *RSC Advances*, vol. 6, no. 50, pp. 44232–44247, 2016.
- [45] M. A. Mekewi, A. S. Darwish, M. S. Amin, G. Eshaq, and H. A. Bourazan, “Copper nanoparticles supported onto montmorillonite clays as efficient catalyst for methylene blue dye degradation,” *Egyptian Journal of Petroleum*, vol. 25, no. 2, pp. 269–279, 2016.
- [46] S. Kiran, S. Ali, M. Asghar, and F. Anwar, “Comparative study on decolorization of reactive dye 222 by white rot fungi *Pleurotus ostreatus* IBL-02 and *Phanerochaete chrysosporium* IBL-03,” *African Journal of Microbiology Research*, vol. 6, no. 15, pp. 3639–3650, 2012.
- [47] A. Sharma, Z. M. Siddiqui, S. Dhar, P. Mehta, and D. Pathania, “Adsorptive removal of Congo red dye (CR) from aqueous solution by *Cornulaca monacanthstem* and biomass-based activated carbon: isotherm, kinetics and thermodynamics,” *Separation Science and Technology*, vol. 54, no. 6, pp. 916–929, 2019.
- [48] M. Usman, A. Ahmed, B. Yu, Q. Peng, Y. Shen, and H. Cong, “Photocatalytic potential of bio-engineered copper nanoparticles synthesized from *Ficus carica* extract for the degradation of toxic organic dye from waste water: growth mechanism and study of parameter affecting the degradation performance,” *Materials Research Bulletin*, vol. 120, p. 110583, 2019.
- [49] F. Ahmed, T. Gulzar, S. Kiran et al., “Nickel oxide and carbonylmethyl cellulose composite beads as catalyst for the pollutant degradation,” *Applied Nanoscience*, pp. 1–11, 2022.
- [50] G. Afzal, A. Jamal, S. Kiran et al., “Aerva javanica mediated synthesis, characterization and antimicrobial evaluation of zinc oxide nanoparticles,” *JAPS: Journal of Animal & Plant Sciences*, vol. 32, no. 2, pp. 547–553, 2022.
- [51] A. Rasool, S. Kiran, F. U. Rehman, and S. Abrar, “Plant-mediated biosynthesis of zinc oxide nanoparticles for remediation of acid blue a dye,” *Chiang Mai Journal of Science*, vol. 48, no. 6, pp. 1620–1633, 2021.
- [52] S. Kiran, A. Ashraf, M. Rahmat, G. Afzal, S. Abrar, and S. Asif, “Green synthesis of magnesium oxide nanoparticles using leaves of *Iresine herbstii* for remediation of reactive brown 9 dye,” *Global Nest Journal*, vol. 24, no. 2, pp. 291–296, 2022.
- [53] E. R. A. Ferraz, G. A. R. Oliveira, M. D. Grando, T. M. Lizier, M. V. B. Zanoni, and D. P. Oliveira, “Photoelectrocatalysis based on Ti/TiO₂ nanotubes removes toxic properties of the azo dyes Disperse Red 1, Disperse Red 13 and Disperse Orange 1 from aqueous chloride samples,” *Journal of Environmental Management*, vol. 124, pp. 108–114, 2013.
- [54] R. Javaid, U. Yaqub, and S. Kawasaki, “Highly efficient decomposition of remazol brilliant blue R using tubular reactor coated with thin layer of PdO,” *Journal of Environmental Management*, vol. 180, pp. 551–556, 2016.