Evaluation of Knowledge of House Officers Regarding Prevention of Endodontic Instrument Fracture during Endodontic Treatment

|QUESTIONNAIRE|

Your participation in this study will be highly appreciated. Please answer all 15 questions by circling the appropriate answer of your choice where required. All your information will be kept confidential and used only for research and educational purpose.

Gender: M/F	Age:
College / Institution:	
Year of Graduation:	

1)	In v	which of the following is endodontic instrument fracture more common, in your opinion?
	a)	Primary dentition
	b)	Young permanent teeth
	c)	Old permanent teeth
2)	In y	our opinion, which gender is at a higher risk of endodontic instrument fracture:
	a)	Males
	b)	Females
	c)	No bearing
3)	In y	our opinion, which of the following location of a tooth can be a contributory factor for
	end	dodontic instrument fracture?
	a)	Anterior
	b)	Posterior
	c)	No bearing
4)	Pat	ient anxiety plays a role in endodontic instrument fracture :
	-	True
	-	False
5)		nich portion of the root canal is more prone to instrument fracture?
	•	Coronal Third
	-	Middle Third
	c)	Apical Third
6)	Do	es Expertise of the operator plays a role in the prevention of endodontic instrument fracture :
U)	DU	a) Yes
		b) No
7)	Do	es "Coronal Flare" reduce the chances of endodontic instrument fracture?
	a)	Yes
	b)	No
	c)	No bearing
8)	Do	you agree that use of "EDTA GEL" (glide) reduces risk of endodontic instrument fracture?
	a)	Yes
	b)	No
	c)	No bearing
9)	Do	es cleaning of an endodontic instrument, during instrumentation of root canal, help in
	pre	vention of its fracture?
	a)	Yes
	b)	No
	c)	No bearing
10)	Do	es reusing of used endodontic instrument, increases the risk of instrument fracture?
	a)	Yes

- b) No
- c) No bearing
- 11) Does the choice of endodontic instrument reduce the risk of instrument fracture?
 - a) Yes
 - b) No
 - c) No bearing
- 12) In your opinion, which type of endodontic file, frequently breaks in the root canal:
 - a) Rotary files
 - b) Hand files
 - c) No bearing
- 13) In your opinion, which type of endodontic instrument "alloy" is more frequently broken?
 - a) Stainless Steel
 - b) Nickel Titanium
 - c) No bearing
- 14) In your opinion, in which phase of "Root Canal Treatment", instruments are most likely broken?
 - a) While negotiating the canal
 - b) During cleaning and shaping
 - c) None of the above
- 15) In your opinion, which of the following root canal area has the poorest prognosis of fractured instrument retrieval?
 - a) Coronal Third
 - b) Middle Third
 - c) Apical Third
