

Case Report

The Use of a Hybrid Pillar and Its Importance for Aesthetic Rehabilitation and Tissue Stability: A Clinical Report

Guilherme da Gama Ramos¹, Danilo Lazzari Ciotti,¹ Samuel Rehder Wimmers Ferreira,² Maide Rehder Wimmers Ferreira Margarido,² Raquel Adriano Dantas,¹ and Marina Nottingham Guerreiro¹

¹São Leopoldo Mandic Institute and Research Center, R. José Rocha Junqueira 13, 13045-755 Campinas, SP, Brazil

²Paulista Association of Dental Surgeons, Rua José Nardon 177, 13419-000 Piracicaba, SP, Brazil

Correspondence should be addressed to Guilherme da Gama Ramos; gdagama@yahoo.com

Received 14 March 2018; Accepted 11 June 2018; Published 2 July 2018

Academic Editor: Mine Dündar

Copyright © 2018 Guilherme da Gama Ramos et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In the past, aesthetics had a secondary role in implant rehabilitation. Nowadays, the search for a perfect and harmonious aesthetic has stimulated the development of new materials and techniques. Due to this aesthetic requirement, the hybrid abutment (titanium link + zirconia) emerged as an alternative to metallic pillars. The hybrid abutment made a more favorable aesthetic possible, provided reliable mechanical properties, and increased biocompatibility to the surrounding tissues. Additionally, the individual zirconia abutment improves the emergency profile and the final white aesthetics. The objective of this paper is to report a clinical case with a manufactured individualized hybrid abutment for a metal-free indirect restoration, showing the applicability, mechanical properties, and biocompatibility of the hybrid abutment.

1. Introduction

Aesthetic demands led us to new concepts and prosthetic resources in dentistry. We now use new materials with optical, mechanical, and biological properties [1]. Zirconia abutment fabrication and metal-free-implant-supported prostheses favor a better aesthetic situation than the metal counterpart [2]. These methods allow translucency in dental restoration, provide gingival tissue shade reduction, and result in a very natural and healthy appearance [3].

Zirconia abutments not only allow light transmission in the same manner as natural teeth [2, 4, 5] but also present reliable mechanical properties and soft tissue biocompatibility.

The aesthetic success of implant-supported prostheses is strongly related to the surrounding soft tissue appearance. Unlike metal abutments, which cause an unpleasant appearance in a fine gingival biotype [6], the use of zirconia abutment allows light scattering and customization for each individual case. This creates an emergence profile that

provides color, shape, and gingival symmetry similar to natural teeth [4, 5].

As observed in several studies, zirconia has shown satisfactory results in aesthetic of prosthetic crowns as well as in adjacent gingival tissues [2, 7–11]. Due to the increase of the use of aesthetic abutments and restorations, new technologies have appeared, such as CAD/CAM systems [12, 13].

The CAD/CAM system consists of a planning and production computerized system for crowns, facets, inlays, onlays, crown copings, implant abutments, and even zirconia structures for fixed and removable partial prostheses. Through this system, pieces are fabricated with quality, high accuracy, minimal human intervention, error reduction during production, and lowered manufacturing costs [13, 14].

The objective of this paper was to show the importance of aesthetic customized prosthetic abutment and its indications and advantages and disadvantages, along with a clinical case presentation.




FIGURE 1: Provisional restauration properly prepared and screwed on the implant.



FIGURE 2: Gingival contour and emergence profile obtained by the provisional restauration.



FIGURE 3: Molding with customized transfer in position, made with Pattern Resin.

2. Case Presentation

A 46-year-old male patient with absence of element 24 presents with a need for aesthetic rehabilitation. The patient had tooth extraction indicated due to root fracture. After Anthogyr PX 4.0×8 mm implant installation, a provisional restauration for gingival tissue maintenance was made, in respect of the ideal critical and subcritical contour, providing a more predictable and stable gingival emergence profile.

During the osseointegration period (120 days), the temporary customized crown did not have any occlusal contact. After this period, the acrylic temporary crown, previously prepared, was adjusted. For a better gingival tissue conditioning, we proceeded with temporary crown reassembly. Figures 1(a) and 1(b) display the temporary component properly prepared and screwed on the implant.

Figure 2 shows an excellent emergence profile and the quality of the soft tissue obtained by the provisional component that was made in respect of the gingival biotype, and a



FIGURE 4: Transfer mold.



FIGURE 5: Working cast.




FIGURE 6: Gingival margin delimitation and abutment customization.

concave critical and subcritical transmucosal emergence profile ensured the soft tissue quality [15#x2013;17].

For the preparation of the working cast, customized transfer was used (Figures 3(a) and 3(b)) and molding was done with polyvinyl siloxane (Figure 4).

Even though the working cast reproduces the clinical situation faithfully (Figure 5), we proceeded with the

rehabilitation using the CAD/CAM technology-customized zirconia (hybrid) for link abutment (FLEXIBASE®, Anthogyr) which offers advantages over prefabricated ones.

Figure 6(a) enables us to observe that through this technology, the gingival margin is delimited in order to make the abutment emerge throughout the soft tissue as similar as a natural clinical crown (Figure 6(b)).




FIGURE 7: Divergent angle of implant trajectory and agglutination correction.




FIGURE 8: Adjustment of the proportion abutment/crown for ideal retention.



FIGURE 11: Zirconia of the hybrid abutment and E-max crown.




FIGURE 9: Interproximal adjustment and occlusal check.



FIGURE 12: Abutment in position, manufactured in CAD/CAM technology.



FIGURE 10: Zirconia of the hybrid abutment.

The zirconia project enables angular corrections in the trajectory position, in order to avoid or minimize differences between implant and crown position (Figures 7(a) and 7(b)).

Once the crown is designed, the outer part of the abutment is adjusted to create support and to provide retention which is achieved by planning an ideal proportion between the hybrid abutment and restorative crown, interocclusal space, and cementation line appropriated to the final restoration (Figures 8 and 9).

An E-max (ips-E-max, ivoclaire) pure crown final restoration was manufactured (Figures 10 and 11).



FIGURE 13: Cemented crown.



FIGURE 14: Crown as noticed by the color, shape, texture, and contour of the gingival tissue.

To cement the zirconia abutment in the link abutment, the flex base, the bonding surfaces of the titanium, and the zirconia ceramic were air-abraded with 50 mm aluminum oxide particles at 2.0 bars of pressure (0.25 MPa) for 20 seconds at a distance of 10 mm, after which they were cleaned in alcohol and then cemented using a resin luting (Relyx U200, 3M ESPE®) [18]. Excess resin was removed from the bonding margins before it became fully set and was light-cured per the manufacturer's recommendations.

The hybrid abutment was placed (Figure 12) with 25 N definitive torque, and the crown was cemented using a resin luting (Relyx U200, 3M ESPE).

The clinical results (Figures 13 and 14), one month after prosthesis installation, prove the component adaptation placement and the quality in the contour of the gingival tissues. The successful aesthetic can be noticed by the smile harmony, color, texture, and natural brightness in comparison to the adjacent teeth.

3. Discussion

Dental implant treatment for dental element replacement considering the maintenance of gingival architecture and restoration has occurred for some years. However, by pursuing better aesthetics, hybrid abutments have surpassed metal abutments and provide a more natural appearance to the ceramic restorations.

CAD/CAM systems enabled the fabrication of the customized zirconia for link abutments that are individualized for both the anterior region and posterior teeth. Nowadays, through the CAD/CAM technology, hybrid abutment can

be designed and manufactured ensuring mechanical characteristics of the materials [13, 19, 20].

CAD/CAM systems present several advantages, such as fast production, biocompatibility, aesthetics, and mechanical resistance with low fracture rate (because the blocks are industrially produced and have high homogeneity, without the need for refractory casts) [21, 22]. Furthermore, they enable excellent adaptation between margin restoration and soft tissues [23, 24].

There are several studies comparing metal and hybrid abutment characteristics [25]. Taking aesthetics into consideration, it was observed that hybrid abutments did not give grayish appearance to the gingival margin as noticed when metal abutments were used. This is a great advantage, especially to patients who have a high smile line and fine gingival genotype [3].

Studies have shown that the zirconia oxide presents mechanical resistance similar to titanium. This property combined with new automated techniques (CAD/CAM) made the use of hybrid abutment possible in rehabilitation both in the anterior region and in regions with higher masticatory load [13, 21, 24–28].

Material biocompatibility is very important for the longevity of implant-supported restorations. A great deal of studies observed that zirconia has presented low bacterial adherence, and hybrid abutments accumulate bacteria with lower pathogenic potential in relation to titanium abutments [6, 7].

Single hybrid abutments have aesthetics, mechanical resistance, and biocompatibility which enable metal components to be replaced in implanted supported prostheses. However, each case should be evaluated carefully as these components were recently introduced to the market and there are no long-term studies on their clinical use.


Conflicts of Interest

The authors declare that there are no conflicts of interest regarding the publication of this paper.


References

- [1] R. Faria and M. A. Bottino, "Zircônia monolítica de alta translucidez na reabilitação sobre implantes," *PróteseNews*, vol. 3, no. 1, pp. 36–50, 2016.
- [2] S. A. Gehrke, P. C. V. Dos Santos, N. T. A. Carvalho, R. M. De Mello, and M. J. Carbonari, "Abutment cerâmico para prótese individual metalfree sobre implante: parafusada ou cimentada - demonstração laboratorial e clínica," *Full Dentistry in Science*, vol. 1, no. 3, pp. 248–253, 2010.
- [3] P. L. B. Tan and J. T. Dunne Jr., "An esthetic comparison of a metal ceramic crown and cast metal abutment with an all-ceramic crown and zirconia abutment: a clinical report," *The Journal of Prosthetic Dentistry*, vol. 91, no. 3, pp. 215–218, 2004.
- [4] M. Anderson, M. E. Razzoog, A. Odén, E. A. Hegenbarth, and B. R. Lang, "Procera: a new way to achieve an all-ceramic crown," *Quintessence International*, vol. 29, no. 5, pp. 285–296, 1998.

- [5] P. Odman and B. Andersson, "Procera AllCeram crowns followed for 5 to 10.5 years: a prospective clinical study," *The International Journal of Prosthodontics*, vol. 14, no. 6, pp. 504–509, 2001.
- [6] V. M. Barros, B. F. de Oliveira, S. G. de Oliveira, and P. I. Seraidarian, "Intermediário de zircônia," *PróteseNews*, vol. 1, no. 1, pp. 52–64, 2014.
- [7] L. Rimondini, L. Cerroni, A. Carrassi, and P. Torricelli, "Bacterial colonization of zirconia ceramic surfaces: an in vitro and in vivo study," *The International Journal of Oral & Maxillofacial Implants*, vol. 17, no. 6, pp. 793–798, 2002.
- [8] A. Scarano, M. Piattelli, S. Caputi, G. A. Favero, and A. Piattelli, "Bacterial adhesion on commercially pure titanium and zirconium oxide disks: an in vivo human study," *Journal of Periodontology*, vol. 75, no. 2, pp. 292–296, 2004.
- [9] R. Scotti, K. Zanini Kantorski, N. Scotti, C. Monaco, L. F. Valandro, and M. A. Bottino, "Early biofilm colonization on polished- and glazed-zirconium ceramic surface. Preliminary results," *Minerva Stomatologica*, vol. 55, no. 9, pp. 493–502, 2006.
- [10] R. Scotti, K. Z. Kantorski, C. Monaco, L. F. Valandro, L. Ciocca, and M. A. Bottino, "SEM evaluation of in situ early bacterial colonization on a Y-TZP ceramic: a pilot study," *The International Journal of Prosthodontics*, vol. 20, no. 4, pp. 419–422, 2007.
- [11] A. M. M. Mesquita, R. O. A. Souza, and E. Miyashita, "Restaurações cerâmicas metal free," in *Atualização em clínica Odontológica – Clínica do Dia-a-Dia*, pp. 679–719, Artes Médicas, São Paulo, Brazil, 2008.
- [12] A. M. M. Mesquita, E. Miyashita, R. O. de Assunção e Souza, R. de Vasconcellos Moura, S. Watinaga, and J. A. Shibli, "A tecnologia CAD/CAM e a zircônia a serviço da prótese sobre implante," *PróteseNews*, vol. 2, no. 3, pp. 51–70, 2015.
- [13] F. P. Pastor, F. Kfouri, and T. de Mello Rezende, "Confecção de pilares metal free com o uso do sistema CAD/CAM," *PróteseNews*, vol. 3, no. 2, pp. 174–183, 2016.
- [14] R. Van Noort, "The future of dental devices is digital," *Dental Materials*, vol. 28, no. 1, pp. 3–12, 2012.
- [15] H. Su, O. Gonzalez-Martin, A. Weisgold, and E. Lee, "Considerations of implant abutment and crown contour: critical contour and subcritical contour," *The International Journal of Periodontics & Restorative Dentistry*, vol. 30, p. 335, 2010.
- [16] E. Rompen, N. Raepsaet, O. Domken, B. Touati, and E. van Dooren, "Soft tissue stability at the facial aspect of gingivally converging abutments in the esthetic zone: a pilot clinical study," *The Journal of Prosthetic Dentistry*, vol. 97, no. 6, pp. S119–S125, 2007.
- [17] M. Katafuchi, B. F. Weinstein, B. G. Leroux, Y. W. Chen, and D. M. Daubert, "Restoration contour is a risk indicator for peri-implantitis: a cross-sectional radiographic analysis," *Journal of Clinical Periodontology*, vol. 45, no. 2, pp. 225–232, 2018.
- [18] P. Gehrke, J. Alius, C. Fischer, K. J. Erdelt, and F. Beuer, "Retentive strength of two-piece CAD/CAM zirconia implant abutments," *Clinical Implant Dentistry and Related Research*, vol. 16, no. 6, pp. 920–925, 2014.
- [19] I. Sailer, T. Sailer, B. Starwarczyk, R. E. Jung, and C. H. Hämmeler, "In vitro study of the influence of the type of connection on the fracture load of zirconia abutments with internal and external implant-abutment connections," *The International Journal of Oral & Maxillofacial Implants*, vol. 5, pp. 850–858, 2009.
- [20] P. Magne, M. P. Paranhos, L. H. Burnett Jr., M. Magne, and U. C. Belser, "Fatigue resistance and failure mode of novel-design anterior single-tooth implant restorations: influence of material selection for type III veneers bonded to zirconia abutments," *Clinical Oral Implants Research*, vol. 22, no. 2, pp. 195–200, 2011.
- [21] M. Morim, "CEREC: the power of technology," *Compendium of Continuing Education in Dentistry*, vol. 22, no. 6, pp. 27–29, 2001.
- [22] A. Kurbad and K. Reichel, "Multicolored ceramic blocks as an esthetic solution for anterior restorations," *International Journal of Computerized Dentistry*, vol. 9, no. 1, pp. 69–82, 2006.
- [23] P. F. Manicone, P. Rossi Iommetti, and L. Raffaelli, "An overview of zirconia ceramics: basic properties and clinical applications," *Journal of Dentistry*, vol. 35, no. 11, pp. 819–826, 2007.
- [24] M. Yildrim, D. Edelhoff, O. Hanisch, and H. Spiekermann, "Ceramic abutments—a new era in achieving optimal esthetics in implant dentistry," *The International Journal of Periodontics & Restorative Dentistry*, vol. 20, no. 1, pp. 81–91, 2000.
- [25] M. A. Bottino, R. Faria, and J. C. Dinato, "Pilares cerâmicos em implantodontia: o estado da arte," in *Odontologia Estética – O Estado da Arte*, E. Miyashita and A. S. Fonseca, Eds., vol. 1, pp. 591–633, Artes Medicas, São Paulo, Brazil, 2004.
- [26] R. F. Sallenave, C. B. Vicari, and M. Borba, "Pilares cerâmicos na implantodontia: revisão de literatura," *Cerâmica*, vol. 62, no. 363, pp. 305–308, 2016.
- [27] F. Butz, G. Heydecke, M. Okutan, and J. R. Strub, "Survival rate, fracture strength and failure mode of ceramic implant abutments after chewing simulation," *Journal of Oral Rehabilitation*, vol. 32, no. 11, pp. 838–843, 2005.
- [28] M. A. Bottino, L. F. Valandro, R. Scotti, and L. Buso, "Effect of surface treatments on the resin bond to zirconium-based ceramic," *The International Journal of Prosthodontics*, vol. 18, no. 1, pp. 60–65, 2005.



Advances in
Public Health




The Scientific
World Journal




International Journal of
Dentistry




Scientifica



Advances in
Preventive Medicine




Case Reports in
Medicine




Case Reports in
Dentistry




International Journal of
Biomaterials




Pain
Research and Treatment




Computational and
Mathematical Methods
in Medicine




Advances in
Orthopedics




Journal of
Environmental and
Public Health



Radiology
Research and Practice



Surgery
Research and Practice




BioMed
Research International



International Journal of
Endocrinology



Advances in
Medicine



Anesthesiology
Research and Practice



Journal of
Drug Delivery