

Corrigendum

Corrigendum to “Incidental Laparoscopic Discovery of an Intraperitoneal Plastic Catheter 16 Years after an Unsafe Abortion: A Case Report from the Gynecologic, Obstetric, and Pediatric Hospital of Yaoundé (Cameroon)”

Ngandji Andre ¹, **Ngo Um Meka Esther Juliette**^{1,2}, **Fokom Domgue Joel**¹, **Wandji Brigitte**¹,
and Foumane Pascal^{1,2}

¹*Department of Gynecology and Obstetrics, Faculty of Medicine and Biomedical Sciences, University of Yaoundé I, Yaoundé, Cameroon*

²*Department of Gynecology and Obstetrics, The Yaoundé Gyneco-Obstetric and Pediatric Hospital, Yaoundé, Cameroon*

Correspondence should be addressed to Ngandji Andre; ngandjifr@yahoo.fr

Received 19 July 2020; Accepted 19 July 2020; Published 5 October 2020

Copyright © 2020 Ngandji Andre et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In the article titled “Incidental Laparoscopic Discovery of an Intraperitoneal Plastic Catheter 16 Years after an Unsafe Abortion: A Case Report from the Gynecologic, Obstetric, and Pediatric Hospital of Yaoundé (Cameroon)” [1], there was an error in the author list, where the author name “Fokom Joel” should have read “Fokom Domgue Joel”. This is corrected as shown above.

References

- [1] A. Ngandji, U. M. E. J. Ngo, D. J. Fokom, B. Wandji, and P. Foumane, “Incidental laparoscopic discovery of an intraperitoneal plastic catheter 16 years after an unsafe abortion: a case report from the gynecologic, obstetric, and pediatric hospital of Yaoundé (Cameroon),” *Case Reports in Obstetrics and Gynecology*, vol. 2017, Article ID 7130479, 3 pages, 2017.