

Table S1. HGF and β -catenin concentration changes from 3rd to 6th week (ng/l)

Groups	3 rd week		4 th week		6 th week	
	HGF	β -catenin	HGF	β -catenin	HGF	β -catenin
A	4188.40	202.40	3252.00	209.70	2419.60	188.55
B	4506.75	190.75	3712.25	208.55	3535.05	186.05
C	4388.25	211.35	3577.45	230.80	2875.90	200.45
D	4774.45	181.15	4252.70	198.20	3372.15	165.80
E	4522.25	174.65	3683.15	169.00	3755.55	154.70
F	4412.70	100.90	3238.81	175.75	2332.00	146.60
G	4294.95	170.35	2705.10	175.45	2059.85	144.50
H	4216.40	165.80	3241.45	196.80	2006.20	140.15
I	4475.05	179.25	3118.45	164.95	2240.30	161.80
J	4118.60	198.20	4085.45	197.10	2699.35	143.25
K	3433.80	196.25	4142.75	161.30	2163.05	157.60

Table S2 FGF-7 and IGF-1 concentration changes from 3rd to 6th week (ng/l)

Groups	3 rd week		4 th week		6 th week	
	FGF-7	IGF-1	FGF-7	IGF-1	FGF-7	IGF-1
A	2499.437	18626.97	2354.498	18747.84	2227.239	19634.11
B	2163.705	17233.48	2810.462	19473.22	2043.047	19458.06
C	1904.931	20665.12	2078.877	18977.08	1808.215	21353.46
D	2552.872	18611.15	1700.589	20088.97	1752.616	19090.72
E	2604.875	18243.99	1733.606	17886.78	1629.188	19208.82
F	2616.66	19563.89	1751.349	20010.69	1720.917	19946.83
G	2554.057	18857.58	1780.446	19848.13	1731.069	21024.58
H	2576.54	18992.61	2078.877	21056.86	1601.03	18945.97
I	2152.674	21199.03	1715.838	22157.90	1191.217	20360.26
J	2056.65	17870.40	2210.167	19341.48	1618.956	20432.21
K	2379.784	17766.40	2130.582	19639.11	1377.496	20079.21




Figure S1. SHH concentration changes from 3rd to 6th week.