

Herbal Medicine	Key Bioactive Ingredients	Hub Targets
<i>Microctis Folium</i>	kaempferol	CASP3
<i>Polygonum chinense</i>	kaempferol	CASP3
<i>Polygonum chinense</i>	luteolin	CASP3
<i>Ecliptae Herba</i>	acacetin	CASP3
<i>Ecliptae Herba</i>	luteolin	CASP3
<i>Perilla Frutescens</i>	luteolin	CASP3
<i>Isatidis Radix</i>	acacetin	CASP3
<i>Chrysanthemi Flos</i>	acacetin	CASP3
<i>Chrysanthemi Flos</i>	kaempferol	CASP3
<i>Chrysanthemi Flos</i>	luteolin	CASP3
<i>Chrysanthemi Flos</i>	naringenin	CASP3
<i>Licorice</i>	kaempferol	CASP3
<i>Licorice</i>	naringenin	CASP3
<i>Chimonanthus salicifolius</i>	kaempferol	CASP3
<i>Microctis Folium</i>	kaempferol	AKT1
<i>Polygonum chinense</i>	kaempferol	AKT1
<i>Polygonum chinense</i>	3-O-methylelagic acid	AKT1
<i>Polygonum chinense</i>	3,3'-Di-O-Methylelagic Acid	AKT1
<i>Polygonum chinense</i>	luteolin	AKT1
<i>Ecliptae Herba</i>	luteolin	AKT1
<i>Perilla Frutescens</i>	luteolin	AKT1
<i>Chrysanthemi Flos</i>	kaempferol	AKT1
<i>Chrysanthemi Flos</i>	luteolin	AKT1
<i>Chrysanthemi Flos</i>	naringenin	AKT1
<i>Licorice</i>	kaempferol	AKT1
<i>Licorice</i>	naringenin	AKT1
<i>Chimonanthus salicifolius</i>	kaempferol	AKT1
<i>Microctis Folium</i>	kaempferol	JUN
<i>Polygonum chinense</i>	kaempferol	JUN
<i>Polygonum chinense</i>	luteolin	JUN
<i>Ecliptae Herba</i>	luteolin	JUN
<i>Perilla Frutescens</i>	luteolin	JUN
<i>Chrysanthemi Flos</i>	kaempferol	JUN
<i>Chrysanthemi Flos</i>	luteolin	JUN
<i>Licorice</i>	formononetin	JUN
<i>Licorice</i>	kaempferol	JUN
<i>Chimonanthus salicifolius</i>	kaempferol	JUN
<i>Licorice</i>	licochalcone a	STAT3
<i>Polygonum chinense</i>	luteolin	TP53
<i>Ecliptae Herba</i>	acacetin	TP53
<i>Ecliptae Herba</i>	luteolin	TP53
<i>Perilla Frutescens</i>	luteolin	TP53
<i>Isatidis Radix</i>	acacetin	TP53
<i>Chrysanthemi Flos</i>	acacetin	TP53
<i>Chrysanthemi Flos</i>	luteolin	TP53
<i>Polygonum chinense</i>	luteolin	MMP9
<i>Ecliptae Herba</i>	luteolin	MMP9
<i>Perilla Frutescens</i>	luteolin	MMP9
<i>Chrysanthemi Flos</i>	luteolin	MMP9
<i>Polygonum chinense</i>	luteolin	BCL2L1
<i>Ecliptae Herba</i>	luteolin	BCL2L1
<i>Perilla Frutescens</i>	luteolin	BCL2L1
<i>Chrysanthemi Flos</i>	luteolin	BCL2L1
<i>Polygonum chinense</i>	Quercetin	SRC
<i>Polygonum chinense</i>	3-O-methylelagic acid	SRC
<i>Polygonum chinense</i>	3,3'-Di-O-Methylelagic Acid	SRC
<i>Chimonanthus salicifolius</i>	Quercetin	SRC

<i>Ecliptae Herba</i>	acacetin	CASP8
<i>Isatidis Radix</i>	acacetin	CASP8
<i>Chrysanthemi Flos</i>	acacetin	CASP8
<i>Polygonum chinense</i>	3-O-methylelagic acid	CCND1
<i>Polygonum chinense</i>	3,3'-Di-O-Methylelagic Acid	CCND1
<i>Polygonum chinense</i>	luteolin	CCND1
<i>Ecliptae Herba</i>	luteolin	CCND1
<i>Perilla Frutescens</i>	luteolin	CCND1
<i>Chrysanthemi Flos</i>	luteolin	CCND1
<i>Licorice</i>	licochalcone a	CCND1
<i>Microctis Folium</i>	isorhamnetin	HSP90AA1
<i>Microctis Folium</i>	kaempferol	HSP90AA1
<i>Microctis Folium</i>	4',5-Dihydroxyflavone	HSP90AA1
<i>Polygonum chinense</i>	kaempferol	HSP90AA1
<i>Polygonum chinense</i>	isorhamnetin	HSP90AA1
<i>Polygonum chinense</i>	luteolin	HSP90AA1
<i>Ecliptae Herba</i>	acacetin	HSP90AA1
<i>Ecliptae Herba</i>	butin	HSP90AA1
<i>Ecliptae Herba</i>	1,3,8,9-tetrahydroxybenzofurano[3,2-clchromen-6-one	HSP90AA1
<i>Ecliptae Herba</i>	3'-O-Methylorobol	HSP90AA1
<i>Ecliptae Herba</i>	Pratensein	HSP90AA1
<i>Ecliptae Herba</i>	wedelolactone	HSP90AA1
<i>Ecliptae Herba</i>	luteolin	HSP90AA1
<i>Perilla Frutescens</i>	luteolin	HSP90AA1
<i>Isatidis Radix</i>	acacetin	HSP90AA1
<i>Isatidis Radix</i>	EUPATORIN	HSP90AA1
<i>Isatidis Radix</i>	Dinatin	HSP90AA1
<i>Isatidis Radix</i>	hydroxyindirubin	HSP90AA1
<i>Isatidis Radix</i>	(2Z)-2-(2-oxoindolin-3-ylidene)indolin-3-one	HSP90AA1
<i>Isatidis Radix</i>	2-(9-((3-methyl-2-oxopent-3-en-1-yl)oxy)-2-oxo-1,2,8,9-tetrahydrofuro[2,3-h]quinolin-8-yl)propan-2-yl acetate	HSP90AA1
<i>Isatidis Radix</i>	DFV	HSP90AA1
<i>Isatidis Radix</i>	(E)-2-[(3-indole)cyanomethylene]-1,3-	HSP90AA1
<i>Isatidis Radix</i>	neohesperidin qt	HSP90AA1
<i>Isatidis Radix</i>	Sinensetin	HSP90AA1
<i>Isatidis Radix</i>	(E)-3-(3,5-dimethoxy-4-hydroxybenzylidene)-2-indolinone	HSP90AA1
<i>Isatidis Radix</i>	(E)-3-(3,5-dimethoxy-4-hydroxybenzylidene)-2-indolinone	HSP90AA1
<i>Isatidis Radix</i>	3-[(3,5-dimethoxy-4-oxo-1-cyclohexa-2,5-dienylidene)methyl]-2,4-dihydro-1H-pyrrrol[2,1-b]quinazolin-9-one	HSP90AA1
<i>Chrysanthemi Flos</i>	acacetin	HSP90AA1
<i>Chrysanthemi Flos</i>	Chryseriol	HSP90AA1
<i>Chrysanthemi Flos</i>	isorhamnetin	HSP90AA1
<i>Chrysanthemi Flos</i>	kaempferol	HSP90AA1
<i>Chrysanthemi Flos</i>	5,7-dihydroxy-2-(3-hydroxy-4-methoxyphenyl)chroman-4-one	HSP90AA1
<i>Chrysanthemi Flos</i>	luteolin	HSP90AA1
<i>Chrysanthemi Flos</i>	EUPATORIN	HSP90AA1
<i>Chrysanthemi Flos</i>	Diosmetin	HSP90AA1
<i>Chrysanthemi Flos</i>	naringenin	HSP90AA1
<i>Chrysanthemi Flos</i>	Artemetin	HSP90AA1

Licorice	Jaranol	HSP90AA1
Licorice	isorhamnetin	HSP90AA1
Licorice	formononetin	HSP90AA1
Licorice	Calycosin	HSP90AA1
Licorice	kaempferol	HSP90AA1
Licorice	licochalcone a	HSP90AA1
Licorice	Inermine	HSP90AA1
Licorice	DFV	HSP90AA1
Licorice	Medicarpin	HSP90AA1
Licorice	Lupiwighteone	HSP90AA1
Licorice	7-Methoxy-2-methyl isoflavone	HSP90AA1
Licorice	naringenin	HSP90AA1
Licorice	glyasperin B	HSP90AA1
Licorice	glyasperin F	HSP90AA1
Licorice	Isotrifoliol	HSP90AA1
Licorice	Semilicoisoflavone B	HSP90AA1
Licorice	Glepidotin A	HSP90AA1
Licorice	Glepidotin B	HSP90AA1
Licorice	Glypallichalcone	HSP90AA1
Licorice	8-(6-hydroxy-2-benzofuranyl)-2,2-dimethyl-5-chromenol	HSP90AA1
Licorice	Licochalcone B	HSP90AA1
Licorice	licochalcone G	HSP90AA1
Licorice	Gancaonin A	HSP90AA1
Licorice	Gancaonin B	HSP90AA1
Licorice	3-(3,4-dihydroxyphenyl)-5,7-dihydroxy-8-(3-methylbut-2-enyl)chromone	HSP90AA1
Licorice	5,7-dihydroxy-3-(4-methoxyphenyl)-8-(3-methylbut-2-enyl)chromone	HSP90AA1
Licorice	2-(3,4-dihydroxyphenyl)-5,7-dihydroxy-6-(3-methylbut-2-enyl)chromone	HSP90AA1
Licorice	Licocoumarone	HSP90AA1
Licorice	Licoisoflavone	HSP90AA1
Licorice	licoisoflavanone	HSP90AA1
Licorice	(E)-3-[3,4-dihydroxy-5-(3-methylbut-2-enyl)phenyl]-1-(2,4-dihydroxyphenyl)propan-2-en-1-one	HSP90AA1
Licorice	Glyzaglabrin	HSP90AA1
Licorice	Glabranin	HSP90AA1
Licorice	1,3-dihydroxy-9-methoxy-6-benzofuranol[3,2-c]chromenone	HSP90AA1
Licorice	1,3-dihydroxy-8,9-dimethoxy-6-benzofuranol[3,2-c]chromenone	HSP90AA1
Licorice	Eurycarpin A	HSP90AA1
Licorice	Sigmoidin-B	HSP90AA1
Licorice	(2R)-7-hydroxy-2-(4-hydroxyphenyl)chroman-4-one	HSP90AA1
Licorice	(2S)-7-hydroxy-2-(4-hydroxyphenyl)-8-(3-methylbut-2-enyl)chroman-4-one	HSP90AA1
Licorice	Isolicoflavonol	HSP90AA1
Licorice	1-Methoxyphaseollidin	HSP90AA1
Licorice	Quercetin der.	HSP90AA1
Licorice	6-prenylated eriodictyol	HSP90AA1
Licorice	7-Acetoxy-2-methylisoflavone	HSP90AA1
Licorice	8-prenylated eriodictyol	HSP90AA1
Licorice	Gancaonin G	HSP90AA1
Licorice	Gancaonin H	HSP90AA1

<i>Licorice</i>	Licoagrocarpin	HSP90AA1
<i>Licorice</i>	Glyasperins M	HSP90AA1
<i>Licorice</i>	Odoratin	HSP90AA1
<i>Licorice</i>	Phaseol	HSP90AA1
<i>Chimonanthus salicifolius</i>	kaempferol	HSP90AA1
<i>Microctis Folium</i>	isorhamnetin	PTGS2
<i>Microctis Folium</i>	kaempferol	PTGS2
<i>Microctis Folium</i>	4',5-Dihydroxyflavone	PTGS2
<i>Polygonum chinense</i>	kaempferol	PTGS2
<i>Polygonum chinense</i>	kaempferol-7-O-glucoside	PTGS2
<i>Polygonum chinense</i>	isorhamnetin	PTGS2
<i>Polygonum chinense</i>	luteolin	PTGS2
<i>Ecliptae Herba</i>	acacetin	PTGS2
<i>Ecliptae Herba</i>	butin	PTGS2
<i>Ecliptae Herba</i>	3'-O-Methylorobol	PTGS2
<i>Ecliptae Herba</i>	Pratensein	PTGS2
<i>Ecliptae Herba</i>	demethylwedolactone	PTGS2
<i>Ecliptae Herba</i>	luteolin	PTGS2
<i>Perilla Frutescens</i>	luteolin	PTGS2
<i>Isatidis Radix</i>	acacetin	PTGS2
<i>Isatidis Radix</i>	EUPATORIN	PTGS2
<i>Isatidis Radix</i>	Dinatin	PTGS2
<i>Isatidis Radix</i>	quindoline	PTGS2
<i>Isatidis Radix</i>	hydroxyindirubin	PTGS2
<i>Isatidis Radix</i>	Indigo	PTGS2
<i>Isatidis Radix</i>	(2Z)-2-(2-oxoindolin-3-ylidene)indolin-3-one	PTGS2
<i>Isatidis Radix</i>	2-(9-((3-methyl-2-oxopent-3-en-1-yl)oxy)-2-oxo-1,2,8,9-tetrahydrofuro[2,3-h]quinolin-8-yl)propan-2-yl acetate	PTGS2
<i>Isatidis Radix</i>	DFV	PTGS2
<i>Isatidis Radix</i>	(E)-2-[(3-indole)cyanomethylene-1,3-	PTGS2
<i>Isatidis Radix</i>	neohesperidin_qt	PTGS2
<i>Isatidis Radix</i>	Sinensetin	PTGS2
<i>Isatidis Radix</i>	6-(3-oxoindolin-2-ylidene)indolo[2,1-b]quinazolin-12-one	PTGS2
<i>Isatidis Radix</i>	(E)-3-(3,5-dimethoxy-4-hydroxybenzylidene)-2-indolinone	PTGS2
<i>Isatidis Radix</i>	(E)-3-(3,5-dimethoxy-4-hydroxybenzylidene)-2-indolinone	PTGS2
<i>Isatidis Radix</i>	3-[(3,5-dimethoxy-4-oxo-1-cyclohexa-2,5-dienylidene)methyl]-2,4-dihydro-1H-pyrazolo[2,1-b]quinazolin-9-one	PTGS2
<i>Chrysanthemi Flos</i>	[(1S,5S,7S)-7-acetoxy-5-isopropenyl-2,8-dimethylene-cyclodecyl]acetate	PTGS2
<i>Chrysanthemi Flos</i>	acacetin	PTGS2
<i>Chrysanthemi Flos</i>	Chryseriol	PTGS2
<i>Chrysanthemi Flos</i>	isorhamnetin	PTGS2
<i>Chrysanthemi Flos</i>	kaempferol	PTGS2
<i>Chrysanthemi Flos</i>	5,7-dihydroxy-2-(3-hydroxy-4-methoxyphenyl)chroman-4-one	PTGS2
<i>Chrysanthemi Flos</i>	luteolin	PTGS2
<i>Chrysanthemi Flos</i>	EUPATORIN	PTGS2
<i>Chrysanthemi Flos</i>	Diosmetin	PTGS2
<i>Chrysanthemi Flos</i>	naringenin	PTGS2

<i>Chrysanthemi Flos</i>	Artemetin	PTGS2
<i>Licorice</i>	Jaranol	PTGS2
<i>Licorice</i>	isorhamnetin	PTGS2
<i>Licorice</i>	formononetin	PTGS2
<i>Licorice</i>	Calycosin	PTGS2
<i>Licorice</i>	kaempferol	PTGS2
<i>Licorice</i>	licochalcone a	PTGS2
<i>Licorice</i>	Inermine	PTGS2
<i>Licorice</i>	DFV	PTGS2
<i>Licorice</i>	Glycyrol	PTGS2
<i>Licorice</i>	Medicarpin	PTGS2
<i>Licorice</i>	Lupiwighteone	PTGS2
<i>Licorice</i>	7-Methoxy-2-methyl isoflavone	PTGS2
<i>Licorice</i>	naringenin	PTGS2
<i>Licorice</i>	glyasperin B	PTGS2
<i>Licorice</i>	glyasperin F	PTGS2
<i>Licorice</i>	Isotrifoliol	PTGS2
<i>Licorice</i>	(E)-1-(2,4-dihydroxyphenyl)-3-(2,2-dimethylchromen-6-yl)prop-2-en-1-one	PTGS2
<i>Licorice</i>	(2S)-6-(2,4-dihydroxyphenyl)-2-(2-hydroxypropan-2-yl)-4-methoxy-2,3-dihydrofuro[3,2-c]chromene	PTGS2
<i>Licorice</i>	Semilicoisoflavone B	PTGS2
<i>Licorice</i>	Glepidotin A	PTGS2
<i>Licorice</i>	Glepidotin B	PTGS2
<i>Licorice</i>	Glypallichalcone	PTGS2
<i>Licorice</i>	8-(6-hydroxy-2-benzofuranyl)-2,2-dimethyl-5-chromenol	PTGS2
<i>Licorice</i>	Licochalcone B	PTGS2
<i>Licorice</i>	licochalcone G	PTGS2
<i>Licorice</i>	Licoricone	PTGS2
<i>Licorice</i>	Gancaonin A	PTGS2
<i>Licorice</i>	Gancaonin B	PTGS2
<i>Licorice</i>	3-(3,4-dihydroxyphenyl)-5,7-dihydroxy-8-(3-methylbut-2-enyl)chromone	PTGS2
<i>Licorice</i>	5,7-dihydroxy-3-(4-methoxyphenyl)-8-(3-methylbut-2-enyl)chromone	PTGS2
<i>Licorice</i>	2-(3,4-dihydroxyphenyl)-5,7-dihydroxy-6-(3-methylbut-2-enyl)chromone	PTGS2
<i>Licorice</i>	Licoisoflavone	PTGS2
<i>Licorice</i>	Licoisoflavone B	PTGS2
<i>Licorice</i>	licoisoflavanone	PTGS2
<i>Licorice</i>	shinpterocarpin	PTGS2
<i>Licorice</i>	(E)-3-[3,4-dihydroxy-5-(3-methylbut-2-enyl)phenyl]-1-(2,4-dihydroxyphenyl)prop-2-en-1-one	PTGS2
<i>Licorice</i>	Glyzaglabrin	PTGS2
<i>Licorice</i>	Glabranin	PTGS2
<i>Licorice</i>	Glabrone	PTGS2
<i>Licorice</i>	Eurycarpin A	PTGS2
<i>Licorice</i>	Sigmoidin-B	PTGS2
<i>Licorice</i>	(2R)-7-hydroxy-2-(4-hydroxyphenyl)chroman-4-one	PTGS2
<i>Licorice</i>	(2S)-7-hydroxy-2-(4-hydroxyphenyl)-8-(3-methylbut-2-enyl)chroman-4-one	PTGS2
<i>Licorice</i>	Isoglycyrol	PTGS2

<i>Licorice</i>	Isolicoflavonol	PTGS2
<i>Licorice</i>	HMO	PTGS2
<i>Licorice</i>	1-Methoxyphaseollidin	PTGS2
<i>Licorice</i>	Quercetin der.	PTGS2
<i>Licorice</i>	6-prenylated eriodictyol	PTGS2
<i>Licorice</i>	7-Acetoxy-2-methylisoflavone	PTGS2
<i>Licorice</i>	8-prenylated eriodictyol	PTGS2
<i>Licorice</i>	Gancaonin G	PTGS2
<i>Licorice</i>	Gancaonin H	PTGS2
<i>Licorice</i>	Licoagrocarpin	PTGS2
<i>Licorice</i>	Glyasperins M	PTGS2
<i>Licorice</i>	Licoagroisoflavone	PTGS2
<i>Licorice</i>	Odoratin	PTGS2
<i>Licorice</i>	Phaseol	PTGS2
<i>Licorice</i>	Xambioona	PTGS2
<i>Chimonanthus salicifolius</i>	kaempferol	PTGS2
<i>Polygonum chinense</i>	luteolin	CASP9
<i>Ecliptae Herba</i>	luteolin	CASP9
<i>Perilla Frutescens</i>	luteolin	CASP9
<i>Chrysanthemi Flos</i>	luteolin	CASP9
<i>Chrysanthemi Flos</i>	naringenin	MAPK3
<i>Licorice</i>	naringenin	MAPK3
<i>Microctis Folium</i>	kaempferol	MAPK8
<i>Polygonum chinense</i>	kaempferol	MAPK8
<i>Chrysanthemi Flos</i>	kaempferol	MAPK8
<i>Licorice</i>	kaempferol	MAPK8
<i>Chimonanthus salicifolius</i>	kaempferol	MAPK8
<i>Polygonum chinense</i>	Quercetin	EGFR
<i>Polygonum chinense</i>	3-O-methyllellagic acid	EGFR
<i>Polygonum chinense</i>	kaempferol-7-O-glucoside	EGFR
<i>Polygonum chinense</i>	luteolin	EGFR
<i>Ecliptae Herba</i>	luteolin	EGFR
<i>Perilla Frutescens</i>	luteolin	EGFR
<i>Chrysanthemi Flos</i>	luteolin	EGFR
<i>Chimonanthus salicifolius</i>	Quercetin	EGFR
<i>Polygonum chinense</i>	luteolin	IL6
<i>Ecliptae Herba</i>	luteolin	IL6
<i>Perilla Frutescens</i>	luteolin	IL6
<i>Chrysanthemi Flos</i>	luteolin	IL6
<i>Polygonum chinense</i>	kaempferol-7-O-glucoside	TNF
<i>Chimonanthus salicifolius</i>	luteolin-5-O-glucoside	TNF
<i>Polygonum chinense</i>	luteolin	NFKBIA
<i>Ecliptae Herba</i>	luteolin	NFKBIA
<i>Perilla Frutescens</i>	luteolin	NFKBIA
<i>Chrysanthemi Flos</i>	luteolin	NFKBIA
<i>Polygonum chinense</i>	luteolin	MCL1
<i>Ecliptae Herba</i>	luteolin	MCL1
<i>Perilla Frutescens</i>	luteolin	MCL1
<i>Chrysanthemi Flos</i>	luteolin	MCL1
<i>Microctis Folium</i>	isorhamnetin	RELA
<i>Microctis Folium</i>	kaempferol	RELA
<i>Polygonum chinense</i>	kaempferol	RELA
<i>Polygonum chinense</i>	isorhamnetin	RELA
<i>Polygonum chinense</i>	luteolin	RELA
<i>Ecliptae Herba</i>	acacetin	RELA
<i>Ecliptae Herba</i>	luteolin	RELA
<i>Perilla Frutescens</i>	luteolin	RELA
<i>Isatidis Radix</i>	acacetin	RELA

<i>Chrysanthemi Flos</i>	acacetin	RELA
<i>Chrysanthemi Flos</i>	isorhamnetin	RELA
<i>Chrysanthemi Flos</i>	kaempferol	RELA
<i>Chrysanthemi Flos</i>	luteolin	RELA
<i>Chrysanthemi Flos</i>	naringenin	RELA
<i>Licorice</i>	isorhamnetin	RELA
<i>Licorice</i>	kaempferol	RELA
<i>Licorice</i>	licochalcone a	RELA
<i>Licorice</i>	naringenin	RELA
<i>Chimonanthus salicifolius</i>	kaempferol	RELA
<i>Microctis Folium</i>	isorhamnetin	ESR1
<i>Polygonum chinense</i>	isorhamnetin	ESR1
<i>Ecliptae Herba</i>	3'-O-Methylorobol	ESR1
<i>Ecliptae Herba</i>	Pratensein	ESR1
<i>Ecliptae Herba</i>	wedelolactone	ESR1
<i>Isatidis Radix</i>	hydroxyindirubin	ESR1
<i>Isatidis Radix</i>	(2Z)-2-(2-oxoindolin-3-ylidene)indolin-3-one	ESR1
<i>Isatidis Radix</i>	DFV	ESR1
<i>Isatidis Radix</i>	(E)-2-[(3-indole)cyanomethylene]-3-	ESR1
<i>Isatidis Radix</i>	6-(3-oxoindolin-2-ylidene)indolo[2,1-b]quinazolin-12-one	ESR1
<i>Chrysanthemi Flos</i>	Chryseriol	ESR1
<i>Chrysanthemi Flos</i>	isorhamnetin	ESR1
<i>Chrysanthemi Flos</i>	naringenin	ESR1
<i>Chrysanthemi Flos</i>	Artemetin	ESR1
<i>Licorice</i>	isorhamnetin	ESR1
<i>Licorice</i>	formononetin	ESR1
<i>Licorice</i>	Calycosin	ESR1
<i>Licorice</i>	licochalcone a	ESR1
<i>Licorice</i>	DFV	ESR1
<i>Licorice</i>	Glycyrol	ESR1
<i>Licorice</i>	Medicarpin	ESR1
<i>Licorice</i>	Lupiwighteone	ESR1
<i>Licorice</i>	7-Methoxy-2-methyl isoflavone	ESR1
<i>Licorice</i>	naringenin	ESR1
<i>Licorice</i>	glyasperin B	ESR1
<i>Licorice</i>	glyasperin F	ESR1
<i>Licorice</i>	Isotrifoliol	ESR1
<i>Licorice</i>	(E)-1-(2,4-dihydroxyphenyl)-3-(2,2-dimethylchromen-6-yl)prop-2-en-1-one	ESR1
<i>Licorice</i>	(2S)-6-(2,4-dihydroxyphenyl)-2-(2-hydroxypropan-2-yl)-4-methoxy-2,3-dihydrofuro[3,2-	ESR1
<i>Licorice</i>	Semilicoisoflavone B	ESR1
<i>Licorice</i>	Glepidotin A	ESR1
<i>Licorice</i>	Glepidotin B	ESR1
<i>Licorice</i>	Glypallichalcone	ESR1
<i>Licorice</i>	8-(6-hydroxy-2-benzofuranyl)-2,2-dimethyl-5-chromenol	ESR1
<i>Licorice</i>	Licochalcone B	ESR1
<i>Licorice</i>	licochalcone G	ESR1
<i>Licorice</i>	Licoricone	ESR1
<i>Licorice</i>	Gancaonin A	ESR1
<i>Licorice</i>	Gancaonin B	ESR1

<i>Licorice</i>	3-(3,4-dihydroxyphenyl)-5,7-dihydroxy-8-(3-methylbut-2-enyl)chromone	ESR1
<i>Licorice</i>	5,7-dihydroxy-3-(4-methoxyphenyl)-8-(3-methylbut-2-enyl)chromone	ESR1
<i>Licorice</i>	Licocoumarone	ESR1
<i>Licorice</i>	Licoisoflavone	ESR1
<i>Licorice</i>	Licoisoflavone B	ESR1
<i>Licorice</i>	lcoisoflavanone	ESR1
<i>Licorice</i>	shinpterocarpin	ESR1
<i>Licorice</i>	(E)-3-[3,4-dihydroxy-5-(3-methylbut-2-enyl)phenyl]-1-(2,4-dihydroxyphenyl)chroman-2-one	ESR1
<i>Licorice</i>	Glyzaglabrin	ESR1
<i>Licorice</i>	Glabranin	ESR1
<i>Licorice</i>	Glabrone	ESR1
<i>Licorice</i>	1,3-dihydroxy-9-methoxy-6-benzofuranof[3,2-c]chromenone	ESR1
<i>Licorice</i>	1,3-dihydroxy-8,9-dimethoxy-6-benzofuranof[3,2-c]chromenone	ESR1
<i>Licorice</i>	Eurycarpin A	ESR1
<i>Licorice</i>	Sigmoidin-B	ESR1
<i>Licorice</i>	(2R)-7-hydroxy-2-(4-hydroxyphenyl)chroman-4-one	ESR1
<i>Licorice</i>	(2S)-7-hydroxy-2-(4-hydroxyphenyl)-8-(3-methylbut-2-enyl)chroman-4-one	ESR1
<i>Licorice</i>	Isoglycyrol	ESR1
<i>Licorice</i>	Isolicoflavanol	ESR1
<i>Licorice</i>	HMO	ESR1
<i>Licorice</i>	1-Methoxyphaseollidin	ESR1
<i>Licorice</i>	Quercetin der.	ESR1
<i>Licorice</i>	6-prenylated eriodictyol	ESR1
<i>Licorice</i>	7-Acetoxy-2-methylisoflavone	ESR1
<i>Licorice</i>	8-prenylated eriodictyol	ESR1
<i>Licorice</i>	Gancaonin G	ESR1
<i>Licorice</i>	Gancaonin H	ESR1
<i>Licorice</i>	Licoagrocarpin	ESR1
<i>Licorice</i>	Glyasperins M	ESR1
<i>Licorice</i>	Licoagroisoflavone	ESR1
<i>Licorice</i>	Odoratin	ESR1
<i>Licorice</i>	Phaseol	ESR1
<i>Licorice</i>	Xambioona	ESR1
<i>Licorice</i>	formononetin	SIRT1
<i>Microctis Folium</i>	kaempferol	STAT1
<i>Polygonum chinense</i>	kaempferol	STAT1
<i>Chrysanthemi Flos</i>	kaempferol	STAT1
<i>Licorice</i>	kaempferol	STAT1
<i>Chimonanthus salicifolius</i>	kaempferol	STAT1
<i>Microctis Folium</i>	isorhamnetin	MAPK14
<i>Polygonum chinense</i>	isorhamnetin	MAPK14
<i>Ecliptae Herba</i>	3'-O-Methylorobol	MAPK14
<i>Ecliptae Herba</i>	Pratensein	MAPK14
<i>Isatidis Radix</i>	hydroxyindirubin	MAPK14
<i>Isatidis Radix</i>	(2Z)-2-(2-oxoindolin-3-ylidene)indolin-3-one	MAPK14
<i>Isatidis Radix</i>	(E)-2-[(3-indole)cyanomethylene]-1,3-	MAPK14
<i>Chrysanthemi Flos</i>	Chryseriol	MAPK14
<i>Chrysanthemi Flos</i>	isorhamnetin	MAPK14



<i>Chrysanthemi Flos</i>	Artemetin	MAPK14
<i>Licorice</i>	isorhamnetin	MAPK14
<i>Licorice</i>	formononetin	MAPK14
<i>Licorice</i>	Calycosin	MAPK14
<i>Licorice</i>	licochalcone a	MAPK14
<i>Licorice</i>	Glycyrol	MAPK14
<i>Licorice</i>	Lupiwighteone	MAPK14
<i>Licorice</i>	7-Methoxy-2-methyl isoflavone	MAPK14
<i>Licorice</i>	glyasperin F	MAPK14
<i>Licorice</i>	Isotrifoliol	MAPK14
<i>Licorice</i>	(E)-1-(2,4-dihydroxyphenyl)-3-(2,2-dimethylchromen-6-yl)prop-2-en-1-one	MAPK14
<i>Licorice</i>	(2S)-6-(2,4-dihydroxyphenyl)-2-(2-hydroxypropan-2-yl)-4-methoxy-2,3-dihydrofuro[3,2-c]chromene	MAPK14
<i>Licorice</i>	Glepidotin A	MAPK14
<i>Licorice</i>	Glypallichalcone	MAPK14
<i>Licorice</i>	Licochalcone B	MAPK14
<i>Licorice</i>	licochalcone G	MAPK14
<i>Licorice</i>	3-(3,4-dihydroxyphenyl)-5,7-dihydroxy-8-(3-methylbut-2-enyl)chromone	MAPK14
<i>Licorice</i>	5,7-dihydroxy-3-(4-methoxyphenyl)-8-(3-methylbut-2-enyl)chromone	MAPK14
<i>Licorice</i>	Licoisoflavone	MAPK14
<i>Licorice</i>	shinpterocarpin	MAPK14
<i>Licorice</i>	(E)-3-[3,4-dihydroxy-5-(3-methylbut-2-enyl)phenyl]-1-(2,4-dihydroxyphenyl)prop-2-en-1-one	MAPK14
<i>Licorice</i>	Glyzaglabrin	MAPK14
<i>Licorice</i>	Glabrone	MAPK14
<i>Licorice</i>	1,3-dihydroxy-9-methoxy-6-benzofuranol[3,2-c]chromenone	MAPK14
<i>Licorice</i>	1,3-dihydroxy-8,9-dimethoxy-6-benzofuranol[3,2-c]chromenone	MAPK14
<i>Licorice</i>	Eurycarpin A	MAPK14
<i>Licorice</i>	HMO	MAPK14
<i>Licorice</i>	1-Methoxyphaseollidin	MAPK14
<i>Licorice</i>	Quercetin der.	MAPK14
<i>Licorice</i>	7-Acetoxy-2-methylisoflavone	MAPK14
<i>Licorice</i>	Gancaonin G	MAPK14
<i>Licorice</i>	Licoagrocarpin	MAPK14
<i>Licorice</i>	Licoagroisoflavone	MAPK14
<i>Licorice</i>	Odoratin	MAPK14
<i>Licorice</i>	Phaseol	MAPK14