

1 **Immobilization of NTPDase-1 from *Trypanosoma cruzi* and development of**
2 **an online label free assay**


3

4 Felipe Antunes Calil,^a Juliana Maria Lima,^a Arthur. H. C. Oliveira,^a Christiane
5 Mariotini-Moura,^{bc} Juliana Lopes Rangel Fietto,^{bc} Carmen. Lucia. Cardoso.^{a*}

6

7 **Supporting information (SI)**


8



9

10 **Fig. S1.** ADP Calibration Curve.

11



12

Fig. S2. AMP Calibration Curve.

13

14

Table S1. Intra-day precision (n = 5) and method accuracy for ADP quantification.

ADP Concentration (μmol/L)	1 st day		2 nd day		3 rd day		3-day mean	
	CV (%)	Accuracy (%)	CV (%)	Accuracy (%)	CV (%)	Accuracy (%)	CV (%)	Accuracy (%)
40	6.83	109.0	4.11	104.0	4.30	106.5	5.08	106.5
250	0.63	96.7	0.41	98.4	0.75	96.9	0.60	97.3
450	0.22	97.3	0.51	98.9	5.01	96.6	1.91	97.6

15

16

Table S2. Intra-day precision (n = 5) and method accuracy for AMP quantification.

AMP Concentration (μmol/L)	1 st day		2 nd day		3 rd day		3-day mean	
	CV (%)	Accuracy (%)	CV (%)	Accuracy (%)	CV (%)	Accuracy (%)	CV (%)	Accuracy (%)
40	3.02	111.7	1.07	110.7	1.65	99.7	1.91	107.4
250	0.07	101.9	0.19	98.2	0.31	95.5	0.19	98.5
450	0.21	101.1	0.46	99.5	0.13	95.4	0.27	98.7

17