

Figure 1. NOESY spectrum of 1,2-O-(S)-trichloroethylidene- α -D-ribofuranose (1) in C_5D_5N




Figure 2. HMQC spectrum of 1,2-O-(S)-trichloroethylidene- α -D-ribofuranose (1) in C_5D_5N




Figure 3. COSY spectrum of 1,2-O-(S)-trichloroethylidene- α -D-ribofuranose (1) in C_5D_5N




Figure 4. Expansion of COSY spectrum of 1,2-O-(S)-trichloroethylidene- α -D-ribofuranose (1) in C_5D_5N




Figure 5. HMBC spectrum of 1,2-O-(S)-trichloroethylidene- α -D-ribofuranose (1) in C_5D_5N




Figure 6. NOESY spectrum of 5-O-acetyl-1,2,3-O-orthodichloroacetyl-α-D-ribofuranose (4) in CDCl₃




Figure 7. COSY spectrum of 5-O-acetyl-1,2,3-O-orthodichloroacetyl-α-D-ribofuranose (4) in CDCl₃




Figure 8. Expansion of COSY spectrum of 5-*O*-acetyl-1,2,3-*O*-orthodichloroacetyl- α -D-ribofuranose (4) in CDCl₃




Figure 9. HMQC spectrum of 5-*O*-acetyl-1,2,3-*O*-orthodichloroacetyl-α-D-ribofuranose (4) in CDCl₃