

Corrigendum

Corrigendum to “Speed Improvement in Image Stitching for Panoramic Dynamic Images during Minimally Invasive Surgery”

Dinh Thai Kim ^{1,2} **Van Thang Nguyen**^{1,2} **Ching-Hwa Cheng** ³ **Don-Gey Liu**^{1,3}
Kai Che Jack Liu⁴ and **Shih Wei Wayne Huang**⁴

¹Program of Electrical and Communications Engineering, Feng Chia University, 40724 Taichung, Taiwan

²University of Information and Communication Technology, Thai Nguyen, Vietnam

³Department of Electronic Engineering, Feng Chia University, 40724 Taichung, Taiwan

⁴IRCAD Taiwan/AITS, Changhua, Taiwan

Correspondence should be addressed to Dinh Thai Kim; kimdinhthaibk@gmail.com

Received 7 September 2020; Accepted 7 September 2020; Published 22 September 2020

Copyright © 2020 Dinh Thai Kim et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In the article titled “Speed Improvement in Image Stitching for Panoramic Dynamic Images during Minimally Invasive Surgery” [1], the name of the last author was given incorrectly as Kai Che Jack Huang. The name should have been written as Shih Wei Wayne Huang, and the revised authors’ list is shown above.

References

- [1] D. T. Kim, V. T. Nguyen, C.-H. Cheng, D.-G. Liu, K. C. J. Liu, and K. C. J. Huang, “Speed improvement in image stitching for panoramic dynamic images during minimally invasive surgery,” *Journal of Healthcare Engineering*, vol. 2018, Article ID 3654210, 14 pages, 2018.