

Supplementary Materials-Appendix

Table S1: The coordinate/image of the corner point in the checkboard.

Calibration	Image	Calibration	Image	Calibration	Image
(1,1)	(101.87,155.37)	(2,1)	(101.26,197.09)	(3,1)	(100.67,238.84)
(1,2)	(142.65,155.26)	(2,2)	(142.07,197.13)	(3,2)	(141.49,239.03)
(1,3)	(183.55,155.10)	(2,3)	(183.02,197.08)	(3,3)	(182.51,239.17)
(1,4)	(224.87,154.99)	(2,4)	(224.39,197.15)	(3,4)	(223.96,239.34)
(1,5)	(266.48,154.90)	(2,5)	(266.06,197.15)	(3,5)	(265.39,239.47)
(1,6)	(308.42,154.86)	(2,6)	(307.79,197.17)	(3,6)	(307.37,239.63)
(1,7)	(350.38,154.78)	(2,7)	(350.00,197.24)	(3,7)	(349.42,239.80)
(1,8)	(392.66,154.77)	(2,8)	(392.28,197.28)	(3,8)	(391.84,239.98)
(4,1)	(100.30,280.76)	(5,1)	(99.68,322.62)	(6,1)	(99.28,364.55)
(4,2)	(140.92,280.99)	(5,2)	(140.57,323.00)	(6,2)	(140.21,365.01)
(4,3)	(182.18,281.33)	(5,3)	(183.57,323.45)	(6,3)	(181.22,365.57)
(4,4)	(223.37,281.61)	(5,4)	(222.93,323.89)	(6,4)	(222.59,366.12)
(4,5)	(264.99,281.92)	(5,5)	(264.57,324.26)	(6,5)	(264.27,366.56)
(4,6)	(306.80,282.37)	(5,6)	(306.54,324.84)	(6,6)	(306.14,366.98)
(4,7)	(348.98,282.37)	(5,7)	(348.57,324.84)	(6,7)	(348.30,367.52)
(4,8)	(391.36,282.58)	(5,8)	(390.96,325.21)	(6,8)	(390.55,367.96)