

A CATALOGUE OF THE BEES OF CALIFORNIA.

BY T. D. A. COCKERELL, EAST LAS VEGAS, N. MEX.

In the Report of the Agricultural experiment station of the University of California for 1898-1901, recently published, Mr. Carroll Fowler gives an account of the long tongued bees of California. This is a very useful paper, so far as it goes, and Mr. Fowler has been able to make important additions to our knowledge of California bees. Unfortunately, however, the paper was prepared in 1899, and has not been brought up to date; consequently it omits numerous species recorded since that year, and is not altogether modern in the matter of generic nomenclature. It also omits several species published before 1899, and in a good many cases the names of species are incorrectly spelled. In some cases, I am inclined to doubt the identification of the species, but unless I have actual knowledge to the contrary, I must for the present treat all published records as correct.

The list here presented includes also the short-tongued bees of California, for completeness' sake. It need hardly be said, that we know comparatively little about California bees; it is quite certain that any student who takes up this group in California will find very numerous new species. The list now offered is intended to be of service to such a student or students, as it is hoped that the publication of Mr. Fowler's paper will have created an interest in the bees.

COLLETES Latr.

americana Cr., La Jolla.
californica Prov.

gracilis Rob.

tegularis Rob. (belongs to *Chloralictus*
Rob.).

armaticeps Cr.

PROSOPIS Fabr. (cf. Entom., 1898, p. 218.)

polifolii Ckll., Mt. Lowe.
coquillettii Ckll., Los Angeles Co.
bakeri Ckll.
ruidosensis Ckll., var.
suffusa Ckll., var.
tridentula Ckll.
mesillae Ckll., Los Angeles Co.
varifrons Cr.

SPHECODES Latr.

mandibularis Cr., San Pedro.

AGAPOSTEMON Sm.

femoratus Crawf.
californicus Crawf., San Pedro, etc.
texanus Cr., San Pedro.

ANDRENA Fabr.

knuthiana Ckll., Berkeley.
nigra Prov.
nigripes Prov.
phenax Ckll., only two submarginal cells.
foxii Ckll., only two submarginal cells.
chalybea (Cr.), only two submarginal cells.

HALICTUS Latr.

californicus (Prov.).
farinosus Sm.
titusi Crawf., San Diego. Allied to *H. trizzonatus*.

Diandrena is a new subgenus or genus for the blue species of California with only two submarginal cells; type *chalybaea*, described as a *Panurgus*. Here also belongs *A. foxii*, and, I think, *A. phenax*.

PARANDRENA Rob.

- regularis (Cr.).
- concinnula Ckll., So. Cal.
- enocki Ckll., So. Cal.

HESPERAPIS Ckll.

- eumorpha (Ckll.), near Los Angeles (Davidson).

HALICTOIDES Nyl.

- saudersi Ckll.
- mulleri Ckll.
- virgatus Ckll.
- davidsoni Ckll., San Gabriel Mts.

MICRANDRENA Ashm.

- pacifica Ashm. (a smallish black species with a large reddish stigma; detailed description not published yet).

NOMIA Latr.

Two undescribed species from California are in the National museum, bearing MS. names by Ashmead. One is near *bakeri*; the other near *foxii* but larger, though not nearly so large as *nortoni*.

- SPINOLIELLA Ashm. (cf. Ann. mag. nat. hist. Jan. 1901, p. 129).

- edwardsii (Cr.).
- scutellaris (Fowler).
- visaliensis (Fowler).
- anthidius (Fowler).
- zonalis (Cr.).
- cincta (Cr.).

CALLIOPSIS Sm.

- californicus Cr.
- obscurellus Cr.

PANURGINUS Nyl.

- cressoniellus Ckll.
- albitarsis (Cr.).

- HYLAEOSOMA Ashm. (cf. Ann. mag. nat. hist. July, 1902, p. 42).

- atriceps (Cr.).

PERDITA Sm.

- claypolei Ckll., Mt. Lowe.
- rhois Ckll., San Diego.
- rhois reducta Ckll., San Diego.
- californica (Cr.).
- interrupta Cr.
- trisignata Ckll.

NOMADA Fabr.

- citrina Cr.
- interruptella Fowler.
- obliquella Fowler.
- obscurella Fowler.
- rivalis Cr.
- suavis Cr.
- rubrica Prov. (Fowler makes this a var. of *bisignata*, but Robertson has shown that *bisignata* cannot be certainly recognized).
- crotchii Cr.
- edwardsii Cr.
- melliventris Cr.
- opposita Cr.
- vinnula Cr.
- civilis Cr.
- flavipes Prov.
- erythraea Dalla Torre (*rubra* Prov.).
- fragilis Cr.
- vincita Say.
- lepidia Cr.
- bisignata "Say," Fowler.
- formula Viereck, San Pedro.

NEOPASITES Ashm.

- fulviventris (Cr.).

EPEOLUS Latr.

- compactus Cr.
- nigriceps Sm.

occidentalis Cr.
superbus Prov.
californicus Cr.
faceatus Prov.

TRIEPEOLUS Rob.

concavus (Cr.).

MELECTA Latr.

californica Cr.

ZACOSMIA Ashm.

maculata (Cr.), San Pedro.

BOMBOMELECTA Patt.

edwardsii (Cr.).
separata (Cr.).
thoracica (Cr.).

STELIS Panz.

laticincta Cr.
sexmaculata Ashm.

OSMIA Panz.

californica Cr.
cobaltina Cr.
maura Cr.
quadriceps Cr.
exigua Cr.
atriventris Cr.
dubia Cr.
purpurea Cr.
lignaria Say.
nigrifrons Cr.
brevis Cr.
albiventris Cr.
rustica "Cr." Fowler (Robertson says that
rustica is identical with *albiventris*).

MONUMETHA Cr. (genus hardly distinct from
Osmia).

imperfecta Prov.

HERIADES Spin.

odontura Ckll., near Los Angeles.
glaucum Fowler.

albicinctum Prov., probably an *Ashmeadiella*.
semirubra Ckll., not a true *Heriades*.

ASHMEADIILLA Ckll.

californica (Ashm.), described under *Chalicodoma*.

ALCIDAMEA Cr.

uvulalis Ckll., Mojave Desert.
simplex (Cr.) (*producta* Cr.).

ANDRONICUS Cr.

hesperius Ckll., sp. nov. ♂. About 12 mm.
long, black, closely punctured; wings
smoky; flagellum brown beneath; tarsi with
short reddish hair. Clypeus with the ante-
rior border thickened and faintly concave;
scape stout; flagellum like that of *ALCIDAMEA*,
but not hooked at the tip; first ven-
tral segment of abdomen produced into a
backwardly directed spine at the middle of
its posterior margin; seventh dorsal seg-
ment subtruncate with rounded edges.
Rock Creek, Mojave Desert.

CHELOSTOMA Latr.

californicum Cr.
australe Ckll., near Los Angeles.

ANTHIDIUM Fabr.

atritentre Cr.
emarginatum Say.
maculosum Cr.
tricuspidum Prov.
collectum Huard (*compactum* Prov.).
californicum Cr.
edwardsii Cr.
palliventre Cr.
illustre Cr.
maculifrons (Sm.?), Fowler.

DIANTHIDIUM Ckll.

consimile (Ashm.).
ehrhorni (Ckll.), Mojave Desert.

MEGACHILE Latr.

occidentalis leucotricha Ckll., near Los
Angeles.

fidelis Cr.

fidelis concinnula Ckll.

davidsoni Ckll., near Los Angeles.

angelarum Ckll.

vidua Sm. (*frigida* Sm.).

latimanus Say.

pugnata Say.

montivaga Cr.

brevis Say.

exilis Cr. (*studiosa* Cr.).frugalis Cr., San Gabriel Mts., Rock Creek,
Mojave Desert (Davidson), near Los Angeles (Davidson).

manifesta Cr., var. Banning, Riverside Co.

pruina Sm., Catalina Island and near Los Angeles (Davidson).

LITHURGOPSIS Fox.

apicalis (Cr.), var. opuntiae Ckll., ♂, Palm Springs, Colorado Desert (Davidson).

CERATINA Latr.

dupla Say.

tejonensis Cr.

acantha Prov.

arizonensis Ckll., Mt. Lowe.

MELISSODES Latr.

actuosa Cr.

californica Cr.

personatella Ckll., La Jolla.

lupina Cr.

nigrifrons Cr.

stretchii Cr.

olivacea Cr. ("Appears to be related to the genus *Ancyloscelis* in neuration and length of tongue; however, the ♂ has the clypeus yellow; the abdomen in both sexes is covered with a dense appressed pubescence like the male of *Eutechnia grisella*, and egg-shaped; the claws are blunt and cleft in both sexes."—H. L. Viereck, litt. 1901).

menuacha Cr.

tepidia Cr.

obliqua Say.

montana Cr., San Pedro, La Jolla.

DIAPASIA Patt.

bituberculata (Cr.), described under *Melissodes*. Mr. Viereck tells me it is a *Diadasia*.

nerea Fowler.

cinerea Fowler.

enavata Cr.

albovestita Prov.

tricincta Prov. (Fowler says this is *enavata*).

rinconis opuntiae Ckll., San Pedro.

friesei Ckll., So. Cal.

australis Cr., San Bernardino.

XENOGLOSSA Sm.

strenua (Cr.) (*cucurbitarum* Ckll.).

patricia angustior Ckll., Los Angeles.

PEPONAPIS Rob.

angelica Ckll. (*pruinosa* Fowler, not Say).

SYNHALONIA Patt.

edwardsii (Cr.).

californica Fowler.

albicans Prov.

albopilosa Fowler.

frater (Cr.) (*speciosa* Cr.).

acerba (Cr.).

nevadensis (Cr.) (*intrudens* Cr.).

EMPHOROPSIS Ashm.

depressus (Fowler).

miserabilis (Cr.).

floridanus (Sm.).

There is also an undescribed species which Ashmead made the type of *Meliturgopsis*.

ANTHOPHORA Latr.

edwardsii Cr.

pacifica Cr.

urbana Cr.

californica Cr.

crotchii Cr.






catalinae Ckll., Catalina I.

exigua Cr.

maculifrons Cr.

quinquefasciata Prov.

flavocincta Huard (*nigrocincta* Prov.).



Hindawi

Submit your manuscripts at
<http://www.hindawi.com>

