DORATURA STYLATA BOHM IN MASSACHUSETTS

BY GEO. W. BARBER.

Cereal and Forage Insect Investigations, Bureau of Entomology,
U. S. Department of Agriculture.

The discovery of *Doratura stylata* Bohm. in Massachusetts adds an interesting leafhopper to our constantly growing list of insect immigrants. During 1923 three specimens of this species have been taken as follows:

A brachypterous female, Marshfield, Mass., August 3.

A brachypterous male, Plymouth, Mass., August 1.

A macropterous female, Plymouth, Mass., September 11.

Specimens collected in Plymouth were taken by sweeping in a cranberry bog grown up to grass, the specimen from Marshfield by sweeping coarse grass in a fresh water marsh.

This species is adequately described and figured by Melichar 1896 (*Cicadinen von Mittel-Europa*, p. 210). It is apparently not uncommon both in continental Europe and in England. Buckton 1891 (*Monograph of the British Cicadæ or Tettigidæ* Vol. 2, p. 20) notes that the macropterous forms are extremely rare.

PROCEEDINGS OF THE CAMBRIDGE ENTOMOLOGICAL CLUB.

The meetings of the Club were resumed on September 11, 1923. Prof. Z. P. Metcalf of the North Carolina Agricultural Station who had spent the summer in Boston read a paper on "The Station Entomologist" from the various standpoints of the public, the profession and the entomologist himself.

A letter was read from Mr. Austin Clark, a former member who had been in the neighborhood of Boston part of the summer and had collected butterflies especially *Feniseca tarquinius* which was unusually abundant.