Research Article

Comparative Medical Ethnobotany of the Senegalese Community Living in Turin (Northwestern Italy) and in Adeane (Southern Senegal)

Rachele Ellena,¹ Cassandra L. Quave,² and Andrea Pieroni¹

¹ University of Gastronomic Sciences, Piazza Vittorio Emanuele 9, Pollenzo, 12060 Bra, Italy

² Center for the Study of Human Health, Emory University, 550 Asbury Circle, Candler Library 107, Atlanta, GA 30322, USA

Correspondence should be addressed to Andrea Pieroni, a.pieroni@unisg.it

Received 20 February 2012; Accepted 26 March 2012

Academic Editor: Manuel Pardo-de-Santayana

Copyright © 2012 Rachele Ellena et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

A medico-ethnobotanical survey was conducted among the Senegalese migrant communities of Turin (Piedmont, NW Italy) and their peers living in Adeane (Casamance, Southern Senegal), both among healers and laypeople. Through 27 in-depth interviews, 71 medicinal plant taxa were recorded and identified in Adeane and 41 in Turin, for a total of 315 different folk remedies recorded in Senegal and 62 in Turin. The large majority of the medicinal plants recorded among Senegalese migrants in Turin were also used in their country of origin. These findings demonstrate the resilience of home remedies among migrants and consequently the role they should have in shaping public health policies devoted to migrant groups in Western Countries, which seek to seriously take into account culturally sensitive approaches, that is, emic health-seeking strategies.

1. Introduction

In the last decade, the ethnobotany of migrant populations, especially in Western countries, has become the focus of a number of studies, which have investigated the trajectories of change of Traditional Medicines (TMs) and especially Traditional Knowledge (TK) concerning medicinal plants. Moreover, such studies have made progress in gaining a better understanding of newcomers' health-seeking strategies. These data are crucial in the implementation of culturally sensitive approaches in public health and nutritional policies in the host countries and/or to improve phytopharmacovigilance [1–5].

In particular, in Europe, the ethnobotanical knowledge of various migrant groups has been studied in different (mainly urban) contexts: Turkish and Russian migrants in Germany [6, 7]; Thai women in Sweden [8]; Surinamese migrants in The Netherlands [9, 10]; South-Asians [11–14] and Andeans in England [15–17]. From these previous studies, three key findings have emerged so far.

- (i) Newcomers' TK and related domestic practices may show various degrees of resilience (i.e., the attitude to

recover from the changes, which originate from the displacement).

- (ii) The resilience is highly dependent on practical circumstances (distance between the home and the host countries, corresponding to possibilities of frequent travel), but also on complex cultural exchanges ongoing between the diasporas and the autochthonous and/or other migrant populations. For example, factors such as (1) the occurrence of relevant transnational social and trade networks between the migrants and their home country, (2) the availability of traditional practitioners and/or herbs and food plant items in food shops in the host country, (3) identity-bound perceptions in relation to specific botanicals (which may be considered culturally important), (4) laws in place in the host countries allowing or tolerating the occurrence of non-autochthonous food/medicinal plants, and (5) multicultural approaches in the institutionalised public health frameworks of the host country, all play crucial roles in determining the resilience and sustainability of these TM practices in the migrants' host country.

- (iii) The aforementioned cultural negotiations that impact TK resilience are rapidly changing on both temporal and spatial scales, and even the “representation” of plants and remedies related to “traditions” is in a state of flux among generations over time.

In Italy, no ethnobotanical study has addressed these specific issues thus far, despite the fact that the country has faced tremendous changes in its social structure over the last two decades. In fact, these changes are due in large part to the arrival of a significant number of young and middle-aged migrants from Africa and especially Eastern Europe (most notably, Romanians and Albanians). Nowadays, it is estimated that five million migrants live in Italy, with an increase of three million in the last ten years [18]. The large majority of migrants live in the Central-Northern regions of the country; one-fifth of which are Romanians, followed by Albanians and Moroccans. The Senegalese are quantitatively the 17th largest migrant community in Italy, but they represent the biggest “black” African community in the country, encompassing approximately 73,000 members. Moreover, this community is also historically one of the most important migrant groups in Italy, as it formed a significant presence already in the 1980’s [18].

Recent sociological studies have pointed out the existence of a Senegalese transmigrant movement made of people who are regular “comers and goers” between Africa and Europe and that their perception of a successful return is still associated—in contrast with other African communities—with permanent return to their homeland. This final aim is, however, generally compromised with aspirations of economic advancement and family obligations [19, 20]. Most of the earnings of Senegalese migrants are used for investment in housing in their home country, significantly altering the landscape of local cities [21].

Despite the fact that a study has well demonstrated the link between depression and rapid changes in the social organisation among Senegalese migrants [22], a fair public debate on culturally sensitive approaches in transcultural health policies is still lacking in Italy. This could be due to the state of political discourse in Italy, which has been highly influenced over the last years by instances of xenophobia, and which has subsequently affected several political actors and policy makers [23–27].

The aims of this study were to record uses of natural remedies (including food preparations perceived as “healthy”) among the Senegalese community of Turin (Northern Italy) and in their country of origin, to compare these two ethnobotanies and to consequently formulate considerations on how TK changed or is changing following displacement of Senegalese citizens.

2. Material and Methods

2.1. The Study Area and Fieldwork

2.1.1. Turin, Italy. Turin (approx. 900,000 inhabitants, Piedmont, NW Italy, Figure 1) hosts an important Senegalese migrant community counting approx. 1,200 members

FIGURE 1: Location of the study sites.

(2004) [28]. The most significant influx of Senegalese in Turin only began at the end of 1980s. At that time, young males migrated to Italy from various areas of the Senegalese countryside and especially from those areas which were badly affected by the great drought of the 1970s. Traditionally, families gave their fourth or fifth child away to the Islamic brotherhood of believers for instruction in the faith and to work for the order, mainly engaging in agricultural activities. With the advance of desertification, however, the practice of agriculture was increasingly difficult and, as a consequence, the order allowed young people to move abroad to work in industry and services [28].

It was therefore a progressive flow, and not a mass migration, that characterized the Senegalese emigration to Italy. As often happens, the journey for many has been fragmented at various stages due to issues such as the search of a visa or other means of entry into the country. However, in Turin, the first arrivals had no intention of staying, since their aim was to work hard for a few years and return the home country. With time, however, things have changed, resulting in more stable settlements in the Italian landscape [28].

2.1.2. Adeane, Senegal. Adeane is a town of 9,000 inhabitants, located an hour’s drive from Ziguinchor, the largest urban centre in the region of Casamance, Southern Senegal (Figure 1). The climate in Casamance is the most humid of the country and subtropical forests prevail in the landscape. The abundance of rain in the Casamance permits the cultivation of a wide variety of crops.

The Casamance is inhabited mainly by the Jola ethnic group (Diola, in the French transliteration), which constitute approximately 60% of the population. Those of the Wolof ethnic group, which represent the ethnic majority in Senegal, constitute only 5% in the Casamance region. The largest portion of the Casamance inhabitants identifies their religious beliefs with Islam, while 17% are Catholics. This isolation has determined a strong regional identity and thus the culture

of its people as well as its environmental heritage has been well preserved for a long time. The regional economy is based in part on tourism, especially along the coast and on the sale of crops like rice, peanuts, and millet.

2.1.3. The Fieldwork. Fieldwork was conducted over a period of one month (November 2010) in Turin and over a period of a second month (December 2010) in Adeane (Casamance, Southern Senegal). Turin was selected as a field site because it is the home of a vibrant Senegalese community, while the area of Casamance in Senegal was chosen because it is considered the most biological and cultural diverse region of the country, as well as the most conservative in terms of folk practices.

Participants in Turin were selected using snowball techniques among the first generation of Senegalese migrants ($n = 8$, all males), while in Casamance the same technique was used to select “laypeople” ($n = 15$, 7 females and 8 males). Additionally, in Adeane 4 healers (3 males and 1 female) were also interviewed. Prior Informed Consent (PIC) was obtained verbally before commencing each interview. Ethical guidelines followed the International Society of Ethnobiology Code of Ethics [29].

Questions concerning the use of medicinal and/or food plants were asked via a previous free listing of pathologies and related use of “home remedies.” For each named item, the field researcher (RE) asked for exact details of how the home medicine/food was prepared and its folk medical/food use. Interviews were conducted in Italian in Turin and in French in Casamance.

In Casamance, the named plant items were collected, when available, photographed, dried, identified by a local plant taxonomist (Professor Amadou Tidiane, Department of Agricultural Studies, University of Ziguinchor, Senegal) and via the West African plants photo database [30], and deposited at the Herbarium of the University of Gastronomic Sciences, Pollenzo, Italy. The nomenclature follows IPNI [31], with family assignments following the current Angiosperm Phylogeny Group III recommendations [32, 33].

2.2. Data Analysis. The ethnobotanical data collected from Turin and Adeane were compared with each other. Moreover, the ethnobotanical data were compared with the preexisting literature on Senegalese TM and the traditional pharmacopoeia of Senegal [34–36].

3. Results and Discussion

3.1. The Medical Ethnobotany of the Senegalese Migrants in Turin. Table 1 reports all medicinal plants quoted by the Senegalese migrants in Turin. In total, 47 folk taxa were recorded as medicinally used in Turin; 41 of these have been botanically identified. Of these remedies, only a few (eight) could be considered food medicines, thus contradicting what previous studies among migrants medical ethnobotanics have found [6, 13, 17]. This may be due to the fact that regular provision of African vegetables and other fresh food ingredients is scarce in Turin, where generally only dried

FIGURE 2: Overlap between the folk medicinal taxa quoted by healers and laypeople in Adeane.

spices and medicinal plants are imported. Another explanation may be that the Senegalese migrant community in Turin is mainly represented by males, who—in contrast to women—are not holders of culinary knowledge and therefore they do not generally have experience in managing healthcare via the diet within the domestic domain.

All remedies quoted in Turin are generally bought in small ethnic food shops and mini-supermarkets located in city centre and managed by African and/or Chinese migrant entrepreneurs. A few of the most quoted taxa (*Acacia*, *Adansonia*, *Guiera*, *Hibiscus*) are well-known African medicinal plants, which are however lacking in the Western TM pharmacopoeia.

3.2. The Medical Ethnobotany of Adeane in Senegal. Table 2 reports all medicinal plants quoted in Adeane. In total, 71 species, representing 31 botanical families, were recorded as components to TMs in Adeane. However, although the large majority of recorded medicinal taxa were found in the reviews of the Senegalese TM [34–36], only a minority (<40%) of the actual medicinal plant uses are reported in the considered literature. This confirms the highly dynamic character of the home medicines in rural Africa and highlights the urgent need for inventorying folk plant uses beyond those that are cited in the “standardized” TM reviews.

Documentation and evaluation of these home remedies are very important, since they represent a means of primary healthcare for most. Figure 2 illustrates the overlaps between the plants quoted in Casamance by healers and laypeople. Laypeople’s knowledge of medical plants is quite remarkable and confirms that the actual practice of household phytotherapy in Africa is much broader of what we sometimes label as “Traditional Medicine,” which is generally restricted to the knowledge, practices, and beliefs of healers. Moreover, despite living in the same village, while healers and laypeople use in large part the same medicinal plants (Figure 2), the actual plant reports (plant-based preparations used for a given health problem) are highly divergent (Figure 3). These findings confirm a remarkable “internal” variability of the African medical ethnobotanics, as a recent study in rural Mozambique also pointed out [37].

FIGURE 3: Overlap between the medicinal plant reports quoted by healers and laypeople in Adeane (a single medicinal plant report is defined as “a given taxon x , prepared as y , used for z ”).

FIGURE 4: Overlap between the botanical genera quoted as medicinally used in Turin and Adeane (by laypeople).

3.3. Comparison between the Senegalese Medical Ethnobotanies of Turin and Adeane. A comparison between the laypeople's medical ethnobotany in Turin and Adeane demonstrates that Senegalese in Senegal use more plants than Senegalese in Turin (Figure 4). This may be due to an objective difficulty to acquire all African plants used in country of origin in the new cultural environment in Italy and also to an adaptation process. Migrants moved in fact from their original rural areas in Senegal (where the use of herbal TMs is widespread) to urban environments in Europe, where practices of use of medicinal plants are only available within the context of Western modern herbalism and phytotherapy: Senegalese TM practitioners seem in fact not to be present in Turin. Moreover, migrants from Senegal in Turin also generally rely on Western pharmaceuticals.

However, the large majority of the medicinal botanical genera recorded in Turin are also used in the country of origin, thus confirming some resilience of original practices following displacement into another landscape. The fact that a few other genera (twelve) have been quoted instead by migrants in Turin, but not in Adeane, could possibly be explained in two ways.

- (i) Senegalese migrants living in Turin did not all come from the southern part of Senegal. For instance, a few of them may have brought plant uses to Turin that are unknown in the folk medicine of Southern Senegal.
- (ii) A few genera recorded quoted in Turin (i.e., *Hibiscus*, *Zingiber*) may represent the result of cross-cultural exchanges of TMs with other migrant populations in Turin, especially with the North African migrants, who also share the same religion, and with members of the Chinese migrant community who own ethnic food markets in Turin.

Out of this comparative study, a few plant families have emerged as being integral to the TM practices of the Senegalese study participants both in Turin and Adeane. In particular, a great variety of Fabaceae species were quoted as having medicinal applications in Turin (7 species) and Adeane (15 species). The second and third most represented botanical families amongst the Turin participants were Combretaceae and Malvaceae, with 5 and 3 species quoted, respect-

fully. In Adeane, however, Malvaceae was the second most quoted family (5 species), followed by Apocynaceae and Solanaceae (4 species each), and then Combretaceae, Myrtaceae, Euphorbiaceae, and Meliaceae, represented by 3 species each.

Interestingly, despite the presence of a thriving Senegalese community in the north Italian landscape for more than 30 years, relatively few Italian medicinal plants appear to have been incorporated into the TM practices of this group. Take, for example, the notable lack of incorporation of several European mints (Lamiaceae) in the TM practices of the Senegalese in Turin. Various Lamiaceae species, such as mint, basil, peppermint, rosemary, thyme, horehound, and oregano, grow in the wild and/or are cultivated in the Italian countryside and the use of such species for medicinal purposes dates back to more than 2,000 years ago in this region, as evidenced by their presence in the ancient textbooks of the Mediterranean *Materia Medica* [38]. Moreover, the important use of Lamiaceae species as medicinal plants is crucial also in the medico-ethnobotanical literature of Piedmont ([39] and references therein). The conspicuous absence of Lamiaceae uses in the Senegalese migrant community is maybe reflective of their isolation from the Italian environmental and medical landscape, which may have been further enhanced by the characteristic male composition of the Senegalese community in Italy.

4. Conclusion

Our study illustrates that the herbal medicines used by the Senegalese in Turin are very different from those of the Italian herbal landscape and that the migrant population in Turin is instead reliant on the undependable trade and movement of plant materials from their homeland to ethnic markets in the city. This shows maybe a scarce integration of this African community into the host society.

Moreover, the access and availability of important original medicines, especially medicinal foods, are greatly diminished in Turin, creating a significant disruption in their TM system. This may also have been influenced by the general lack of female Senegalese migrants, who would typically be

TABLE 1: Medicinal plant remedies used by Senegalese migrants in Turin.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Qs
<i>Adansonia digitata</i> L. (Bombacaceae)	Baobab	Seed	Eaten	Diarrhoea	+
		Seed	Grind the seeds and put the powder on the lips	Burning lips	
			Grind the seeds and put the powder on the painful tooth	Toothache	
<i>Acacia nilotica</i> (L.) Willd. ex Delile (Fabaceae) UNISGEN15	Mbano (m) Nep nep (w)	Root	Make a decoction and drink just a little bit	Indigestion	+++
			Externally applied	Wounds	
		Bark	Drink the beverage together with <i>Tamarindus indica</i> fruit pulp and <i>Hibiscus sabdariffa</i> flowers	Fatigue	
<i>Acacia tortilis</i> (Forssk.) Hayne (Fabaceae) UNISGEN05	Senjen (w)	Root	Grind it, add salt, and put it on the haematoma	Haematoma	+++
			Drink the decoction	Eye inflammations	
			Drink the decoction while eating some sugar, repeating the procedure three times a day	Bellyache	
				Worms	
			Macerated in water for two days; the macerate drunk	Sexual impotence	
<i>Adansonia digitata</i> L. (Malvaceae) UNISGEN20	Buy (w) Baobab (f)	Fruit	Drink the beverage made using the pulp around the seeds	Stomachache Kidney troubles	+++
			Same as above, adding <i>Hibiscus sabdariffa</i> flower	Diarrhoea	
<i>Allium cepa</i> L. (Amaryllidaceae)	Cibolle	Bulb	Eaten	Sexual impotence	+
<i>Allium sativum</i> L. (Amaryllidaceae)	Ail (f) Ladji (w)	Bulb	Put a piece of garlic on the right wrist if the sore tooth is in the upper jaw and vice versa for the lower jaw (chanting Koran's verses helps the pain to disappear)	Toothache Sexual impotence	+++
			Eaten	Intestinal worms Lowering the blood pressure Cold and cold prevention	

TABLE 1: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Qs
<i>Anacardium occidentale</i> L. (Anacardiaceae)	Anacardo	Seed	Drunk	Antibiotic	+
<i>Annona senegalensis</i> Pers. (Annonaceae)	Suncun	Leaf	Put (powdered) on the fire	Magic remedy (supposed to counteract bad spirits)	+
<i>Arachis hypogaea</i> L. (Fabaceae) UNISGEN16	Arachide (f) Gerte (w)	Seed	Eat the seeds	Stomachache	+
<i>Balanites aegyptiaca</i> (L.) Delile (Zygophyllaceae)	Dattier du désert (f) Soumpu Gurp Petit cola	Leaf	Grind the leaves and drink the infusion prepared with the powdered leaves	Sore throat	+++
		Fruit	Chew the fruit without ingesting it	Stomachache Digestive Fatigue Nausea	
<i>Calotropis procera</i> (Aiton) W.T. Aiton (Apocynaceae) UNISGEN55	Kipampaan (p) Poftan (m) Pomme de Sodome (f)	Root	Cut the roots into small pieces, put it into a cotton handkerchief, squeeze, it and inhale the aroma	Sinusitis	+
		Stems juice	Externally applied	Wounds	
<i>Cassia italica</i> (Mill) Sprengel (Fabaceae)	Layduur (w)	Leaf	Drink the infusion prepared with ground leaves	Constipation	+++
		Root	Drink the infusion prepared with ground leaves Leave the root soaking all night and drink the water in the morning, before breakfast	Intoxication Intestinal worms	
<i>Cassia occidentalis</i> L. (Fabaceae) UNISGEN11	Adiana (w) Bantaare (p) Bentamarè (s) Kassala (m) Mbanta xobi (w)	Leaf	Put leaves around the head	Headache	+
<i>Cassia tora</i> L. (Fabaceae) UNISGEN76	Cassepuante (f) Ndur (w)	Leaf	Baths Use it as a mouthwash	Fatigue Mouth infections	+
<i>Ceratotheca sesamoides</i> Endl. (Pedaliaceae)	Jorokh lane (w)	Leaf	Put the leaf into water at room temperature and after it releases oil, apply the oil to the body Dried leaf is soaked in water; the water is drunk	High fever Bellyache	+
<i>Citrus limon</i> (L.) Osbeck. (Rutaceae)	Citron (f) Limon (w)	Fruit	Drink the juice	To lose weight Digestive Strengthening Malaria (drunk in the coffee)	++

TABLE 1: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/ to regulate)	Qs
<i>Combretum aculeatum</i> Vent. (Combretaceae)	Sawat (w)	Leaf	Put ground leaves and sugar into water and instill the solution in the eyes	White spot in the eye on the pupil	+
<i>Combretum glutinosum</i> Perr. ex DC. (Combretaceae)	Chigommier (f) Rat (w)	Leaf	Drink the decoction	Bronchitis/cough Sexual impotence	+
		Leaf	Drink the decoction (sometimes adding cloves)	Cold Flue Lung infections Sore throat Antihypertensive	+++
<i>Combretum micranthum</i> G. Don (Combretaceae) UNISGSEN10	Quinkeliba (f) Sekhaw (w)	Flower	Drink the decoction with milk every morning	Enhancing the “well-being”	
			Make a decoction with <i>Xylopia aethiopica</i> seeds and cloves (<i>Eugenia caryophyllata</i> flower buds)	Vision problems	
<i>Dioscorea</i> spp. (Dioscoreaceae) UNISGSEN83	Igname (f) Yam (w)	Root	Eat the root	To gain weight	+
<i>Elaeis guineensis</i> Jacq. (Arecaceae)	Palmier à huile (f) Tiir (w)	Fruit → Oil	Add oil and coffee to <i>Vitellaria paradoxa</i> butter and dab on the body Dab on the body	To get rid of the “dead” blood when feeling weak Boils	+
<i>Eucalyptus globulus</i> Labill. (Myrtaceae) UNISGSEN88	Eucalyptus (f) Khotta bu tel (w)	Leaf	Put it around the head while listening to the reading of the Koran	Headache	+
<i>Eugenia caryophyllata</i> Thunb (Myrtaceae) UNISGSEN38	Girofle (f) Xorompole (w)	Flower bud	Use the infusion prepared with <i>Xylopia aethiopica</i> seeds and <i>Combretum micranthum</i> flower	Vision problems	+
<i>Euphorbia balsamifera</i> Ait. (Euphorbiaceae)	Salan Salan mbechi	Branch	Cut the branch and put the latex on the wound	Wounds	++
		Root	Drink the decoction	Bellyache	
<i>Ficus iteophylla</i> Miq. (Moraceae)	Xassum loro (w)	Leaf	Drink the decoction	Digestive asthma	+++
		Leaf	Dab on the affected part	Backache skin allergies	
<i>Grewia bicolor</i> Juss. (Malvaceae)	Kel (w)	Leaf	Drink the decoction	Fatigue Bronchitis/cough Digestive	++
<i>Guiera senegalensis</i> J.F. Gmel. (Combretaceae) UNISGSEN18	Ngueer (w) Mamakumkoyo (m) Mamankuiò (s)	Root	Drink the decoction	Cold	+++
		Leaf	Drink the decoction	Bronchitis/cough kidney troubles Fatigue stomachache	

TABLE 1: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Qs
<i>Terminalia catappa</i> L. (Combretaceae)	Badamier (f) Toubab (w) Xopp kerte	Not specified	Not specified	Antibiotic, antifungal	+
<i>Vitellaria paradoxa</i> C.F. Gaertn. (Sapotaceae)	Karité (f)	Seed → butter	Add salt to the butter and dab on the back Add coffee, <i>Elaeis guineensis</i> ' oil and dab on the body Dab the butter on the body Dab the butter on hair	Backache To get rid of the "dead" blood when feeling weak Massage on the child's body, to make the child stronger. Bone strengthening Hair loss	+++ ++
<i>Xylopia aethiopica</i> A. Rich. (Annonaceae) UNISGEN70	Diar (w) Jar	Seed	Instill the infusion of seeds into the eyes Instill the infusion of seeds into the ear Pour the infusion made from the seeds, <i>Eugenia caryophyllata</i> flower buds and <i>Combretum micranthum</i> flower	Sexual impotence Eye problems, conjunctivitis Otitis Vision problems	++
<i>Zingiber officinale</i> Roscoe (Zingiberaceae) UNISGEN09	Djindjer (w) Djinjerroo (m) Gingembre (f)	Fresh rhizome	Eaten, or juice drunk, or decoction	Sexual impotence Blood circulation	+++
Not identified	Berbef (w)	Leaf	Drink the decoction Use the rough leaf like a sponge under the shower	Worms Pruritus	+
Not identified	Bonye	Fruit	Make a pasta and dab on the skin	Itchiness Antibiotic	+
Not identified	Khambata (w)	Leaf	Drink the infusion	Headache	+
Not identified	Ndiadame	Fruit	Cook it slowly and eat it; it is really bitter	Intestinal worms	+
Not identified	Sangol (w)	Root	Put it in water for up to two minutes and drink it (very bitter)	Intestinal worms	+
Not identified	Watenobout (w)	Leaf	Soak in water and externally apply on the skin	Itchiness	
Not identified		Branch	Put the latex that comes out of the broken branch on the wound	Wounds	+

(f): French; (m): Mandingo; (p): Pulaar; (w): Wolof; Qs: quotations: + quoted by 1 or 2 informants only; ++ quoted by 3, 4, or 5 informants; +++ quoted by 5 informants or more.

TABLE 2: Plants used as medicines in Adeane, Casamance, Southern Senegal.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Acacia albida</i> Delile (Fabaceae) UNISGSEN019	Kade (f)	Root Bark	Instill the infusion in the eye	Vision problems	+		3
	Kadd (w)						
	Baransango						
<i>Acacia nilotica</i> (L.) Willd. ex Delile (Fabaceae) UNISGSEN15	Acacia	Root	Apply the infusion externally	Herpes		+	2
	mlolique (f)						
	Nep nep (w)						
	Mbano (m)			Toothache		+	
<i>Acacia seyal</i> Delile (Fabaceae)	Suuro	Leaf	Topical application of liquid resulting from pressed leaves	Toothache	+		1
			Soak in water for some time and drink	Tapeworm	+		11
				Stomachache	+		
				Bellyache (abdominal pains)	+	+	
			Drink the cold infusion	Rheumatism	+		
			Apply the infusion on hair	Strengthening the hair	+		
			Boiled in water and the vapour is inhaled	Cold		+	
			Cold infusion is drunk	Blood pressure		+	
			Eat it with rice	Sterility		+	
			Make aerosol with the infusion?	Lung cancer		+	
			Drink the infusion	Bloodstream		+	
<i>Acacia tortilis</i> (Forssk.) Hayne (Fabaceae) UNISGSEN05	Senjen (w)	Root	Eat it with rice	Ulcer		+	
			Make aerosol with the infusion?	Gastritis		+	
			Drink the infusion	Kidney problems		+	
			Eat it with rice	Menstrual pain		+	
			Eat it with rice			+	
			Eat it with rice			+	
			Drink the infusion	Malaria		+	

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Adansonia digitata</i> L. (Malvaceae) UNIGSEN20	Baobab (f) Guy (w)	Leaf	Topical application of the infusion	Herpes		+	
			Topical application of the infusion	Boil		+	
			Drink the infusion	Fatigue	+	+	
			Drink the infusion	Tuberculosis	+	+	
			Powdered leaf applied to burn and bandaged together with the oil of <i>Arachis hypogaea</i>	Burns	+		12
<i>Adansonia digitata</i> L. (Malvaceae) UNIGSEN20	Baobab (f) Guy (w)	Seeds	Drink the seed juice together with the flowers of <i>Hibiscus sabdariffa</i>	Fatigue	+	+	
			Eat the seeds	Diarrhoea	+	+	
			Eat the seeds together with <i>Citrus limon</i> juice	Lack of appetite	+		
			Use it with <i>Acacia albida</i> , <i>Guiera senegalensis</i> , <i>Parkia biglobosa</i> , <i>Annona senegalensis</i> , <i>Soora</i> (nonidentified plant), and <i>Ficus sycomorus</i>	Headache, sore throat, cold taken as result of wind		+	
			Infusion with leaves of <i>Citrus limon</i>	Sore throat	+		1
<i>Allium cepa</i> L. (Amaryllidaceae)	Oignon (f) Ail (f) Ladji (w)	Bulb	Drink the infusion in the morning	Blood pressure	+		8
		Bulb	Eat it raw in the morning	Intestinal worms	+		
			Eat it while marabout recites verses of the Koran	Depression		+	
<i>Aloe vera</i> (L.) Burm. f. (Xanthorrhoeaceae)	Pomme-cajou (f) Darkasa (w) Bara diamboo (m)	Leaf gel	Use it with <i>Vitellaria paradoxa</i>	Tuberculosis		+	2
			Use it with <i>Vitellaria paradoxa</i>	Hair loss	+		
			Drink the infusion	Toothache		+	3
<i>Anacardium occidentale</i> L. (Anacardiaceae)	Pomme-cajou (f) Darkasa (w) Bara diamboo (m)	Bark		Rheumatism	+		
			Put it in cold water for a while and drink it	Toothache		+	
				Blood pressure		+	

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Annona senegalensis</i> Pers. (Annonaceae) UNISGSEN36	Sunkun (m)	Leaf	Drink the infusion	Diabetes		+	3
			Put the powder on the wound	Wounds		+	
			Drink the infusion	Rheumatism		+	
			Drink the infusion	Bloodstream		+	
			Drink the infusion with <i>Musa paradisiaca</i> leaves and <i>Combretum micranthum</i>	Blood pressure		+	
			Use it with <i>Piliostigma reticulatum</i>	Headache		+	
			Use it with <i>Piliostigma reticulatum</i>	Tuberculosis		+	
			Use it with <i>Acacia albida</i> , <i>Guiera senegalensis</i> , <i>Parkia biglobosa</i> , <i>Adansonia digitata</i> , <i>Soora</i> (nonidentified plant), and <i>Ficus sycomorus</i>	Headache, Sore throat, Cold taken as result of wind		+	
			Use it with <i>Acacia albida</i> and <i>Parkia biglobosa</i>	Depression		+	
			Use it with oil of <i>Elaeis guineensis</i> ' oil	Hair	+		3
<i>Arachis hypogaea</i> L. (Fabaceae) UNISGSEN16	Arachides (f) Gerte (w) Jamba katalig (m)	Leaf	Inhale the infusion prepared together with the leaves of <i>Mangifera indica</i>	General health		+	
		Seed → oil	Mix peanut oil together with the powdered leaves of <i>Adansonia digitata</i> and apply to burns before bandaging	Burns	+		
		Fruit	Eat the fruit fresh, not toasted	Cold	+		
			Wrap the leaf around the head	Headache	+		3
			Infuse with hot water and inhale the steam	Fatigue	+		
<i>Azadirachta indica</i> A. Juss. (Meliaceae) UNISGSEN63	Cassia, Neem (f) Niim, Ni va (w) Bantare (m)	Leaf	Topical application of the infusion	Skin problems	+		
			Use it with <i>Carica papaya</i> and <i>Citrus limon</i>	Cold	+		

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Bambusa vulgaris</i> Schrad. ex J.C. Wendl. (Poaceae) UNISGS54	Bambou (f) Lonk (w)	Leaf	Make an infusion with shade-dried leaves	Diabetes	+	+	3
			Drink the infusion with <i>Combretum micranthum</i> leaves	High blood pressure		+	
			Make an infusion, drink some of it, and make aerosol with the resting water	Bloodstream		+	
			Drink the infusion	Obesity		+	
<i>Beta vulgaris</i> L. (Chenopodiaceae)	Betterave (f) Beteraaw (m)	Root	Eat it	Bloodstream	+		1
			Eat it	Anemia	+		
<i>Borassus flabellifer</i> L. (Arecaceae) UNISGS89	Ronier (f) Kòoni (w)	Fruit	Burnt and pressed, pour resulting liquid into the ear	Earache		+	1
				Malaria	+		6
				Fatigue	+		
			Warm the leaf up and wrap it around the neck	Sore neck	+		
<i>Calotropis procera</i> (Aiton) W.T. Aiton (Apocynaceae) UNISGS55	Pomme de Sodome (f) Pofian (m) Kipampaan (p)	Leaf	Topical application of juice from leaf on tooth	Toothache	+		
			Wrap the leaf around the sore knee	Sore knees	+		
			Wrap the leaf around the head	Headache	+		
			Use it with <i>Ocimum basilicum</i>	Rheumatism	+		
		Root	Use it with <i>Manganaso</i> (unidentified plant) and <i>Jatropha curcas</i> . Drink it and vomit everything yellow	Yellow fever		+	
		Leaf?	Use it with <i>Jatropha curcas</i> and <i>Manganaso</i> (unidentified plant)	Syphilis		+	

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Cannabis sativa</i> L. (Cannabaceae)	Marijuana	Seeds	Drink the infusion	Asthma	+		1
			Drink the infusion	Lack of appetite			5
			Drink a glass of water with a chili pepper in it	Intestinal worms	+		
<i>Capsicum annuum</i> L. (Solanaceae)	Kani (w)	Fruit	Mix lemon juice (<i>Citrus limo</i>) together with a chili pepper and gargle with the solution	Sore throat	+		
			Put in a small pan with <i>Jatropha curcas</i> , and drink	Hair loss		+	
			Put it in lemon juice (<i>Citrus limon</i>) and drink it	Constipation	+		
			Eat up the oil that comes out of the nut and dab it on the body three times a day with <i>Vitellaria paradoxa</i> butter	Sore back	+		9
			Mix it with oil of <i>Elaeis guineensis</i> and butter of <i>Vitellaria paradoxa</i> and then dab it on hair	Strengthening the hair	+		
			Drink a spoonful every day	Poor memory	+		
			Drink a spoonful of it	Cough		+	
			Drink a spoonful of it	Sore throat	+		
			Topical application of the oil	Eye problems	+		
<i>Carapa procera</i> DC. (Meliaceae) UNISGEN43	Tulukuna (m)	Seed → oil	Instill oil into the ears	Earache	+		
			Drink a spoonful of it	Fever	+		
			Drink a spoonful of it	Flu	+		
			Dab it on the skin in the area over the kidneys	Kidneys problems	+		
			Drink a spoonful of it	Bellyache	+		
			Use it before breakfast	Tapeworm	+		
			Dab it on affected muscles	Sore muscles	+		
			Peel it and apply to the sore tooth	Toothache	+		8
			Use it with <i>Citrus limon</i> and <i>Azadirachta indica</i>	Cold	+		
	Root		Drink the infusion, adding salt	Syphilis (2)	+	+	

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Carica papaya</i> L. (Caricaceae) UNISGEN21		Leaf	Drink the infusion	Anemia		+	
			Use it together with <i>Psidium guajava</i> leaves	Cystitis		+	
		Seeds	Dry the seeds in the sun, powder, and add to food	Intestinal worms		+	
	Papayer (f) Papaayo (w)	Fruit	Eat a soup with a ripe papaya in it together with chicken and a root of <i>Tinospora bakis</i>	Yellow fever	+		
			Boil the unripe fruit with undecorticated rice or simply eat the fruit, raw. Another remedy is to crack an egg over the unripe papaya and eat it	Yellow fever	+	+	
		Leaf	Drink the infusion together with the buds	Yellow fever		+	
			Add the following to water: dry leaves of <i>Musa paradisiaca</i> , little unripe fruits and leaves of <i>Citrus limon</i> , leaves of <i>Cassia occidentalis</i> , leaves of <i>Mangifera indica</i> , leaves of <i>Ziziphus mauritiana</i> and drink	Malaria		+	
		Fruit	Eat it together with <i>Parkia biglobosa</i> leaves	Yellow fever	+		
		Flower	Crumble flower into the water and drink	Headache	+		14
		Leaf	Wrap around the head	Headache	+		

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Cassia occidentalis</i> L. (Fabaceae) UNISGEN11	Mbanta xobi or	Leaf	Wrap around the head	Conjunctivitis	+		
	Adiana (w)	Flower?	Drink the infusion	Menstrual pain	+		
	Kasalaa (m)	Leaf	Put it in water for a while and wash yourself with it	Cold (Especially for children)	+		
	Bentamarè (s)	Flower?	Drink the infusion	For pregnant women	+		
		Leaf	Drop juice from pressed leaves into the ear	Problems of the eardrum		+	
		Leaf	Add the following to water: dry leaves of <i>Musa paradisiaca</i> , little unripe fruits and leaves of <i>Citrus limon</i> , leaves of <i>Mangifera indica</i> , leaves of <i>Carica papaya</i> , and leaves of <i>Ziziphus mauritiana</i>	Malaria		+	
<i>Cassia tora</i> L. (Fabaceae) UNISGEN76	Cassepuante (f)			Blemishes on scalp which may extend to the whole body		+	2
	Ndur (w)	Fruit	Use it with <i>Ficus umbellata</i>	Skin fungus		+	
			Eat it	Bellyache	+		3
<i>Ceiba pentandra</i> (L.) Gaertn. (Malvaceae)		Root	Put little plants' roots in water and then drink the water It is going to fizz	Fatigue	+		
		Bark	Use infusion made with the bark as a mouthwash	Toothache	+		
	Fromager, Kapotier (f)	Root?		Cancer		+	
	Bantau			Infant strength and protection		+	
	Bentene (w)	Bark?	Pour the infusion on the baby's head during baptism				
		Root	Good for the blood because of the red colour	Blood	+	+	

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Citrus limon</i> (L.) Burm. (Rutaceae)	Citron (f) Limon (w)	Leaf	Make an infusion together with leaves of <i>Allium cepa</i>	Sore throat	+		9
		Fruit	Drink the juice	Sore throat	+		
			Drink the juice	To lose weight	+		
			Use the juice together with <i>Capsicum</i> to gargle	Sore throat	+		
		Leaf and Fruit	Drink a beverage made with lemon leaf and fruit (<i>Citrus limon</i>)	Headache	+		
		Fruit	Put the juice on the affected part together with <i>Panicum miliaceum</i> flour	Herpes	+		
		Fruit	Drink the infusion with lemon juice (<i>Citrus limon</i>) together with two roots of the <i>Gossypium barbadense</i>	Sexual weakness		+	
		Leaf and Fruit	Drink a beverage made with little lemons and leaves	Cold	+		
		Fruit	Drink the juice	Cold	+		
			Use it with <i>Carica papaya</i> and <i>Azadirachta indica</i>	Cold	+		
			Add the following to water: dry leaves of <i>Musa paradisiaca</i> , little unripe fruits and leaves of <i>Citrus limon</i> , leaves of <i>Mangifera indica</i> , leaves of <i>Carica papaya</i> , leaves of <i>Cassia occidentalis</i> , leaves of <i>Ziziphus mauritiana</i> and drink	Malaria		+	
		Leaf and fruit					
		Fruit	Eaten with <i>Carica papaya</i>	Malaria Yellow fever	+		
			Use it with <i>Guiera senegalensis</i>	Asthma	+		
			Drink the juice	Obesity	+		
			Drink the infusion together with <i>Gossypium barbadense</i>	High blood pressure	+		
			Drink the juice with honey	Liver	+		

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Cola cordifolia</i> (Cav.) R. Br. (Malvaceae)	Kaba/Taba	Leaf	Drink the infusion	Malnutrition		+	1
<i>Cola nitida</i> (Vent.) Schott & Endl. (Malvaceae) UNISGSEN85	Ptit cola (f) Kola (w) Goro (p)	Seed	Chew it	Stimulant	+		1
<i>Combretum glutinosum</i> Perr. ex DC. (Combretaceae)	Chigommier (f) Rat (w)	Leaf	Drink the infusion Drink the infusion Drink the infusion Drink the infusion	Cough Bronchitis Sore throat Cold	+		2
		Leaf	Ingested together with <i>Tamarindus indica</i> fruit pulp	Blood pressure	+	+	9
			Drink the infusion with <i>Musa paradisiaca</i> 's leaf and <i>Annona senegalensis</i>	Blood pressure		+	
			Drink the infusion	Diabetes	+		
			Use it with <i>Tamarindus indica</i>	Asthma	+		
		Leaf		Obesity	+		
<i>Combretum micranthum</i> G. Don (Combretaceae) UNISGSEN10	Kinkeliba (f) Sekhaw (w)		Drink the infusion	Bloodstream	+	+	
			Drink the infusion with these leaves together with <i>Bambusa vulgaris</i> leaves	High blood pressure		+	
			Drink the infusion without sugar	Malnutrition		+	
		Flower	Drink the infusion with cloves (<i>Eugenia caryophyllata</i>) and <i>Xylopia aethiopiaca</i> seeds	Vision problems	+		
		Leaf	Drink the infusion	Bellyache		+	
<i>Dialium guineense</i> Willd. (Fabaceae) UNISGSEN17	Solom (w)	Bark	Make aerosol with the infusion	Asthma	+		1
<i>Datura innoxia</i> Mill. (Solanaceae) UNISGSEN91	Datura (f) Kubejaara	Leaf	Burn the wood and mix the wood ash with powdered leaf ash External Use only—highly hallucinogenic if used internally	Allergies		+	1

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Daucus carota</i> L. (Apiaceae)	Carotte (f)	Leaf	Drink the infusion	Breast cancer	+		1
<i>Dioscorea</i> spp. (Dioscoreaceae) UNISGEN83	Imuam Ignose (f) Yam (w)	Root Leaf	Eat it Boil the leaves	To gain weight Asthma		+	2
			Put the oil on the hair	Hair	+		6
		Fruit → oil	Topical application	Toothache		+	
			Pour in the ears	Earache	+		
			Use the palm oil together with <i>Sooto noir</i> (<i>Ficus capensis</i> Thumb.?) powdered root	Liver problems		+	
			Attach the root of <i>Moringa oleifera</i> to the affected area and then cover the sore part with palm oil. Do not leave the root in place too long or it will cause an infection.				
<i>Elaeis guineensis</i> Jacq. (Arecaceae)	Palmier à huile (f) Tiir (w)					+	
		Seeds	Wear a necklace made out of these seeds	Sore throat	+		
			Break the seed and eat the internal part	Gastritis		+	
		Root	Put them in wine and drink it	Sterility		+	
				Skin fungus	+		
		Fruit → oil	Use the palm oil together with peanuts (<i>Arachis hypogaea</i>) and dab on hair.	Hair		+	
			Use it together with <i>Vitellaria paradoxa</i> butter and <i>Carapa procera</i> , dab on hair	Hair	+		
			Apply it on the cuts together with <i>Hessawane</i>	Tetanus	+		
			Drink the infusion with <i>Jatropha curcas</i>	Cough	+		1
<i>Erythrina senegalensis</i> DC. (Fabaceae) UNISGEN34	Erythrine du Senegal (f) Dolliw fatu	Root	Drink the infusion	Syphilis		+	
			Drink the infusion	Menstrual pain		+	
<i>Eucalyptus globulus</i> Labill. (Myrtaceae) UNISGEN88	Eucaliptus (f) Khotta bu tel (w)	Leaf	Drink the infusion	Blood pressure	+		1

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Eugenia caryophyllata</i> Thunb. (Myrtaceae) UNISGSEN38	Girofle (f) Xorompole (w)	Flower bud	Make an infusion and use it as mouthwash	Toothache	+		3
			Drink the infusion	Conjunctivitis	+		
			Make infusion with seeds of <i>Xylopia aethiopica</i> and <i>Combretum micranthum</i> flower and apply on eyes	Vision problems	+		
<i>Euphorbia balsamifera</i> Ait. (Euphorbiaceae)	Salan Salana Salan Mbechi	Branch	Cut a branch and put the lymph on the wound	Wounds	+		3
<i>Ficus elastica</i> Roxb. ex Hornem. (Moraceae) UNISGSEN59	Yirif asotu	Leaf and bark	Drink the infusion	Toothache	+		
		Leaf	Drink the infusion	Low blood pressure		+	2
		Root	Drink the infusion	Cold	+		
<i>Ficus sycomorus</i> ssp. <i>gnaphalocarpa</i> (Miq.) C.C. Berg (Moraceae) UNISGSEN42	Ficus (f) Sooto (m)	Leaf	Powder branches and leaves together with <i>Jamba Saboo</i> leaves and drink some of it. Wash yourself with the rest of it. Do not eat fish in the meantime.	Fatigue	+		2
		Leaf	Use it with <i>Cassia tora</i>	AIDS		+	
<i>Ficus umbellata</i> Vahl (Moraceae) UNISGSEN68	Ñokolokotò (m)	Leaf	Use it with <i>Cassia tora</i>	Skin fungus	+		1
		Leaf		Cough	+		4
<i>Gossypium barbadense</i> L. (Malvaceae)	Cotonnier (f) Uiten (w)	Root	Drink the infusion together with lemon juice (<i>Citrus limon</i>)	High blood pressure	+		
			Drink the infusion made with two roots together with lemon juice (<i>Citrus limon</i>)	Sexual weakness		+	
			Drink the infusion three times a day	Cough	+		13
			Chew it and put it on the sore tooth	Toothache	+		
			Dry it and use it every day	Sores	+		
<i>Guiera senegalensis</i> J.F. Gmel (Combretaceae) UNISGSEN18	Guiera du Senegal (f) Ngeer (w) Mamakumkoyo (m)	Leaf	Make an infusion together with the lemon leaves (<i>Citrus limon</i>)	Asthma	+		
			Drink the infusion with Valda pastille (industrial pastille based on menthol and eucalyptus essential oil)	Cold	+		
			Make infusion and apply to hair	Hair		+	
			Drink the infusion	Insomnia		+	

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Hibiscus sabdariffa</i> L. (Malvaceae) UNISGEN12	Karkadè (f) Bisaab (w)	Leaf and Flower	Drink the infusion	Bloodstream	+		12
		Flower		Flu	+		
		Fruit	Make a juice together with <i>Adansonia digitata</i> seeds	Fatigue	+	+	
		Flower		Lack of appetite		+	
			Use it with <i>Tamarindus indica</i> and <i>Acacia nilotica</i>	Fatigue	+		
		Flower	Use it with <i>Phaseolus vulgaris</i> seeds	Anemia	+		
			Use it with seeds of <i>Phaseolus vulgaris</i>	Fatigue	+		
		Fruit	Remove the seeds and squeeze the fruit juice into the eyes.	Conjunctivitis		+	
		Leaf	Make an infusion together with the young leaves of <i>Psidium guajava</i> , drink it, and eat the leaves	Diarrhoea	+	+	
<i>Holarrhena floribunda</i> T. Durand & Schinz (Apocynaceae) UNISGEN67	Jarko (m)			Sexually transmitted diseases	+		2
			Drink the tisane	Prostate Abortion		+	

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Jatropha curcas</i> L. (Euphorbiaceae)	Pignon d'Inde (f) Tabanana (w) Tabanano (m)	Bark and Root	Collect pieces of bark that face east during sunset and then drink it in 5 litres of water	Cancer	+		6
			Collect pieces of bark that face east during sunset and then drink it in 5 litres of water	Syphilis	+		
			Drink the infusion together with roots of <i>Erythrina senegalensis</i> in it	Cough	+		
			Put it in a small pan with <i>Capsicum</i> and drink	Hair loss		+	
			Powder it together with <i>Kunjunburun</i> and eat it on rice	Syphilis		+	
<i>Khaya senegalensis</i> (Desr.) A. Juss. (Meliaceae)	Cailsedrat (f) Xai, kay (w)	Bark	Use it with <i>Calotropis procera</i> and <i>Manganso</i> (unidentified plant)	Yellow fever		+	
			Drink a tisane made with the bark together with <i>Acacia tortilis</i> .	Intestinal worms	+	+	5
			Boil it in the water or put it into cold water for 2 hours and then drink it.	Fatigue	+		
			Make aerosol with it	Fatigue		+	
			Put in water and drink it	"Makes blood"	+		
<i>Lawsonia inermis</i> L. (Lythraceae) UNISGSEN69	Hennè (f) Fuden (w)	Leaf?	Make cold infusion and drink	Kidney problems		+	
				Anemia		+	
			Put the bark in a bottle and drink it.	Tuberculosis		+	
			Soak it together with the leaves of <i>Psidium guajava</i> and then drink it. The leaves needs to be fresh, not dried.	Stomachache		+	1

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Leptadenia hastata</i> Vaitke (Apocynaceae)	Mboom (w) Duto (m)	Leaf	Attach the leaves to the back together with hawk's bones	Kidney problems		+	1
		Root	Scrape at the bark, put it into water, and drink it	Snakebite		+	
<i>Lippia chevalieri</i> Moldenke (Verbenaceae)	Samfitò	Leaf	Drink the infusion	Boils		+	1
<i>Maerua crassifolia</i> Forssk. (Capparaceae)	Sothiou (w) Sothiou suukar	Branch	Rub the stick on the teeth	Clean teeth	+		2
			Chew the branch. Its bark tastes like sugar	Haemorrhoids		+	
		Leaf	Make an infusion, with 1.5 L water and a handful of leaves (some say to use only the ones on the floor, others to add salt to the infusion)	Tetanus	+	+	13
<i>Mangifera indica</i> L. (Anacardiaceae) UNISGSEN37	Manguier (f) Màngo joolaa (w)	Leaf	Drink infusion	Poor memory	+		
		Bark?	Hot infusion and inhale it together with peanut (<i>Arachis hypogaea</i>) leaves	General health	+		
		Bark	Make aerosol with it	Toothache	+		
		Leaf		Toothache	+	+	
		Leaf	Add to water: dry leaves of <i>Musa paradisica</i> , little unripe fruits and leaves of <i>Citrus limon</i> , leaves of <i>Mangifera indica</i> , leaves of <i>Carica papaya</i> , leaves of <i>Cassia occidentalis</i> , and leaves of <i>Ziziphus mauritiana</i>	Malaria		+	
		Fruit	Eat three fruits	Constipation	+		
<i>Manihot esculenta</i> Crantz (Euphorbiaceae) UNISGSEN07	Manioc (f) Gnambi (w) Mañok (m)	Leaf	Drink the infusion together with milk curdle and then massage the chest	Lung cancer		+	1
			Make aerosol with the infusion	Asthma		+	

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Moringa oleifera</i> Lam. (Moringaceae) UNISGEN39	Moringa (f) Nebeday (w) Nebedayo (m)	Leaf	Dry in the shade, powder, and eat with food	Diabetes	+		12
		Leaf	Dry it in the shade and then crush it and eat in on rice	Diabetes	+		
		Seed	Dry the seeds on the fire, powder, mix with water, and drink	Diabetes	+		
		Root	Grind the root and put it on the fire then dab and bandage	Sore knees	+		
		Bark	Soak the root in water for few seconds and then drink	Sore neck		+	
		Leaf	Put the leaf in water and wash your eyes with it	Eye allergies	+		
		Bark	Soak it in warm (not boiling) water and then drink it	Kidney problems		+	
		Root	Attach the root to the affected area, with <i>Elaeis guineensis</i> oil. Do not leave it too long or the root will cause an infection on the sore part.	Rheumatism		+	
		Leaf	Dry the leaves in the shade and eat it with <i>Phaseolus vulgaris</i>	Blood pressure	+		
		Seed	Put the seeds on the fire, grind into a powder and drink with water	Blood pressure	+		
<i>Musa paradisiaca</i> L. (Musaceae)	Bananier (f)	Leaf	Cut the leaves and dry them in the sun for 24 hours	General health	+		4
		Fruit	Eat it	Stomachache	+		
		Leaf	Infusion with <i>Combretum micranthum</i> and <i>Annona senegalensis</i>	Blood pressure		+	
			Add to water: dry leaves of <i>Musa paradisiaca</i> , little unripe fruits and leaves of <i>Citrus limon</i> , leaves of <i>Mangifera indica</i> , leaves of <i>Carica papaya</i> , leaves of <i>Cassia occidentalis</i> , and leaves of <i>Ziziphus mauritiana</i>	Malaria		+	

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Ocimum basilicum</i> L. (Lamiaceae) UNISGEN13	Basilic (f) Ngungun (m)	Leaf	Drink the infusion	Headache		+	3
		Seeds	Put the seed into the eyes and everything comes out	Eye problems		+	
		Leaf?	Use it with <i>Calotropis procera</i>	Rheumatism	+		
<i>Panicum miliaceum</i> L. (Poaceae)	Mil (f)		Use the powder (pollen) that falls down during the harvest to massage the body with water and salt. Leave it on half an hour and then wash it away.	Allergies		+	2
		Fruit	Apply millet powder together with lemon juice (<i>Citrus limon</i>) on the affected area	Herpes	+		
			Cut the bark into pieces, boil, and use the water as mouthwash	Toothache	+		2
<i>Parinari macrophylla</i> Sabine (Chrysobalanaceae)	New (w) Tamba	Bark	Make an infusion and drink	Sore throat		+	
			Make an infusion and drink it before meals	Helps in digestion		+	
			Put the leaf powder on the burns	Burns	+		5
<i>Parkia biglobosa</i> (Jacq.) R.Br. ex G. Don (Fabaceae) UNISGEN87	Minosa purpre (f) Uul (w) Nete, Nere (m)	Leaf	Eat the leaves together with <i>Carica papaya</i> fruit	Yellow fever	+		
			Drink the infusion with powdered leaf and milk	Ulcer	+		
			Use it together with <i>Acacia albidia</i> and <i>Ammonia senegalensis</i>	Depression		+	
			Use it with <i>Acacia albidia</i> , <i>Guiera senegalensis</i> , <i>Ammonia senegalensis</i> , <i>Adansonia digitata</i> , <i>Soora</i> (nonidentified plant), and <i>Ficus sycomorus</i>	Headache, sore throat, and cold taken as result of the wind		+	
			Cook them with rice	Diabetes	+		

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Phaseolus vulgaris</i> L. (Fabaceae) UNISGSEN35	Harricot blanche (f) Niebè (w) Ñebbe	Seeds	Use with <i>Hibiscus sabdariffa</i> Make an infusion with seven seeds and eat them Use it with <i>Hibiscus sabdariffa</i> Eat it together with <i>Moringa oleifera</i> 's sundried leaves	Fatigue Breast cancer Anaemia Blood pressure	+		3
<i>Piliostigma reticulatum</i> (DC.) Hochst. (Fabaceae) UNISGSEN77	Fara (m) Kankuran (p)	Bark	Put the red liquid inside the bark on the wound then powder the bark and put it on the wound Use it with <i>Annona senegalensis</i> Drink the infusion	Wounds Tuberculosis Chronic cough	+	+	3
<i>Piper nigrum</i> L. (Piperaceae)	Poivre noir (f) Mex Pobare (w)	Seed	Drink boiled milk with pepper in it	Sore throat	+		
<i>Prosopis africana</i> (Guill. & Perr.) Taub. (Fabaceae)	Yiir (w)	Bark	Drink the decoction	Anaemia	+		1
<i>Prosopis juliflora</i> (Sw.) DC. (Fabaceae) UNISGSEN26	Banaana golo (w)	Leaf	Make aerosol useful to swat and then drink the water	Vertigo	+		1
		Leaf	Make aerosol useful to swat and then drink the water	Pregnant women	+		
		Leaf	Drink the infusion	Bellyache		+	
		Young leaf	Make an infusion with <i>Hibiscus sabdariffa</i> leaves, drink it, and eat the leaves	Diarrhoea	+	+	10
		Leaf	Drink the infusion	Bellyache		+	
<i>Psidium guajava</i> L. (Myrtaceae) UNISGSEN31	Goyave (f) Guyaab (w)	Fruit	Use it together with <i>Carica papaya</i> leaf Eat the fruit	Cystitis Bellyache		+	
			Drink the infusion	Diarrhoea		+	
		Leaf	Drink the infusion made with young leaves	Diarrhoea	+		
			Soak the leaves together with <i>Lawsonia inermis</i> , and then drink it. The leaves need to be fresh, not dried	Stomachache		+	

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Saba senegalensis</i> (A.DC.) Pichon (Apocynaceae) UNISGEN76	Màdd (w) Mat mat (m)	Leaf	Drink the infusion	Intestinal worms	+		2
		Fruit	Boil the fruit	Malnutrition		+	
		Leaf	Make an infusion	Skin fungus	+		5
<i>Solanum lycopersicum</i> L. (Solanaceae)	Tomate (f) Tamaate (w)		Crush the leaf and put the juice and the leaf inside the ear	Earache	+		
		Fruit	Apply tomato sauce on the wound	Wounds	+	+	
			Eat it raw	Smallpox	+		
<i>Solanum tuberosum</i> L. (Solanaceae)	Pomme de terre (f) Pombiteer (w)	Leaf	Make an infusion and give it to the 1-week-old baby to drink	Strong child	+		1
		Fruit	Eat it raw	Menstrual pain	+		
			Use it with <i>Combretum micranthum</i>	Asthma	+		
<i>Tamarindus indica</i> L. (Fabaceae)		Fruit	Boil it and wash your eyes with it	Vision problems		+	4
			Add salt and rinse your mouth with it	Toothache		+	
	Tamarin (f) Daqaar (w)		Karité butter together with the bark of <i>Tamarindus indica</i>	Bruises	+		
		Bark	Use it with <i>Hibiscus sabdariffa</i> and the bark of <i>Acacia nilotica</i>	Fatigue	+		
			Use it with <i>Combretum micranthum</i>	Blood pressure	+		
<i>Tinospora bakis</i> (A. Rich.) Miers (Menispermaceae)	Bakis (w)	Root	Eat the root in a soup with a ripe <i>Carica papaya</i> and chicken	Yellow fever	+		1

TABLE 2: Continued.

Botanical taxon, family, and voucher specimen code	Local name(s)	Part(s) used	Preparation and administration	Folk medical use (used against/to regulate)	Healers	Laypeople	Qs
<i>Vitellaria paradoxa</i> C.F. Gaertn. (Sapotaceae)	Karité (f)	Seed → butter	Massage the neck	Sore neck (2)	+	+	11
			Massage the body	Cold	+		
			Put it on the sore part	Bruises	+		
			Massage the chest with Karité butter	Chronic cough	+		
			Add salt to the butter and dab on the back	Backache	+		
			Karité butter together with the bark of <i>Tamarindus indica</i>	Bruises	+		
			Massage and dab the sore part of the body	Rheumatism	+		
			Apply on herpes	Herpes	+		
			Use it with <i>Carapa procera</i> and <i>Elaeis guineensis</i> ' oil	Hair loss	+		
			Use it together with <i>Carapa procera</i> 's nut oil and dab it on the body three times a day	Backache		+	
			Dab on the hair	Stronger hair	+		
<i>Xylopia aethiopica</i> (Dunal) A. Rich. (Annonaceae) UNISGSEN70	Diar (w) Jar	Fruit Seed	Use it together with a stick to apply this part	Fractures	+		
			Add coffee and tyr (red oil)	To get rid of the dead blood, against fatigue	+		
			Use it with <i>Aloe vera</i>	Tuberculosis		+	
			Use it with <i>Aloe vera</i>	Hair loss	+		
			The seeds are used to prepare the "Touba Coffee"	Blood pressure	+		3

(f): French; (m): Mandingo; (p): Pulaar; (w): Wolof; Qs: quotations (number of informants, who have quoted a specific taxon); ?: uncertain information.

the ones in charge of TM and “health” foods in the domestic setting.

The issues relevant to primary TM practice in migrant communities are often compounded by a lack of specific health policies, which are able to address migrant needs. This problem is, of course, not isolated to the case of migrants in Italy, but is also relevant to many other Western countries, where the healthcare needs of burgeoning migrant populations are often conspicuously absent in health policy and legislation.

By having a better understanding of both the migrant folk pharmacopoeia and the state of TK transmission with regards to health, more culturally sensitive health policies could be developed. In particular, the increasing occurrence of newcomers in Italy should foster more pluralistic approaches in the management of CAMs by the regional authorities, as well as consequently addressing measures aimed to improve the information on potentialities and risks of “home-made” herbal remedies.

Acknowledgments

Special thanks are due to all of the study participants, who generously agreed to share their knowledge with the first author (R. Ellena). In particular, the authors would like to acknowledge Abdou Faye, Centre d'Education et de Formation Polyvalente, Ziguinchor, Senegal; the NGOs *Jamm Italia* and *Jamm Senegal*; the following people: Mamath Ndiaye, Lamine Mane, Adamà Signatte, Kebaman, Majorò Diop, Bu, Amadou Diop, Mamath Ndiaye's grandmother, Awa Diagne, Awa's grandmother, Aicha Ndiaye, Vincent, Modu Modu, Cheik Omar, Khadim, Crip Crap, Mariama, Rama, Fatou, Amadou Diagne, Kabra, Sebia Mendy, Gnana Sahonsla, Ina Signatte, Bin Tagiata, Mohammed Buasi, Solol, Abdullaye, and Abdou Gassama.

References

- [1] M. J. Balick, F. Kronenberg, A. L. Ososki et al., “Medicinal plants used by Latino healers for women's health conditions in New York City,” *Economic Botany*, vol. 54, no. 3, pp. 344–357, 2000.
- [2] I. Vandebroek, M. J. Balick, A. Ososki et al., “The importance of botellas and other plant mixtures in Dominican traditional medicine,” *Journal of Ethnopharmacology*, vol. 128, no. 1, pp. 20–41, 2010.
- [3] M. J. Balick and R. Lee, “Looking within: urban ethnomedicine and ethnobotany,” *Alternative Therapies in Health and Medicine*, vol. 7, no. 4, pp. 114–115, 2001.
- [4] A. Waldstein, “Mexican migrant ethnopharmacology: pharmacopoeia, classification of medicines and explanations of efficacy,” *Journal of Ethnopharmacology*, vol. 108, no. 2, pp. 299–310, 2006.
- [5] A. Pieroni and I. Vandebroek, *Traveling Cultures and Plants: The Ethnobiology and Ethnopharmacy of Human Migrations*, Berghahn, New York, NY, USA, 2007.
- [6] A. Pieroni and C. Gray, “Herbal and food folk medicines of the Russlanddeutschen living in Künzelsau/Taläcker, South-Western Germany,” *Phytotherapy Research*, vol. 22, no. 7, pp. 889–901, 2008.
- [7] A. Pieroni, H. Muenz, M. Akbulut, K. H. C. Başer, and C. Durmuşkahya, “Traditional phytotherapy and trans-cultural pharmacy among Turkish migrants living in Cologne, Germany,” *Journal of Ethnopharmacology*, vol. 102, no. 1, pp. 69–88, 2005.
- [8] P. C. Lundberg, “Use of traditional herbal remedies by Thai immigrant women in Sweden,” in *Travelling Cultures, Plants and Medicines The Ethnobiology and Ethnopharmacy of Human Migrations*, A. Pieroni and I. Vandebroek, Eds., pp. 104–121, Berghahn, New York, NY, USA, 2007.
- [9] T. van Andel and P. Westers, “Why Surinamese migrants in the Netherlands continue to use medicinal herbs from their home country,” *Journal of Ethnopharmacology*, vol. 127, no. 3, pp. 694–701, 2010.
- [10] T. van Andel and C. van't Klooster, “Medicinal plant use by Surinamese immigrants in Amsterdam, the Netherlands: results of a pilot market survey,” in *Travelling Cultures, Plants and Medicines The Ethnobiology and Ethnopharmacy of Human Migrations*, A. Pieroni and I. Vandebroek, Eds., pp. 122–144, Berghahn, New York, NY, USA, 2007.
- [11] A. Pieroni, H. Zaman, S. Ayub, and B. Torry, “My doctor doesn't understand why I use them,” in *Herbal and Food Medicines Amongst the Bangladeshi Community in West Yorkshire, UK*, M. Pardo de Santayana, A. Pieroni, and R. Puri, Eds., pp. 112–146, *Ethnobotany in the New Europe People, Health and Wild Plant Resources*, Berghahn, Oxford, UK, 2010.
- [12] D. S. Sandhu and M. Heinrich, “The use of health foods, spices and other botanicals in the sikh community in London,” *Phytotherapy Research*, vol. 19, no. 7, pp. 633–642, 2005.
- [13] A. Pieroni, L. Houlihan, N. Ansari, B. Hussain, and S. Aslam, “Medicinal perceptions of vegetables traditionally consumed by South-Asian migrants living in Bradford, Northern England,” *Journal of Ethnopharmacology*, vol. 113, no. 1, pp. 100–110, 2007.
- [14] A. Pieroni, Q. Z. Sheikh, W. Ali, and B. Torry, “Traditional medicines used by Pakistani migrants from Mirpur living in Bradford, Northern England,” *Complementary Therapies in Medicine*, vol. 16, no. 2, pp. 81–86, 2008.
- [15] M. Ceuterick, I. Vandebroek, B. Torry, and A. Pieroni, “The use of home-remedies for health care and well-being by Spanish Latino immigrants in London: a reflection on acculturation,” in *Travelling Plants and Cultures The Ethnobiology and Ethnopharmacy of Human Migrations*, A. Pieroni and I. Vandebroek, Eds., Berghahn, New York, NY, USA, 2007.
- [16] M. Ceuterick, I. Vandebroek, B. Torry, and A. Pieroni, “Cross-cultural adaptation in urban ethnobotany: the Colombian folk pharmacopoeia in London,” *Journal of Ethnopharmacology*, vol. 120, no. 3, pp. 342–359, 2008.
- [17] M. Ceuterick, I. Vandebroek, and A. Pieroni, “Resilience of Andean urban ethnobotanies: a comparison of medicinal plant use among Bolivian and Peruvian migrants in the United Kingdom and in their countries of origin,” *Journal of Ethnopharmacology*, vol. 136, no. 1, pp. 27–54, 2011.
- [18] Caritas/Migrantes, “Immigrazione. Dossier Statistico. XX° Rapporto,” Rom: Idos, 2010.
- [19] B. Riccio, “West African transnationalisms compared: ghansians and senegalese in Italy,” *Journal of Ethnic and Migration Studies*, vol. 34, no. 2, pp. 217–234, 2008.
- [20] G. Sinatti, ““Mobile transmigrants” or “unsettled returnees”? myth of return and permanent resettlement among Senegalese migrants,” *Population, Space and Place*, vol. 17, no. 2, pp. 153–166, 2011.

- [21] G. Sinatti, "Home is where the heart abides migration, return and housing in Dakar, Senegal," *Open House International*, vol. 34, no. 3, pp. 49–56, 2009.
- [22] M. G. Carta, P. Coppo, M. A. Reda, M. C. Hardoy, and B. Carpiello, "Depression and social change. From transcultural psychiatry to a constructivist model," *Epidemiologia e Psichiatria Sociale*, vol. 10, no. 1, pp. 46–58, 2001.
- [23] J. Andall, "Immigration and the Italian left democrats in government (1996–2001)," *Patterns of Prejudice*, vol. 41, no. 2, pp. 131–153, 2007.
- [24] N. Mai, "The Albanian diaspora-in-the-making: media, migration and social exclusion," *Journal of Ethnic and Migration Studies*, vol. 31, no. 3, pp. 543–561, 2005.
- [25] N. Mai, "The politicisation of migrant minors: italo-Romanian geopolitics and EU integration," *Area*, vol. 42, no. 2, pp. 181–189, 2010.
- [26] N. Sigona, "'Gypsies out of Italy!': social exclusion and racial discrimination of Roma and Sinti in Italy," in *Italy Today The Sick Man of Europe*, A. Mammone and G. A. Veltri, Eds., pp. 143–157, Routledge, Abingdon, UK, 2010.
- [27] M. Avanza, "The Northern League and its 'innocuous' xenophobia," in *Italy Today The Sick Man of Europe*, A. Mammone and G. A. Veltri, Eds., pp. 131–142, Routledge, Abingdon, UK, 2010.
- [28] A. Tchouncha, "La comunità senegalese di Torino e dintorni," <http://www.provincia.torino.gov.it/xatlante/mediaecomunita/scheda.senegal.htm>.
- [29] International Society of Ethnobiology, "International Society of Ethnobiology Code of Ethics," 2008, <http://ethnobiology.net/code-of-ethics/>.
- [30] S. M. U. Brunken, S. Dressler, T. Janssen, A. Thiombiano, and G. Zizka, "West African Plants—A Photo Guide," 2008.
- [31] IPNI, "International Plant Names Index," 2011.
- [32] P. F. Stevens, "Angiosperm Phylogeny Website," 2001.
- [33] The Angiosperm Phylogeny Group, "An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG III," *Botanical Journal of the Linnean Society*, vol. 161, no. 2, pp. 105–121, 2009.
- [34] J. Kerharo and J.-G. Adam, "La pharmacopée senegalaise traditionnelle: plantes medicinales et toxiques," Paris, Vigot, 1974.
- [35] J. Kerharo, "La médecine et la pharmacopée traditionnelles sénégalaises," *Études Médicales*, vol. 1, pp. 7–54, 1975.
- [36] J. Kerharo, "La Pharmacopée sénégalaise: catalogue des plantes médicinales et toxiques des Wolof et des Sérér, augmenté de la mention des Noms vulgaires et vernaculaires, des Propriétés et des Utilisations, généralement reconnues en médecine traditionnelle," *Annales Pharmaceutiques Française*, vol. 25, pp. 385–438, 1967.
- [37] P. Bruschi, M. Morganti, M. Mancini, and M. A. Signorini, "Traditional healers and laypeople: a qualitative and quantitative approach to local knowledge on medicinal plants in Muda (Mozambique)," *Journal of Ethnopharmacology*, vol. 138, pp. 543–563, 2011.
- [38] T. A. Osbaldeston and R. P. A. Wood, *Dioscorides De Materia Medica: Being an Herbal with Many other Medicinal Materials Written in Greek in the First Century of the Common Era; A New Indexed Version in Modern English*, IBIDIS Press, Johannesburg, South Africa, 2000.
- [39] A. Pieroni and M. E. Giusti, "Alpine ethnobotany in Italy: traditional knowledge of gastronomic and medicinal plants among the Occitans of the upper Varaita valley, Piedmont," *Journal of Ethnobiology and Ethnomedicine*, vol. 5, article 32, 2009.