

## Research Article

# Nanoconjugate Platforms Development Based in Poly( $\beta$ ,L-Malic Acid) Methyl Esters for Tumor Drug Delivery

José Portilla-Arias,<sup>1</sup> Rameshwar Patil,<sup>1</sup> Jinwei Hu,<sup>1</sup> Hui Ding,<sup>1</sup>  
Keith L. Black,<sup>1</sup> Montserrat García-Alvarez,<sup>2</sup> Sebastián Muñoz-Guerra,<sup>2</sup>  
Julia Y. Ljubimova,<sup>1</sup> and Eggehard Holler<sup>1,3</sup>

<sup>1</sup> Department of Neurosurgery, Maxine Dunitz Neurosurgical Institute, Cedars-Sinai Medical Center, 8631 W. Third Street, Suite 800E, Los Angeles, CA 90048, USA

<sup>2</sup> Departament d'Enginyeria Química, Universitat Politècnica de Catalunya, ETSEIB, Diagonal 647, 08028 Barcelona, Spain

<sup>3</sup> Institut für Biophysik und Physikalische Biochemie, Universität Regensburg, D-93040 Regensburg, Germany

Correspondence should be addressed to José Portilla-Arias, portillaj@cshs.org

Received 29 October 2009; Accepted 21 January 2010

Academic Editor: Chao Lin

Copyright © 2010 José Portilla-Arias et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

New copolyesters derived from poly( $\beta$ ,L-malic acid) have been designed to serve as nanoconjugate platforms in drug delivery. 25% and 50% methylated derivatives (coPMLA-Me<sub>25</sub>H<sub>75</sub> and coPMLA-Me<sub>50</sub>H<sub>50</sub>) with absolute molecular weights of 32 600 Da and 33 100 Da, hydrodynamic diameters of 3.0 nm and 5.2 nm and zeta potential of -15 mV and -8.25 mV, respectively, were found to destabilize membranes of liposomes at pH 5.0 and pH 7.5 at concentrations above 0.05 mg/mL. The copolymers were soluble in PBS (half life of 40 hours) and in human plasma (half life of 15 hours) but they showed tendency to aggregate at high levels of methylation. Fluorescence-labeled copolymers were internalized into MDA-MB-231 breast cancer cells with increased efficiency for the higher methylated copolymer. Viability of cultured brain and breast cancer cell lines indicated moderate toxicity that increased with methylation. The conclusion of the present work is that partially methylated poly( $\beta$ ,L-malic acid) copolyesters are suitable as nanoconjugate platforms for drug delivery.

## 1. Introduction

Biodegradable polymers are suitable materials for the manufacture of various devices which, because of their biocompatibility, are widely applied in medicine and pharmacology. Examples are poly(lactic acid) and (PLA), poly(glycolic acid) and their copolymers, with a successful 30 years history in surgical settings [1].

The relatively new biopolymer, poly ( $\beta$ ,L-malic acid) (PMLA), is a carboxylic-functionalized polyester that can be produced by either chemical synthesis or biological fermentation from the slime mold *Physarum polycephalum*. Both  $\alpha$ - and  $\beta$ -structures, either racemic or optically pure, may be obtained by chemical methods whereas microorganisms exclusively generate PMLA of extremely high optical purity [2, and references therein]. The attractive properties in nanobiotechnology and biomedicine are the lack of in vitro

and in vivo toxicity and non-immunogenicity. PMLA is a completely biodegradable polymer that is metabolized to water and carbon dioxide in the citric acid cycle. It is biocompatible with regard to its limited stability in the bloodstream thus prohibiting physiologically adverse host responses after injection. It is chemically convenient to handle due to its solubility in water and certain organic solvents and to the reactivity of its pendant carboxylic groups [2–9].

So far, the most advanced application reported for PMLA, is the development of "Polycefin", a nanoconjugate prototype vehicle for the cellular delivery of antisense oligonucleotides. It consists of PMLA that harbors antisense morpholino oligonucleotides and several biochemically functional units which are chemically conjugated with the carboxyl groups. These functional units are tumor-specific antibodies that promote receptor-mediated endosomal

uptake by the tumor cells, a unit that allows the vehicle to escape from the endosomal vesicles into the cytoplasm and another unit that, after cleavage, releases free oligonucleotides. This nanoconjugate can carry several antisense oligonucleotides or other drugs at the same time and also simultaneously several antibodies, which can bind specifically to cell surface antigens during drug delivery [5–9].

Both synthetic and biosynthetic polymeric acids are spontaneously or enzymatically degraded in aqueous environment (see review [2]). Regardless of chirality, degradation is moderate at physiological pH and proceeds rapidly in acidic (pH < 5) and basic (pH > 9) solutions [2] by random scission of the main chain ester bonds to yield malic acid as the final degradation product [10]. By chemical blocking of the pendant carboxylic groups, the properties of PMLA could be changed to slow down its hydrolysis rate. Methylation with diazomethane has proven to be an efficient method that produced poly( $\alpha$ -methyl  $\beta$ ,L-malic acid) (PMLA-Me) without significant cleavage of the polyester backbone [11, 12]. While low degrees of methylation resulted in water soluble products, 75% methylation of pendant carboxyl groups allowed formulation of stable, water insoluble nanoparticles that could be loaded with proteins for delivery applications [13].

The soluble PMLA methyl esters containing 25% and 50% of methylated carboxylic side groups (coPMLA-Me<sub>25</sub>H<sub>75</sub> and coPMLA-Me<sub>50</sub>H<sub>50</sub>) are characterized here by investigating their light scattering properties, their degradation in human plasma and their cytotoxicity for several human cancer cell lines to be used as nanoplatforams for drug delivery.

## 2. Materials and Methods

**2.1. PMLA Production.** PMLA of microbial origin was used in this work. It was obtained by cultivation of *Physarum polycephalum* and subsequent purification as described in detail elsewhere [14]. The polyacid of NMR purity had a  $M_w = 34\,300$  Da and a polydispersity  $M_w/M_n = 1.1$ . All chemicals of highest purity, including human plasma, were bought from Merck (Germany) and Sigma-Aldrich (Germany). Organic solvents were of analytical grade and used without further purification. Water used for buffer preparation was double distilled and deionized in a “Milli-Q” system.

**2.2. Esterification.** Partial esterification of PMLA was performed as described recently by Portilla-Arias et al. [11]. In brief, a solution of diazomethane in ether (12.5 meq) was added to a solution of PMLA in dry acetone (4.3 meq with regard to malic acid units) in different ratios according to the esterification degree to be obtained, and the mixture was left under stirring at room temperature for 1 hour. The reaction mixture was then evaporated under vacuum and the residue was dissolved in a small amount of *N*-methyl-2-pyrrolidone and precipitated with cold diethyl ether. The copolymer was recovered by filtration as a white powder. Yields for coPMLA-Me<sub>25</sub>H<sub>75</sub> and coPMLA-Me<sub>50</sub>H<sub>50</sub>

were 97% and 92%, respectively. The <sup>1</sup>H NMR analysis in deuterated water revealed that the conversion actually attained in the copolyesters was 20.2, 46.5, which are pretty close to the nominal values.

**2.3. Absolute Molecular Weight, Hydrodynamic Diameter and Zeta Potential Measurements.** The copolymers were characterized with respect to their absolute molecular weight ( $M_w$ ), size and  $\zeta$  potential using a Malvern Zetasizer Nano (Malvern Instruments, UK). Absolute weight average molecular weight was calculated with a modification of the Rayleigh equation that can be used to generate a Debye plot, which is a linear fit of  $Kc/R_\theta$  versus concentration according to the equation  $Kc/R_\theta = 1/M_w + 2A_2cR_\theta$  is the Rayleigh ratio of scattered to incident light intensity,  $K$  is a constant defined by the solvent and analyte dependent refractive index increment ( $dn/dc = 0.169$  mL/g for PMLA), Avogadro's number and the solvent refractive index.  $c$  is the particle concentration and  $A_2$  is the second virial coefficient [15]. The intercept obtained from the Debye plot is equal to the inverse of the molecular weight and the slope is twice the second virial coefficient.

The size was calculated on the basis of noninvasive backscattering (NIBS) measurements using the Stokes-Einstein equation,  $d(H) = kT/3\pi\eta D$ .  $d(H)$  is the hydrodynamic diameter,  $D$  the translational diffusion coefficient,  $k$  Boltzmann's constant,  $T$  absolute temperature and  $\eta$  the viscosity. The diameter that is measured in DLS (Dynamic Light Scattering) refers to the particle diffusion within a fluid and is referred to as the hydrodynamic diameter corresponding to the diameter of a sphere that has the same translational diffusion coefficient as the particle [16]. The  $\zeta$  potential was calculated from the electrophoretic mobility based on the Helmholtz-Smoluchowski formula, using electrophoresis M3-PALS. All calculations were carried out by the Zetasizer 6.0 software. For the molecular weight determination, 5 solutions of the copolymers in phosphate buffered saline (PBS, pH 7.4) were generated by serial dilution starting with 4 mg/mL. For the measurement of the  $\zeta$  potential, the concentration of the sample was 2 mg/mL dissolved in water containing 10 mM NaCl, and the voltage applied was 150 V. For the particle size measurements, the solutions were prepared in PBS at a concentration of 2 mg/mL, filtered through a 0.2  $\mu$ m pore membrane. All the copolymer solutions were prepared immediately before analysis at 25°C. Data represent the mean  $\pm$  standard deviation obtained for three measurements.

**2.4. Copolyesters Stability in PBS and Human Plasma.** The degradation essays in human plasma were carried out at 37°C with a polymer concentration of 1 mg/mL. The sample vials were sealed to avoid evaporation and stored at 37°C in an incubator. For the isolation from the plasma, aliquots of 1 mL were extracted with 5 mL of chloroform/ethyl acetate (1:1 v/v). The copolyester contained in the organic phase was dried and redissolved in PBS and the  $M_w$  measured by sec-HPLC (Calibrated with polystyrene sulphonate-sodium salt standards). Sample preparation with the polymers of known  $M_w$  verified that the isolation had no effect on




FIGURE 1: Chemical structure of copolyesters studied in the present work with indication of their contents in methylated and free-carboxyl malic units.

molecular weights. For comparison, the degradation study was performed in PBS (pH 7.4) at a concentration of 1 mg/mL for each copolymer. Chromatography was performed on a Hitachi analytical Elite LaChrom HPLC-UV system and size exclusion column BioSep-SEC-S 3000 column (300 × 7.80 mm) following the elution at 220 nm wavelength. Molecular weights  $M_w(t)$  were plotted as a function of degradation time with reference to  $M_w(t = 0)$  at zero incubation time.

**2.5. Cell Lines and Culture Conditions.** Primary glioma cell lines—U-87 MG and T98G—and invasive breast carcinoma cell lines—MDA-MB-231 and MDA-MB-468—were obtained from American Type Culture Collection (ATCC) USA. U-87 MG and T98G cells were cultured in MEM supplemented with the following ingredients (final concentrations): 10% fetal bovine serum, 1% MEM NEAA, 1 mM sodium pyruvate and 2 mM L-glutamine. For MDA-MB-231 and MDA-MB-468, Leibovitz's L-15 medium with 10% final concentration fetal bovine serum was used. Cells were seeded at 10,000 cells per well (0.1 mL) in 96-well flat-bottomed plates and incubated overnight at 37°C in humid atmosphere with 5% CO<sub>2</sub> (breast cancer cell lines MDA-MB-231 and MDA-MB-468 were incubated without CO<sub>2</sub>).

**2.6. Cytotoxicity Test.** The copolymers (1 mg/mL and serial dilutions) were dissolved in culture media and incubated with cells for 24 hours. Cell viability was measured using the CellTiter 96 Aqueous One Solution Cell Proliferation Assay kit (Promega Corporation, Cat. No.PR-G3580). Yellow [3-(4,5-dimethylthiazol-2-yl)-5-(3-carboxymethoxyphenyl)-2-(4-sulfophenyl)-2H-tetrazolium, inner salt] (MTS) is bioreduced by cells into formazan that is soluble in the tissue culture medium. The absorbance reading at 490 nm from the 96-well plates was directly proportional to the number of living cells [17]. The viability of the untreated cells was referenced as 100%. The results shown are the means and deviations standard of three independent measurements, calculated with the statistical software GraphPad PRISM 3.0.

**2.7. Liposome Leakage Assay.** The capability of the copolymers to escape from endosome was measured by the liposome leakage assay. This method generally assumed to represent main features of the endosome membrane and

TABLE 1: Physical properties of copolymers.

	coPMLA-Me <sub>25</sub>	coPMLA-Me <sub>50</sub>
	H <sub>75</sub>	H <sub>50</sub>
Methylation <sup>(a)</sup> (%)	20.2	46.5
$M_w$ <sup>(b)</sup>	32,600	33,100
$M_n$ <sup>(b)</sup>	26,100	24,300
$T_m$ <sup>(c)</sup> (°C)	174	172
$T_d$ <sup>(d)</sup> (°C)	186	198
Microstructure <sup>(e)</sup>		
Contiguous patches $n^f$ Me	3.9	11.8
Contiguous patches $n^g$ COOH	11.5	14.5
R	0.3	0.2

<sup>(a)</sup>Copolymer composition determined by <sup>1</sup>H NMR; <sup>(b)</sup>Weight- and number-average molecular weight measured by sec-HPLC; <sup>(c)</sup>Melting temperature measured by differential scanning calorimetry; <sup>(d)</sup>Onset decomposition temperature measured at 5% of loss of initial weight; <sup>(e)</sup> $n^f$  and  $n^g$  refer to averaged numbers of methylated and free carboxyl group within homogeneous sequences, respectively, and (R) refers the randomness determined by <sup>13</sup>C NMR analysis [11].




FIGURE 2: Degradation at 37°C in PBS (pH 7.4) and human plasma for PMLA and the copolyesters.

gives similar results as the red blood cell lysis method, because it is less biased by adverse effects of proteins contained in erythrocytes/membranes. Liposome suspensions were prepared by the extrusion method. Briefly, the mixture of egg phosphatidylcholine and cholesterol (molar ratio 2 : 1) dissolved in CHCl<sub>3</sub>/MeOH (v/v, 2 : 1) was dried under a stream of nitrogen. The lipid mixture was hydrated with HBS buffer (5 mM HEPES, 150 mM NaCl, pH 7.4) containing 90 mM calcein, followed by 19 extrusions through 0.1 μm polycarbonate membrane using mini-extruder (Avanti Polar Lipids). Serial dilutions were carried out using 95 μL of two buffers of different pH, 137 mM HEPES buffer pH 7.4 and 137 mM citrate buffer pH 5.0. Liposome 5 μL (lipid concentration 200 μM) was added to each sample and the plate was incubated at room temperature for 1 hour. Complete leakage of calcein (100% reference) was achieved with the addition of 0.25% (v/v) Triton-X100 solution of respective buffers.




FIGURE 3: Elution profiles obtained by sec-HPLC for *coPMLA-Me<sub>50</sub>H<sub>50</sub>* at time zero (a) and after 24 hours of incubation (b) in human plasma at 37°C. Samples were extracted with chloroform/ethylacetate before chromatography (see Section 2).

Fluorescence of released calcein release was measured using excitation wavelength 488 nm and an emission wavelength 535 nm. The results shown are the means and deviations standard of three independent measurements, calculated with the statistical software GraphPad PRISM 3.0.

**2.8. Method of Fluorescence Labeling.** The copolymers were fluorescence labeled with rhodamine as follows: Pendant carboxyl groups of copolymer (1 mmol malyl residues) in 1 mL of dimethyl formamide (DMF) were activated with a mixture of *N*-hydroxysuccinimide (NHS, 1 mmol) and dicyclohexylcarbodiimide (DCC, 1 mmol) dissolved in 2 mL of DMF at room temperature for 3-4 hours under vigorous stirring. 2-Mercapto-1-ethylamine (0.1 mmol) and 0.1 mmol of dithiothreitol (DTT), were added and the reaction was completed in 30–40 minutes. After 30 minutes of stirring in 6 mL of water at room temperature, the mixture was centrifuged and the clear supernatant passed over Sephadex G10 columns in water. The product containing fractions were freeze dried yielding a white powder. Rhodamine Red C<sub>2</sub> maleimide (40  $\mu$ L of 1 mg/mL solution in DMF) was added to 2 mg of activated copolymer dissolved in 2 mL of PBS of pH 5.5 and stirred for 3 hours at room temperature. The fluorescent polymers were purified over Sephadex PD-10 columns pre-equilibrated with PBS (pH 7.4).

**2.9. Fluorescence Microscopy.** MDA-MB-231 cells were seeded into the microscopic chamber slide. For fluorescence microscopy study, cells were incubated with rhodamine-labeled-polymer (1 mg/mL) in fetal bovine serum (FBS) free medium for 3 hours. The stained cells were washed with PBS and fixed in 4% paraformaldehyde (PFA) for 15 minutes. Then the cells were counterstaining with DAPI to visualize the nuclei and observed under a DM6000 Leica fluorescence microscope (Wetzlar, Germany). The amount of polymer




FIGURE 4: Liposome leakage at pH 5.0 and 7.5 and 37°C. 100% leakage is obtained after the addition of 0.25% Triton X100.

uptake was calculated from the rhodamine fluorescence intensity, with subtracted background and divided by the area of the cell under study using the Image J1.43c software from NIH (values averaged over >50 cells). The experiment was done by triplicate, with three independent preparations of cells. Mean and deviation standard were calculated with the statistical software GraphPad PRISM 3.0.

### 3. Results and Discussion

**3.1. Chemical Characterization.** Partially methylated poly( $\beta$ -L-malic acid) copolymers were synthesized in high yield and purity by the diazomethane in acetone method. The two products are denoted as *coPMLA-Me<sub>25</sub>H<sub>75</sub>* and *coPMLA-Me<sub>50</sub>H<sub>50</sub>*, their chemical formulae are depicted in Figure 1 and their properties are shown in Table 1. The degree of methylation attained in the two cases (20.2 and 46.5%) in the reaction was close to the input ratio of diazomethane to total carboxylic acid (25 and 50%). Molecular weights of  $M_w$  (weight-average) = 32,600 Da and 33,100 Da with polydispersity indexes ( $M_w/M_n$ ) of 1.3 and 1.1, respectively, were determined by sec-HPLC for the two copolyesters which are values comparable to those measured for the original polymalic acid ( $M_w = 34\,300$ ,  $M_w/M_n = 1.1$ ). The slightly decrease in  $M_w$  and increase in polydispersity observed after methylation suggest partial cleavage during the chemical synthesis. The <sup>13</sup>C-NMR analysis revealed that the distribution of methyl groups along the copolyesters chain is not random. The average number of contiguous methylated carboxylic groups indicated hydrophobic patches as opposed to regions with contiguous free carboxyl groups and interdispersed free/methylated carboxyl groups. As expected, the length of hydrophobic sequences was larger for the polymer with the higher degree of methylation.

**3.2. Absolute Molecular Weight, Hydrodynamic Diameter and Zeta Potential.** The values for absolute weight averaged molecular weight, particle size and zeta potential of the resulting copolyesters together with PMLA are shown in Table 2. The values of molecular weight and polydispersity

TABLE 2: Light scattering and zeta potential measurements.

	PMLA	<i>co</i> PMLA-Me <sub>25</sub> H <sub>75</sub>	<i>co</i> PMLA-Me <sub>50</sub> H <sub>50</sub>
Molecular weight (Da)	34,200	30,100	31,900
Polydispersity index	1.1	1.22	1.41
2nd virial coefficient $A_2$ (mL · mol/g <sup>2</sup> )	6.50E-05	2.85E-05	3.50E-08
Hydrodynamic diameter (nm)	3.4 (±0.1)	3.0 (±0.1)	5.2 (±0.1)
Zeta potential (mV)	-22.9 (±1.7)	-15 (±1.1)	-8.25 (±1.3)




FIGURE 5: Cell viability of cultured cells after 24 hours incubation at 37°C for different cell lines in the presence of the indicated polyesters.

found by DLS are similar to those obtained by GPC (see Table 1) and corroborate the notion that some cleavage occurred during synthesis. While the hydrodynamic diameter does not follow a clear trend upon methylation, the second virial coefficient  $A_2$  and the  $\zeta$ -potential correlate well with the degree of methylation. The second virial coefficient is a parameter describing the interaction strength between the molecule and the solvent [16]. The relatively high values obtained for PMLA and *co*PMLA-Me<sub>25</sub>H<sub>75</sub> indicate the ability of these polymers to stay in solution, whereas the much lower value obtained for *co*PMLA-Me<sub>50</sub>H<sub>50</sub> indicates that this copolymer has some tendency for aggregation. The conclusion is corroborated by the progressive decrease of negative  $\zeta$ -potential observed for increasing methylation, that is, less repulsion and thus higher tendency for aggregation.

The effects of esterification on solubility are both an increase in hydrophobicity and a decrease in electrostatic mutual repulsion between polymers at higher degrees of

methylation. The blocky microstructure of the copolymer harboring highly hydrophobic domains of contiguously methylated units could contribute to aggregation by favoring intermolecular hydrophobic contacts. The polyacid is highly soluble in water and acetone, *co*PMLA-Me<sub>50</sub>H<sub>50</sub> is less soluble in water than *co*PMLA-Me<sub>25</sub>H<sub>75</sub>, and *co*PMLA-Me<sub>75</sub>H<sub>25</sub> (not studied here) has been reported to be water insoluble [11].

### 3.3. Copolyesters Degradation in PBS and Human Plasma.

Copolyester degradation was followed by measuring molecular weights  $M_w$  by sec-HPLC as a function of incubation time (Figure 2). During incubation in PBS (pH 7.4) at 37°C the polymers were slowly degraded as indicated by an increase in the retention time [11]. The measurements for degradation in serum at 37°C were complicated by the presence of proteins which co-eluted and interfered with the polymers in sec-HPLC, rendering polymer detection impossible. The degraded polyesters except PMLA could be separated from

proteins by extraction of the plasma mixture with chloroform/ethyl acetate. As an example the chromatograms of *coPMLA-Me<sub>50</sub>H<sub>50</sub>* incubated in serum at time zero (a) and after incubation (b) are compared in Figure 3. This case once more demonstrates the degradability of PMLA and its derivatives in physiological conditions. Specific PMLA hydrolases have been reported for microorganisms [18, 19]. As in the case of degradation in PBS (not shown), the elution profile indicated a single peak. This suggested cleavage from the ends and not fragmentation at internal cleavage sites.

Comparison of kinetics in Figure 2 revealed that (i) degradation in human plasma was faster than in PBS with half lives of 13 h in plasma for *coPMLA-Me<sub>25</sub>H<sub>75</sub>* and 20 hours for *coPMLA-Me<sub>50</sub>H<sub>50</sub>* compared with 45 hours and 50 hours in PBS, respectively and (ii) Half life was lowest for PMLA and increased with higher levels of methylation in agreement with the notion that alkylation of the  $\alpha$ -carboxyl group stabilized the main chain ester bond. Hydrolysis was significantly enhanced by constituents of human plasma, either by general catalysis or by hydrolytic enzymes, most likely esterases, such as plasma lipases or cholinesterases [20].

**3.4. Membrane Disruption.** The membrane disruption activity of *coPMLA-Me<sub>25</sub>H<sub>75</sub>* and *coPMLA-Me<sub>50</sub>H<sub>50</sub>* was measured by the phosphatidylcholine liposome leakage assay. The liposomes are filled with calcein, which leaks out if the liposome becomes destabilized or disrupted. Leakage was measured at pH 7.5, resembling physiological pH, and at pH 5.0, resembling pH of late endosomes/lysosomes. While *coPMLA-Me<sub>25</sub>H<sub>75</sub>* did not show leakage activity, *coPMLA-Me<sub>50</sub>H<sub>50</sub>* was active at concentrations above 0.1 mg/mL and the activity was pH independent (Figure 4). The finding suggested that membrane leakage was inferred by methylation of pendant carboxyl groups that increased hydrophobicity and neutralized negative charges (decrease in  $\zeta$ -potential, Table 2). The absence of effect of pH change indicated that the carboxylic groups of the methylated PMLA did not protonate in this pH range, or if they did, they had no effect on the leakage activity.

The role of hydrophobicity together with charge neutralization has been considered in drug delivery to be the mechanism for membrane disruption by a variety of molecular devices [21–25]. In the case of our methylated PMLA we think that the methylation dependent leakage refers mainly to the formation of the contiguous, electrically neutral hydrophobic patches (Table 2) which are prone to intrude into the lipid bilayer and cause the membrane damage. The membrane disruption activity especially *coPMLA-Me<sub>50</sub>H<sub>50</sub>* is thought to be useful in the design of nanoconjugates that can deliver drugs to intracellular targets.

**3.5. Cytotoxicity.** Partially methylated PMLA contains carboxylic groups that can be conjugated to several prodrugs and in addition to a variety of biologically active units such as antibodies for targeting or PEG for protection against enzymatic degradation and resorption by the reticuloendothelial system (RES). The pro-drug is activated within the targeted

cell compartment and only then unfolds its cytotoxic or any other activity.

It is desirable to know whether methylated PMLA as the platform is itself not toxic. To this end, the *in vitro* toxicity of the copolymers was tested. Figure 5 shows the viability of cultured brain and breast cancer cells: T98G, U-87 MG, MDA-MB-231 and MDA-MB-468 cells after 24 hours of incubation as a function of copolymer concentrations.

While PMLA only marginally decreased cell viability, the copolymers showed toxicity that increased with the degree of methylation, but the decrease in percentage cell viability was moderate and above 50% at concentrations  $\leq 1$  mg/mL. Effects on cell viability depended also on the type of cell line, glioma U-87 MG cells, and breast cancer MDA-MB-231 cells being more affected than glioma T98G cells and breast cancer MDA-MB-468 cells.

There are two main toxicity mechanisms commonly considered: (i) toxicity due to physical damage such as destabilization of membranes and (ii) toxicity resulting from the degradation products after intracellular uptake. The possibility of physical damage due to membrane disruption of the kind as seen by the liposome leakage assay (Figure 5) may not be significant since the effect of copolymers on cell viability is not manifested in the time scale of minutes or a few hours (results not shown). It is highly likely that toxicity was the result of methanol formation during degradation. It is known that degradation in pure deuterated water generates as main products methanol and L-malic acid [11]. While L-malic acid is converted into water and carbon dioxide in the tricarboxylic acid cycle, methanol is known to be toxic for living cells. In the same line it has been reported that benzylesters of PMLA were toxic due to release of free benzylalcohol during degradation [26]. However, for consideration of the copolymer application in drug delivery, the short residence times of only a few hours before complete clearance through the renal system relates their toxicity *in vivo*.

**3.6. Cellular Uptake Study.** Since we have found that the copolymers *coPMLA-Me<sub>25</sub>H<sub>75</sub>* and *coPMLA-Me<sub>50</sub>H<sub>50</sub>* contained hydrophobic patches that could be active in membrane disruption, it was important to test whether the polymers could enter cells *in vitro*. Rhodamine labeled copolymers were incubated with MDA-MB-231 cells for 3 hours. The cell's uptake of the fluorescent polymers was seen under the fluorescence microscope (Figure 6). Rhodamine alone did not stain the cells (picture not shown). The distribution of copolymers-rhodamine in all cells, appeared to be homogeneous and probably involved nuclei. The fluorescence intensity was semi quantitatively measured by triplicate in  $>50$  cells, and appeared to be 1.8 (Standard Deviation =  $\pm 0.3$ ) folds more intensive for *coPMLA-Me<sub>50</sub>H<sub>50</sub>* than for *coPMLA-Me<sub>25</sub>H<sub>75</sub>* accordingly to the Image J1.43c software, thus correlating with the higher degree of hydrophobicity of the higher methylated polymer. The results are evidences that the copolymers are highly versatile materials and suitable for various applications.




FIGURE 6: Localization of rhodamine tagged copolymers in MDA-MB-231 cells. Panels (a) and (b) separated copolymer-rhodamine uptake and DAPI staining. Panel (c) The copolymers are indicated by red fluorescence co-localizing with nuclei stained in blue with DAPI.

#### 4. Conclusion

New designs of nanoconjugate drug delivery systems are introduced here. The systems involve a polymer platform containing pendant chemically reactive groups to be conjugated with molecular units that function in pro-drug attachment, cell recognition, membrane penetration and protection. The copolymers *coPMLA-Me<sub>25</sub>H<sub>75</sub>* and *coPMLA-Me<sub>50</sub>H<sub>50</sub>* are biodegradable and biocompatible and its half-life is limited, so they may minimize adverse host's responses and development of liver storage diseases. The copolymers are endowed with membrane disrupting/penetrating activities which allow them to deliver drugs directly to intracellular targets by passing the plasma membrane. By raising the degree of methylation above 50%, the copolymers become insoluble and can be used as drug delivering nanoparticles. These results support the fact that poly( $\beta$ ,L-malic acid) is a highly versatile material and can be used for the design of a variety of nanoconjugate platforms for drug delivery systems.

#### Acknowledgments

The project was funded by grants from NIH/NCI R01 CA123495 to JYL; MAT2006-13209-C02-02 from CICYT (Comisión Interministerial de Ciencia y Tecnología) of Spain to SM and CONACYT-México (Concejo Nacional de Ciencia y Tecnología) for fellow granted to J. Portilla-Arias.

#### References

- [1] D. Peer, J. M. Karp, S. Hong, O. C. Farokhzad, R. Margalit, and R. Langer, "Nanocarriers as an emerging platform for cancer therapy," *Nature Nanotechnology*, vol. 2, no. 12, pp. 751–760, 2007.
- [2] B.-S. Lee, M. Vert, and E. Holler, "Water-soluble aliphatic polyesters: poly(malic acid)s," in *Biopolymers*, Y. Doi and A. Steinbüchel, Eds., pp. 75–103, Wiley-VCH, Weinheim, Germany, 2002.
- [3] B. Gasslmaier, C. M. Krell, D. Seebach, and E. Holler, "Synthetic substrates and inhibitors of  $\beta$ -poly(L-malate)-hydrolase (polymalate)," *European Journal of Biochemistry*, vol. 267, no. 16, pp. 5101–5105, 2000.
- [4] B. Gasslmaier and E. Holler, "Specificity and direction of depolymerization of  $\beta$ -poly(L-malate) catalysed by polymalate from *Physarum polycephalum*—fluorescence labeling at the carboxy-terminus of  $\beta$ -poly(L-malate)," *European Journal of Biochemistry*, vol. 250, no. 2, pp. 308–314, 1997.
- [5] B.-S. Lee, M. Fujita, N. M. Khazenzon, et al., "Polycefin, a new prototype of a multifunctional nanoconjugate based on poly( $\beta$ -L-malic acid) for drug delivery," *Bioconjugate Chemistry*, vol. 17, no. 2, pp. 317–326, 2006.
- [6] M. Fujita, N. M. Khazenzon, A. V. Ljubimov, et al., "Inhibition of laminin-8 in vivo using a novel poly(malic acid)-based carrier reduces glioma angiogenesis," *Angiogenesis*, vol. 9, no. 4, pp. 183–191, 2006.
- [7] M. Fujita, B.-S. Lee, N. M. Khazenzon, et al., "Brain tumor tandem targeting using a combination of monoclonal antibodies attached to biopoly( $\beta$ -L-malic acid)," *Journal of Controlled Release*, vol. 122, no. 3, pp. 356–363, 2007.

- [8] J. Y. Ljubimova, M. Fujita, N. M. Khazenzon, et al., "Nanoconjugate based on poly(malic acid) for tumor targeting," *Chemico-Biological Interactions*, vol. 171, no. 2, pp. 195–203, 2008.
- [9] J. Y. Ljubimova, M. Fujita, A. V. Ljubimov, V. P. Torchilin, K. L. Black, and E. Holler, "Poly(malic acid) nanoconjugates containing various antibodies and oligonucleotides for multi-targeting drug delivery," *Nanomedicine*, vol. 3, no. 2, pp. 247–265, 2008.
- [10] C. Braud and M. Vert, "Degradation of poly( $\beta$ -malic acid)-monitoring of oligomers formation by aqueous SEC and HPCE," *Polymer Bulletin*, vol. 29, no. 1-2, pp. 177–183, 1992.
- [11] J. A. Portilla-Arias, M. García-Álvarez, A. M. de Ilarduya, E. Holler, J. A. Galbis, and S. Muñoz-Guerra, "Synthesis, degradability, and drug releasing properties of methyl esters of fungal poly( $\beta$ , L-malic acid)," *Macromolecular Bioscience*, vol. 8, no. 6, pp. 540–550, 2008.
- [12] C. E. Fernandez, M. Mancera, E. Holler, J. J. Bou, J. A. Galbis, and S. Muñoz-Guerra, "Low-molecular-weight poly( $\alpha$ -methyl  $\beta$ ,L-malate) of microbial origin: synthesis and crystallization," *Macromolecular Bioscience*, vol. 5, no. 2, pp. 172–176, 2005.
- [13] J. A. Portilla-Arias, M. García-Álvarez, J. A. Galbis, and S. Muñoz-Guerra, "Biodegradable nanoparticles of partially methylated fungal poly( $\beta$ -L-malic acid) as a novel protein delivery carrier," *Macromolecular Bioscience*, vol. 8, no. 6, pp. 551–559, 2008.
- [14] E. Holler, *Handbook of Engineering Polymeric Materials*, vol. 997, Marcel Dekker, New York, NY, USA, 1997.
- [15] P. C. Hiemenz, "Light scattering by polymer solutions," in *Polymer Chemistry: The Basic Concepts*, p. 659, Marcel Decker, New York, NY, USA, 1984.
- [16] (ISO), I. O. f. S., "Methods for Determination of Particle Size Distribution Part 8: Photon Correlation Spectroscopy," International Standard ISO13321, 1996.
- [17] T. Mosmann, "Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays," *Journal of Immunological Methods*, vol. 65, no. 1-2, pp. 55–63, 1983.
- [18] C. Korherr, M. Roth, and E. Holler, "Poly( $\beta$ -L-malate) hydrolase from plasmodia of *Physarum polycephalum*," *Canadian Journal of Microbiology*, vol. 41, supplement 1, pp. 192–199, 1995.
- [19] K. Rathberger, H. Reisner, B. Willibald, H.-P. Molitoris, and E. Holler, "Comparative synthesis and hydrolytic degradation of poly (L-malate) by myxomycetes and fungi," *Mycological Research*, vol. 103, no. 5, pp. 513–520, 1999.
- [20] F. M. Williams, "Clinical significance of esterases in man," *Clinical Pharmacokinetics*, vol. 10, no. 5, pp. 392–403, 1985.
- [21] S. R. Tonge and B. J. Tighe, "Responsive hydrophobically associating polymers: a review of structure and properties," *Advanced Drug Delivery Reviews*, vol. 53, no. 1, pp. 109–122, 2001.
- [22] C. Kusunwiriawong, P. van de Wetering, J. A. Hubbell, H. P. Merkle, and E. Walter, "Evaluation of pH-dependent membrane-disruptive properties of poly(acrylic acid) derived polymers," *European Journal of Pharmaceutics and Biopharmaceutics*, vol. 56, no. 2, pp. 237–246, 2003.
- [23] M.-A. Yessine, M. Lafleur, C. Meier, H.-U. Petereit, and J.-C. Leroux, "Characterization of the membrane-destabilizing properties of different pH-sensitive methacrylic acid copolymers," *Biochimica et Biophysica Acta*, vol. 1613, no. 1-2, pp. 28–38, 2003.
- [24] M.-A. Yessine and J.-C. Leroux, "Membrane-destabilizing polyanions: interaction with lipid bilayers and endosomal escape of biomacromolecules," *Advanced Drug Delivery Reviews*, vol. 56, no. 7, pp. 999–1021, 2004.
- [25] R. Chen, S. Khormae, M. E. Eccleston, and N. K. H. Slater, "The role of hydrophobic amino acid grafts in the enhancement of membrane-disruptive activity of pH-responsive pseudo-peptides," *Biomaterials*, vol. 30, no. 10, pp. 1954–1961, 2009.
- [26] M. E. Martinez Barbosa, S. Cammas, M. Appel, and G. Ponchel, "Investigation of the degradation mechanisms of poly(malic acid) esters in vitro and their related cytotoxicities on J774 macrophages," *Biomacromolecules*, vol. 5, no. 1, pp. 137–143, 2004.



**Hindawi**

Submit your manuscripts at  
<http://www.hindawi.com>

